




NOAA Technical Report NWS 34

# Mean Monthly, Seasonal, and Annual Pan Evaporation for the United States

Richard K. Farnsworth  
and  
Edwin S. Thompson

Office of Hydrology  
National Weather Service  
Washington, D.C.  
December 1982

QC  
851  
.465  
no. 34  
[1964-1982]  
C. 3



**U.S. DEPARTMENT OF COMMERCE**

Malcolm Baldrige, Secretary

**National Oceanic and Atmospheric Administration**

John V. Byrne, Administrator

**National Weather Service**

Richard E. Hallgren, Acting Assistant Administrator

# **National Oceanic and Atmospheric Administration**

## **Climate Database Modernization Program**

### **ERRATA NOTICE**

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages  
Faded or light ink  
Binding intrudes into the text

This document has been imaged through the NOAA Climate Database Modernization Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or [www.reference@nodc.noaa.gov](mailto:www.reference@nodc.noaa.gov).

LASON  
Imaging Subcontractor  
12200 Kiln Court  
Beltsville, MD 20704-1387  
March 28, 2002

CONTENTS

INTRODUCTION.....1

MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION  
COMPILATION (TABLE I).....7

MEAN MONTHLY, SEASONAL, AND ANNUAL PAN EVAPORATION COMPUTED  
BY METEOROLOGICAL FACTORS (TABLE II).....62

ACKNOWLEDGMENTS.....82

REFERENCES.....82

APPENDIX A.....A-1

FIGURES

1. Distribution of Class A pan stations reporting observed  
evaporation only.....4

2. Distribution of Class A pan stations reporting observed  
evaporation and maximum and minimum water temperature.....5

3. Distribution of weather stations at which evaporation can  
be estimated by the Penman equation.....6

A1. Monthly distribution at Vaughn, New Mexico based on  
evaporation distribution at Alamogordo Dam and Santa Fe.....A-3

TABLES

A1. Monthly fractions of annual and seasonal evaporation at  
Alamogordo Dam and Santa Fe.....A-2

A2. Monthly potential evaporation (FWS), in inches, at Vaughn,  
New Mexico.....A-2

MEAN MONTHLY, SEASONAL, AND ANNUAL  
PAN EVAPORATION FOR THE UNITED STATES

Richard K. Farnsworth  
and  
Edwin S. Thompson  
Hydrologic Research Laboratory  
National Weather Service, NOAA  
Silver Spring, Maryland

INTRODUCTION

This publication is a compilation of monthly, seasonal, and annual averages of estimated pan evaporation based on observations from Class A pans and on meteorological measurements by the National Weather Service (NWS) and cooperating agencies. It replaces Technical Paper No. 13 (U.S. Weather Bureau, Hydrologic Branch, Division of Climatological and Hydrologic Services, 1950). These tabulations were generated from the augmentation of a smaller data set used to develop evaporation maps published in NOAA Technical Report NWS-33, Evaporation Atlas for the Contiguous 48 United States, (Farnsworth et al., 1982). This report and its companion report, the evaporation atlas, should facilitate the determination of monthly values of evaporation at most points in the country.

The data set used for the evaporation atlas included, at most, 15 years of data record. To obtain the tabulations contained in this report, the data set was enlarged to include the available period of record (through January 1981 for currently active stations). Therefore, while this report was produced at the same time as the evaporation atlas, there are some significant differences in the data used. The data sets used to produce the maps in the evaporation atlas were selected and, in some cases, adjusted to fit a common base period of 1956-70. For this report, the total period of record rather than a common time base was chosen for the record of observed pan evaporation. This avoids possible errors which might result from adjustments made to fit the common time base. Inclusion of the additional data periods of observed pan records required only tabulation from published records. However, the estimation of "pan" evaporation based on meteorological measurements requires many computations, and so only estimates for years for which the data were already prepared for computer processing (1956-70) for the atlas were included in this report. For the same reason, coefficients of variation of the monthly, seasonal, and annual values of the pan data were computed only for the 1956-70 base except for stations in the state of California which were available on magnetic tape for their full periods of record.

Evaporation means are included for only those stations that have at least 1 month with a period of record of 10 years or more prior to January 1981. Evaporation means for months with less than 5 years of record are omitted. Those means for months with between 5 and 10 years of record are shown to the nearest inch. This format should remind the user that these data cannot be treated with the same confidence as those means with 10 years or more of record which are shown to the nearest 0.01 inch. Actually, the latter should not be interpreted to an accuracy greater than 0.1 inches. However, the additional decimal place was retained to conform with published records.

Months with fewer than 20 observations were excluded from the analysis. This occurred mainly where observations were not taken on weekends, observers went on vacation, or temperatures were near or below freezing.

The data are presented in two tables. Table I lists averages based on observed Class A pan data, and table II lists average "pan" evaporation based on estimates of monthly evaporation derived from hydrometeorological measurements using a form of the Penman equation described by Kohler et al. (1955). Individual stations listed in the tables are ordered alphabetically within their appropriate states. The states are also listed alphabetically.

Table I data are generated primarily from data published in the series, Climatological Data of the United States (NOAA-EDIS). Details on site operation, including the name of the individual or agency operating the station, can be found in the annual summaries. Measurements obtained using non-standard pans, installations, or methods are difficult to compare with those obtained using the standard pans and, therefore, have more limited use. Only stations using standard Class A pans, with a standard installation, and assumed to be following standard procedures are included in table I. The standard Class A pans are unpainted, constructed of monel or galvanized metal, 47.5 inches in diameter, 10 inches deep, and mounted on a platform which raises the pan base a few inches above the surrounding ground. The installation of the pan and the measurement procedures are described in the NWS Observing Manual No. 2--Substation Observations (NOAA-NWS 1972). Approximate locations of the pans are shown in figures 1 and 2. Figure 1 shows those stations which observe only the evaporation from the pan while figure 2 shows stations measuring, in addition to evaporation, the temperature of the water in the pan and the total wind movement over the pan.

The values in table II are estimates based on hydrometeorological data for stations, most of which are published in the series Local Climatological Data (NOAA-EDIS). Details regarding individual stations are found in this publication, especially the issues which present annual summaries. As indicated previously, these data are averages of estimates of monthly Class A "pan" evaporation derived from hydrometeorological measurements. These measurements were taken at the stations of the NWS basic and synoptic network (NOAA-NWS 1979) which had at least 1 month with 10 years of record during the evaporation atlas base period, 1956-70. The locations of these stations are identified in figure 3. The observations required for the evaporation estimates were mean air temperature, mean dew point, the total wind movement 2 feet above the ground surface, and an estimate of incoming solar radiation. Daily wind movement was generally estimated from available wind speeds observed every six hours at the station anemometer height (often around 20 feet). This estimated wind movement was then adjusted, using a logarithmic relationship, to obtain an equivalent wind movement at 2 feet. Solar radiation was either measured directly (at those stations equipped with pyranometers), estimated from hours of sunshine (at stations equipped with sunshine recorders) (Hamon et al., 1954), or estimated from cloud cover (at the remainder of the stations) (Thompson, 1976).

The monthly mean estimated pan evaporation was computed for each month using eq. 1 of NOAA Technical Report NWS-33. A period-of-record average for each month of the year was formed by taking the average of all the values for a given month included in the period of record. The individual monthly sums were formed by multiplying the daily average by the number of days in the month. The data used to estimate each daily mean consisted of the mean daily air and dewpoint temperature and mean daily accumulations of solar radiation (sometimes estimated

from sky cover) and wind travel for the month. Determination of means in this way, using mean values of the input data rather than computing daily estimates of pan evaporation and then computing the average, was based on the experience of Kohler and others (Kohler et al., 1955) who stated that "experience has shown that only minor errors result when monthly evaporation (i.e., mean daily values for the month) is computed from monthly averages of the daily values of  $T_a$ ,  $T_d$ ,  $W_s$  and  $U_p$  (air temperature, dewpoint temperature, solar radiation, and daily pan wind travel)."

It should be noted that the annual means are computed as the sum of the individual monthly means. This causes some bias toward higher evaporation because the record is often not complete during months when temperatures are near or below freezing. For example, during a year when a spring month is colder than normal, observations are missed more often than usual because water in pans is frozen or the pan has to be taken out of service. In these situations, the data that are available for these months for computing an average represent intervals of milder temperatures and higher evaporation. When these months of partial record are summed into the annual or seasonal mean, they tend to bias the annual or seasonal value high. At stations located at high elevations, only the summer months are free from this problem. Our solution to this problem has been simply to note the number of years of record available for each month for each station and to caution users so that they may make subjective corrections appropriate at that location based on their familiarity with the climate.

All of the evaporation values in these tables represent estimates of expected evaporation occurring from a Class A pan. It has been found that evaporation from a shallow lake, wet soil, or other moist natural surfaces is roughly 70 percent of the evaporation from a Class A pan for the same meteorological conditions. The evaporation from shallow lakes and moist soils is generally classified by one of the following equivalent names: free water surface evaporation (FWS), lake evaporation ( $E_L$ ), or potential evapotranspiration (PE). An estimate of FWS which is more accurate than that given by multiplying the pan value by 0.70, is obtained by multiplying the pan amount by the appropriate coefficient from map 4 of the evaporation atlas described earlier. Still greater accuracy can be achieved when the pan at which the evaporation data were observed also has concurrent records of pan water temperature and pan wind movement. Then FWS evaporation can be computed by methods described by Kohler et al. (1955).

One purpose of this report is to present, in convenient form, monthly means of pan evaporation for those stations having sufficiently long records to establish stable normal values. An important use for these records is in extrapolating to locations where monthly estimates of evaporation are required but no measurements have been taken. Annual and seasonal (May through October) evaporation can be estimated from the maps in the evaporation atlas. The pan data in these tables can be converted to free water surface (FWS) evaporation using map 4 of the evaporation atlas. Determination of monthly values from the annual or seasonal values is done by (1) determining the ratio of the monthly to annual evaporation for an appropriate station having data in these tables, and (2) multiplying this ratio by the value obtained from the map. For an example, see appendix A.




Figure 1. Distribution of Class A pan stations reporting observed evaporation only (water temperature not measured or measured for an insufficiently long period of record).




Figure 2. Distribution of Class A pan stations reporting observed evaporation and maximum and minimum water temperatures. Stations identified by an R were not equipped with sensors to record additional data until the latter part of the 1956-70 time base.






Figure 3. Distribution of weather stations measuring a form of air temperature, humidity, wind movement, and radiation, where evaporation can be estimated by the Penman equation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

Station No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr		
														Oct ***	Apr ***						
<b>ALABAMA</b>																					
Demopolis Lock and Dam 32° 31', 87° 50'	1	2245	2.39	3.02	4.54	5.58	6.50	7.06	7.01	6.67	5.16	4.10	2.73	2.21	36.50	20.47	-	56.97	8/56	11/79	
			14	15	20	23	23	22	22	24	24	24	23	15							
			****	16	14	9	7	8	10	13	16	11	13	19	5	****		****			
Fairhope 30° 32', 87° 55'	1	2813	1.97	2.45	3.88	5.03	6.28	6.46	6.05	5.60	4.56	3.79	2.36	1.74	32.74	17.43	-	50.17	8/34	12/79	
			41	42	43	44	44	43	44	45	45	44	44	43							
			18	8	9	9	9	9	9	9	11	11	13	18	5	8		5			
Martin Dam 32° 40', 85° 55'	1	5140	1.90	2.43	4.06	5.04	6.21	6.38	6.28	6.21	4.96	4.01	2.53	2.09	34.05	18.05	-	52.10	2/51	8/79	
			21	27	28	28	27	29	28	27	28	27	26	25							
			14	14	13	7	11	9	9	10	8	2	10	17	7	****		****			
<b>ALASKA</b>																					
Central 2 65° 34', 144° 49'	50	1466						4.28	4.19	2.70	2.25			-	-	13.42	-	7/63	8/78		
									15	17	15	10									
			****	****	****	****															
Juneau WSO AP 58° 22', 134° 35'	50	4100					3	3.62	4	3.34				-	-	16	-	5/69	8/78		
							9	11	9	10											
			****	****	****	****															
Matanuska Agr Exp Station 61° 34', 149° 16'	50	5733					4.62	4.38	4.16	3.16	1.95	1.61		-	-	18.27	-	8/29	8/78		
							26	46	47	48	46	15									
			****	****	****	****	****	****	****	****	****	****									
McGrath WSO AP 62° 58', 155° 37'	50	5769					4.68	4.26	2.81					-	-	11.75	-	5/69	8/78		
							10	10	10												
			****	****	****																
Palmer IAS 61° 36', 149° 07'	50	6870					5.05	4.77	4.66	3	2			-	-	19	-	4/69	9/78		
							10	11	10	9	9										
			****	****	****	****	****	****	****	****	****										
University Exp Sta (College) 64° 51', 147° 52'	50	9641					4.84	4.88	3.04	1.41				-	-	14.17	-	5/29	8/78		
							19	18	19	13											
			****	****	****	****	****	****	****	****											
<b>ARIZONA</b>																					
Bartlett Dam 33° 49', 111° 38'	2	0632	4.19	4.96	7.47	10.53	14.44	16.81	16.59	14.50	12.57	9.76	6.09	4.66	84.67	37.90	-	122.57	6/40	12/79	
			38	39	39	39	39	40	40	40	40	40	40	40	39						
			28	20	21	9	8	5	8	13	12	11	16	20	5	9		5			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began	Latest Data
														Oct	Apr	Season			
<b>ARIZONA (continued)</b>																			
2	2439	7.28	7.57	10.29	13.19	16.86	19.72	20.22	18.22	14.87	11.86	8.75	7.87	101.75	54.95	-	156.70	1/56	6/77
		21	18	20	21	22	22	21	20	21	21	20	20	20	4	7		4	
2	2440	5	6	9	11	14	16.68	14.43	14.62	11.80	8.93	7.45	5.73	80	44	-	124	7/48	6/61
		9	9	9	9	9	10	10	10	10	10	10	10	10	****	****		****	
2	2659				13	10.49	9.06	7.31	5.80	6				-	-	52	-	6/65	10/76
					7	13	12	14	12	6									
2	3160						6.87	6.47	4.82	3.76				-	-	21.92	-	7/62	9/70
							11	13	13	11									
2	3926					8	8.64	6.72	5.65	4.82				-	-	-	38	5/68	9/79
						8	11	11	12	12								****	
2	5204		3	5.99	9.54	12.65	15.42	13.64	11.19	8.73	5.63	2.96		67.31	-	-	-	8/51	3/73
			6	10	11	12	14	17	19	18	17	16		8					
2	5412					8	8.36	7	6	5.01	4			-	-	-	38	5/68	6/78
						9	10	9	9	10	9							****	
2	5467	2.89	3.71	5.88	8.08	10.78	12.16	12.13	10.58	8.48	6.01	3.75	2.74	60.14	27.05	-	87.19	11/16	12/79
		62	63	63	63	61	61	62	63	62	62	64	63	63	4	13		6	
2	5924	3.78	4.70	7.39	9.62	11.91	14.03	10.68	8.42	8.27	7.14	4.67	3.78	60.45	33.94	-	94.39	10/52	12/79
		20	24	24	27	27	26	26	25	27	28	27	22	22	7	13		7	
2	6180			6	8.90	11.60	14.00	14.09	12.11	8.84	5.54	2.40		66.08	-	-	-	2/64	10/79
				7	19	20	21	22	22	21	21	16		13					
2	7281	2.09	3.05	5.43	8.01	11.37	13.57	13.52	11.26	9.07	5.87	3.08	1.97	64.66	23.63	-	88.29	1/16	12/79
		65	68	67	68	68	68	68	68	68	68	68	66	67	6	8		6	

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>ARIZONA (continued)</b>																				
2	7480	2.31	3.49	5.87	8.72	11.75	14.12	13.46	11.59	9.65	6.63	3.63	2.34	67.20	26.36	-	93.56	7/48	12/79	
		30	31	31	31	31	31	31	32	31	31	31	32	31						
		16	15	15	9	5	6	5	11	16	16	10	12	14	4	6		4		
2	7876	2.30	2.80	4.54	6.75	9.22	10.95	10.41	8.83	7.92	5.97	3.50	2.39	53.30	22.28	-	75.58	2/36	2/73	
		33	33	35	35	35	35	36	36	34	32	35	31							
		26	18	21	11	7	6	6	14	14	12	25	27	4	12					
2	8018					11	15	11	8.14	7.88				-	-	53	-	8/67	6/78	
						7	8	8	10	10										
						****	****	****	****	****										
2	8214	3.56	4.67	6.95	10.06	12.99	14.29	14.49	13.15	10.76	8.15	4.57	3.17	73.83	32.98	-	106.81	3/61	5/78	
		14	15	15	17	17	16	16	15	15	15	16	14							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
2	8499	1.60	2.92	4.95	7.23	9.64	11.01	11.22	9.83	7.78	5.18	2.54	1.48	54.66	20.72	-	75.38	9/53	6/78	
		25	25	25	25	25	25	24	24	25	25	25	25							
		17	14	16	12	10	9	6	12	11	9	17	21	7	10		7			
2	8815	2.92	3.92	6.58	9.18	12.17	13.84	12.55	10.56	9.33	6.89	4.10	2.43	65.34	29.13	-	94.47	1/29	12/79	
		51	51	51	51	51	51	51	51	51	51	51	51							
		19	16	13	7	12	11	8	10	13	16	17	15	9	9		8			
2	9114			7	9.65	13.75	15.86	16.50	15.42	11.20	8.23	4.53		80.96	-	-	-	1/62	10/79	
				9	13	16	16	17	18	17	12									
				****	****	****	****	****	****	****	****	****	****	****	****	****				
2	9334	3.30	4.64	7.15	9.83	10.50	11.14	9.72	8.12	7.32	5.96	4.58	3.27	52.76	32.77	-	85.53	1/17	12/35	
		19	19	19	19	19	19	19	19	19	19	19	19							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
2	9271			6	8.12	10.04	11.64	9.58	8.65	7.74	5.85	3.56	2.37	53.50	-	-	-	11/67	10/79	
				6	12	12	12	12	12	12	12	12	12							
				****	****	****	****	****	****	****	****	****	****	****	****	****				
2	9652	3.66	4.62	7.36	9.74	12.55	13.96	14.94	13.24	10.34	7.43	4.78	3.52	72.46	33.68	-	106.14	10/20	12/79	
		50	50	50	50	50	50	50	50	50	50	51	51							
		19	16	11	8	7	5	5	7	8	13	15	12	5	8		5			
2	9892	3.19	4.02	6.02	7.64	8.82	9.72	10.28	9.69	7.60	5.39	3.50	2.68	51.50	27.05	-	78.55	1/17	11/29	
		13	13	13	13	13	13	13	13	13	13	13	13							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr
<b>ARIZONA (continued)</b>																			
2	9657	3.49 20 ****	4.34 20 ****	6.77 20 ****	8.66 20 ****	10.38 20 ****	11.08 20 ****	11.72 20 ****	10.74 19 ****	8.47 19 ****	6.12 19 ****	3.99 19 ****	3.14 20 ****	58.51 ****	30.39 ****	-	88.90 ****	1/17	6/40
<b>ARKANSAS</b>																			
3	0764	1 5 ****	2 7 ****	3.18 18 ****	4.37 24 ****	5.53 24 ****	5.99 24 ****	6.63 24 ****	5.98 24 ****	4.22 24 ****	3.28 24 ****	2.09 21 ****	1 8 ****	31.63 7	-	-	-	1/56	11/79
3	0798			3.48 13 ****	4.52 13 ****	5.50 13 ****	6.62 13 ****	7.10 13 ****	6.38 13 ****	4.34 13 ****	3.06 13 ****	1.77 11 ****	1 6 ****	33.00 ****	-	-	-	1/67	11/79
3	3428	2.19 22 ****	2.54 26 ****	4.24 32 ****	5.07 35 ****	6.11 35 ****	6.77 36 ****	7.41 36 ****	6.88 34 ****	5.14 36 ****	4.17 35 ****	2.42 32 ****	1.80 29 ****	36.48 10	18.26 ****	-	54.74 ****	2/37	11/79
3	5038				5.38 25 11	6.15 27 10	6.83 27 7	7.42 27 10	6.81 27 10	5.05 27 15	3.59 27 15	2.35 16 ****		35.85 6	-	-	-	3/53	10/79
3	5110	2 9 ****	2.20 11 ****	3.77 16 ****	4.68 20 12	5.62 20 12	6.27 20 11	6.76 19 15	6.96 19 13	5.29 19 19	3.99 19 17	2.29 17 15	1.60 13 ****	34.89 6	17 ****	-	52 ****	11/50	7/70
3	5200		2 8 ****	2.91 12 ****	4.44 17 23	5.21 23 24	6.24 23 24	6.51 23 24	6.01 23 30	4.63 23 34	3.28 23 35	2.06 19 ****		31.88 22	-	-	-	10/43	9/66
3	6352	1.63 21 ****	2.15 26 ****	3.75 36 17	5.04 39 15	6.00 37 19	6.70 38 14	7.38 37 11	6.80 38 14	5.16 38 18	3.73 38 25	2.03 35 13	1.27 28 16	35.77 12	15.87 ****	-	51.64 ****	1/37	8/79
3	6920	1.30 26 31	2.02 36 19	3.79 48 20	5.18 49 16	6.17 50 16	7.39 51 14	7.47 51 16	6.88 51 22	5.09 51 22	3.87 51 25	2.39 49 22	1.44 35 ****	36.87 15	16.12 ****	-	52.99 ****	6/29	10/79
<b>CALIFORNIA</b>																			
4	0053	0.97 19 35	1.46 19 22	2.69 19 16	4.03 19 18	5.31 19 12	6.47 19 12	6.95 19 11	6.40 19 10	4.70 17 16	3.09 18 15	1.45 18 16	0.90 18 22	32.92 9	11.50 8	-	44.42 8	1/60	12/78

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr								
														Oct	Apr	Season											
																			***	***	***	***					
<b>CALIFORNIA (continued)</b>																											
Alturas 2 SE 41° 03', 121° 40' (approx)	4 0161	1	1	3	5	6	7.01	8.39	8.03	5.59	3.50	1	1	39	12	-	51	6/57	10/67								
		5	7	7	8	8	10	10	10	10	8	7	6	***	***		***										
		****	****	****	****	****	****	16	7	10	8	****	****	****	****	****		****									
Alvarado 37° 34', 122° 07'	4 None	1.42	2.22	3.77	4.98	6.76	7.40	7.76	6.76	5.37	3.75	2.07	1.42	37.78	15.88	-	53.66	8/24	4/42								
		17	17	17	18	18	18	18	18	19	19	19	19	19	19	19	19	19	19	19							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****							
Amboy 3 ESE Saltus 34° 32', 115° 42'	4 0176	4.98	7.60	11.59	14.73	18	22.02	22.76	19	15	11	7	5	108	50	-	159	1/67	11/77								
		11	10	11	10	9	10	10	9	9	8	9	8	8	8	8	8	8	8	8							
		16	24	16	17	****	10	9	****	****	****	****	****	****	****	****	****	****	****	****							
Antioch Pump Plant 3 37° 59', 121° 44'	4 0232	1.25	2.06	4.20	6.31	8.99	10.76	11.64	10.11	7.78	5.02	2.05	1.48	54.30	17.35	-	71.65	1/49	12/78								
		30	28	30	30	30	29	29	27	29	30	30	30	30	7	14		8									
		23	28	19	19	13	10	11	6	9	14	20	68														
Arvin-Edison WSD 35° 13', 118° 47'	4 0325	1.65	2.99	4.96	6.85	10.98	12.52	14.06	12.95	9.69	5.98	3.03	1.81	66.18	21.29	-	87.47	3/67	12/77								
		10	10	11	10	10	10	11	11	11	11	11	11	11	8	9		4									
		23	14	31	19	17	13	8	5	16	12	20	29	8	9												
Atascadero Lake 35° 28', 120° 40'	4 0360	1.57	2.09	3.39	5.16	6.57	7.83	9.29	8.19	5.91	3.74	2	1.54	41.53	16	-	58	1/64	2/79								
		11	12	11	10	10	10	10	10	10	10	9	10	10	10	10	10	10	10	10							
		38	24	40	21	22	5	12	10	13	28	****	46	****	****		****	****									
Avenal 9 SSE 35° 54', 120° 03'	4 0398	2	3.15	6.00	9.10	13.07	16.54	18.96	16	12.24	8.10	3.93	2.31	85	26	-	111	9/50	7/61								
		9	10	11	11	11	11	11	8	11	11	11	11	11	11	11	11	11	11	11							
		****	22	21	13	9	18	11	****	10	12	13	26	****	****		****	****									
Backus Ranch 34° 57', 118° 11'	4 0418	2.87	3.74	6.57	10.04	13.15	16.61	18.27	17.09	12.52	7.95	4.33	2.99	85.59	30.54	-	116.13	6/36	6/62								
		25	25	25	26	26	27	24	23	24	26	26	24	24	24	24	24	24	24	24							
		23	16	20	21	10	12	9	11	7	13	17	28	7	11		6										
Baldwin Park 34° 06', 117° 58'	4 0455	2.05	2.60	3.78	4.80	6.38	6.93	8.66	7.99	6.34	4.61	3.11	2.20	40.91	18.54	-	59.45	7/32	12/53								
		21	21	21	21	21	21	22	22	22	22	22	22	22	7	10		6									
		20	17	15	14	15	12	8	8	9	11	18	16														
Bataques-Hyd Res - Baja Calif 32° 33', 115° 04'	4 0541	3.98	4.76	7.06	8.94	11.85	12.44	12.60	10.83	8.94	6.22	4.80	3.31	62.88	32.84	-	95.72	1/64	12/76								
		13	13	13	13	13	13	13	13	13	12	13	13	13	5	10		5									
		15	21	13	9	8	7	7	16	11	23	32	29														
Beaumont Pumping Pl (Nr) 33° 59', 116° 58'	4 0607	3	3.43	4.41	5.31	6.61	8.39	10.67	10.08	8.11	5.79	3.54	3.11	49.65	23	-	73	1/55	9/75								
		8	13	14	14	18	20	20	21	21	19	17	13	13	13	13	13	13	13	13							
		****	27	17	26	9	17	11	14	15	19	21	22	8	****		****	****									

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**													May-	Nov-	Other	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Oct ***	Apr ***	Season ***				
<b>CALIFORNIA (continued)</b>																				
4	1558	2.28	2.99	4.41	5.47	6.10	6.61	8.27	8.03	6.14	5.04	2.99	2.17	40.19	20.31	-	60.50	9/59	9/77	
		18	18	18	18	18	18	18	18	18	19	18	18	18						
		24	23	15	15	15	15	15	10	8	15	17	17	17	9	10		9		
4	1562	4.02	4	6	6.38	8.07	8.78	10.28	10.00	8.11	6.54	4.92	3.90	51.78	29	-	81	6/68	12/78	
		10	8	9	10	10	11	11	11	11	11	11	11	11						
		19	****	****	23	19	14	13	11	14	16	22	15	9	****		****			
4	1588	1.26	1.89	3.39	5.28	8.82	11.22	13.43	11.97	8.78	5.31	2.09	1.10	59.53	15.01	-	74.54	12/65	11/78	
		13	13	13	13	13	13	13	13	13	13	13	13	13						
		30	22	19	28	16	12	6	7	11	10	17	33	6	14		6			
4	1614						9.17	13.27	11.46	8.62	5			-	-	48	-	6/60	7/70	
							11	11	10	10	6									
							20	7	16	9	****									
4	1715	1.33	1.99	3.77	5.66	8.31	10.07	11.30	9.65	7.37	4.50	1.94	1.31	51.20	15.99	-	67.19	5/51	10/79	
		21	23	26	26	28	28	28	28	28	28	26	24	18						
		37	22	18	21	16	15	8	10	11	16	36	72	9	13		6			
4	1758	2.85	3.35	5.00	5.99	6.85	6.97	7.60	7.32	6.11	4.89	3.62	2.42	39.74	23.62	-	63.36	9/18	12/79	
		61	61	61	61	61	61	61	61	61	62	62	62	62						
		15	12	9	10	9	8	5	6	8	10	11	13	5	7		4			
4	2013	0.87	1.77	4.25	6.57	10.63	12.64	13.74	12.28	8.23	5.28	1.97	0.75	62.80	62.80	-	80.60	1/59	10/78	
		17	17	17	19	20	20	20	20	20	20	17	16	15						
		45	35	22	26	12	10	10	12	26	19	41	51	10	22		10			
4	2105	1.42	1.89	3.31	5.12	7.48	9.88	11.77	10.59	7.87	4.61	1.89	1.14	52.20	14.77	-	66.97	1/60	3/79	
		19	19	19	17	17	18	18	18	18	18	18	18	18						
		36	16	13	23	13	9	8	10	10	14	20	22	4	10		4			
4	2122	1.57	1.81	2.87	4.13	6.57	8.78	11.46	10.94	8.35	5.16	2.60	1.54	51.26	14.52	-	65.78	4/57	8/78	
		20	20	21	22	22	22	22	22	22	21	21	21	21						
		35	35	27	36	25	16	10	10	12	17	44	47	9	22		9			
4	2239			3	4.92	7.09	9.57	10.28	9.69	7.56	5.28	3.54	2	49.47	-	-	-	4/46	4/79	
				5	12	14	15	15	15	16	16	10	6							
				****	20	18	10	14	12	14	14	13	****	7						
4	2294	1.34	2.12	4.12	6.34	9.07	10.83	11.73	10.38	8.35	5.51	2.55	1.32	55.87	17.79	-	73.66	5/26	12/79	
		49	53	53	53	53	53	53	53	53	53	54	54	49						
		33	31	23	25	19	14	10	10	13	18	30	36	11	16		11			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began	Latest Data	
														Oct	Apr	Season				***
<b>CALIFORNIA (continued)</b>																				
4	2294	1.53	2.36	4.49	6.69	8.98	10.24	10.55	9.25	7.59	5.47	2.56	1.57	52.08	19.16	-	71.24	7/59	12/78	
		18	17	17	18	18	18	19	19	19	19	19	19	19						
		23	23	20	22	15	14	7	7	9	15	23	37	7	13			8		
4	2319	4.50	6.19	10.45	14.31	19.05	21.47	23.99	21.32	16.08	11.27	6.23	4.27	113.18	45.96	-	159.14	5/61	12/79	
		17	17	18	18	19	19	19	19	19	19	19	19	19						
		21	24	15	10	9	7	7	7	9	9	21	20	6	9			6		
4	2346	1.38	2.13	4.49	7.05	10.39	12.32	12.80	10.75	8.07	5.35	2.48	1.42	59.68	18.95	-	78.63	10/52	11/78	
		22	25	25	25	25	26	23	24	22	25	24	25							
		45	26	21	20	12	10	9	9	12	18	34	54	7	18			9		
4	2473	1.30	2.17	4.06	6.06	9.65	12.28	14.72	12.95	9.72	6.06	2.36	1.30	65.38	17.25	-	82.63	6/50	8/78	
		26	26	26	26	26	28	28	28	28	27	27	27							
		25	18	20	25	18	14	8	8	9	17	22	45	8	16			9		
4	2580	1.50	2.13	3.85	5.83	8.03	9.41	9.49	8.58	6.93	4.72	2.32	1.50	47.16	17.13	-	64.29	11/55	3/79	
		24	24	24	23	23	23	23	23	23	23	24	24							
		26	21	19	22	13	12	9	12	12	18	27	40	8	15			10		
4	2605	3.62	3.66	4.96	5.59	5.91	6.57	8.54	8.19	6.77	5.43	4.17	3.50	41.41	25.50	-	66.91	7/56	9/78	
		22	22	22	22	22	22	23	23	23	22	22	22							
		26	32	19	16	13	17	9	10	14	17	16	17	7	7			4		
4	2821	1.97	2.17	3.90	4.88	5.83	7.20	8.66	7.60	5.55	4.29	2.76	1.73	39.13	17.49	-	56.62	10/65	5/77	
		12	11	11	11	11	10	10	10	10	10	12	12	12						
		29	30	38	24	12	14	9	18	29	39	44	36	15	26			18		
4	2830	2.91	3.23	4.72	5.98	7.36	8.03	10.55	10.00	8.58	6.30	4.72	3.23	50.82	24.79	-	75.61	7/32	8/60	
		28	28	28	28	28	28	29	29	28	28	28	28							
		32	24	23	14	14	10	7	7	13	12	24	26	5	12			5		
4	2964	1	1.42	3.03	5.04	7.40	9.06	12.20	10.75	7.13	3.86	1.30	1	50.40	13	-	63	8/25	9/54	
		6	12	24	28	29	29	29	30	30	29	18	8							
		****	38	23	19	16	17	9	8	13	17	29	****	8	****			****		
4	3030	0.71	1.18	2.28	3.23	3.94	4.37	4.57	4.09	3.58	2.05	1.02	0.75	22.60	9.17	-	31.77	1/63	9/73	
		11	10	11	11	11	11	11	11	11	11	10	10	10						
		22	25	12	15	10	14	10	9	7	10	20	23	4	****			****		
4	3056	0.94	1.57	2.95	4.65	7.09	8.11	9.33	8.15	5.83	3.43	1.38	0.83	41.94	12.32	-	54.26	10/63	4/79	
		16	16	16	16	15	15	15	15	15	16	16	16							
		20	29	17	22	14	12	7	11	8	19	23	29	7	11			6		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of monthly variation. For several California stations other years were used, but only annual or May-October coefficients were computed.



TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began	Latest Data												
														Oct	Apr	Season				***	Mo/Yr	Mo/Yr									
<b>CALIFORNIA (continued)</b>																															
4	3087	Fleming Fish and Game 40° 21', 120° 18'												5.28	7.40	8.15	9.96	8.94	6.46	3.62	44.53	-	-	-	6/61	4/79					
														16	17	18	18	18	18	18											
														18	12	11	7	13	11	11	6										
4	3093	Florence Lake 37° 16', 118° 58'												1.26	1.42	2.44	3.94	5.87	7.76	8.66	8.19	6.14	4.13	2.36	1.54	40.75	12.96	-	53.71	10/46	9/59
														13	13	13	13	13	13	13	13	13	13	13	13						
														45	31	25	14	10	10	8	7	9	20	21	32	5	13	6			
4	3113	Folsom Dam 38° 42', 121° 10'												0.90	1.62	3.46	5.38	8.09	10.13	11.46	10.18	7.66	4.96	2.03	0.94	52.48	14.33	-	66.81	1/56	12/79
														24	24	24	24	24	24	24	24	24	24	24	24	24	24	24			
														20	29	17	22	14	12	7	11	8	19	23	29	7	11	6			
4	3257	Fresno State University 36° 49', 119° 44'												1.14	2.05	3.94	5.90	8.58	10.31	10.94	9.17	6.69	4.21	2.05	1.02	49.90	16.10	-	66.00	9/68	12/78
														10	10	10	10	10	10	10	10	11	11	11	11	11	11				
														27	26	26	15	13	11	7	6	5	10	20	26	5	16	5			
4	3261	Friant Gov Camp CP 36° 59', 119° 43'												1.38	2.08	3.95	6.15	10.09	13.28	15.55	13.57	9.68	6.03	2.80	1.33	68.20	17.69	-	85.89	5/39	10/79
														39	39	40	40	41	41	40	41	41	41	40	40	40	40				
														28	21	18	22	15	14	11	11	10	16	27	37	15	16	11			
4	3289	Fullerton AP 33° 52', 117° 24'												2.76	3.07	4.41	5.39	6.57	7.24	8.74	7.99	6.46	4.96	3.58	2.68	41.96	21.89	-	63.89	1/35	5/77
														42	42	42	42	42	41	41	41	41	41	41	41	41	41	41			
														34	26	18	15	14	13	9	9	14	16	27	25	7	12	7			
4	3401	Gibraltar Dam 34° 31', 119° 42'												1.42	2.09	3.74	5.08	6.73	7.80	9.69	9.13	7.56	5.08	2.80	1.38	45.99	16.51	-	62.50	10/31	9/54
														23	23	23	23	23	23	23	23	23	21	21	21	21	21				
														25	24	20	15	11	9	7	6	6	8	15	20	5	12	6			
4	3855	Hayfield Pump Plant 33° 42', 115° 28'												5.00	5.91	9.45	12.95	17.09	18.82	19.84	17.17	14.88	11.02	7.36	4.84	98.82	45.51	-	144.33	5/34	12/45
														11	11	11	11	12	12	12	12	12	12	12	12	12	12				
														24	18	12	9	7	5	6	9	8	6	15	11	5	9	6			
4	3914	Henshaw Res 33° 14', 116° 46'												1.81	2.64	3.98	5.31	7.20	9.06	11.22	9.96	7.24	4.72	2.76	1.97	49.40	18.47	-	67.87	7/59	4/79
														18	18	19	18	16	16	18	18	17	18	17	16	16	16				
														25	21	25	18	12	11	9	9	15	25	25	33	7	13	6			
4	3939	Hetch Hetchy 37° 57', 119° 47'												5.08	5.59	7.24	8.90	7.95	6.02	3.54						39.24	-	-	-	8/49	10/77
														10	17	25	27	27	26	23											
														18	20	15	7	13	13	27						7					
4	3951	Highland Park 35° 38', 120° 16'												3.19	3.19	4.61	7	11	14	17	15	11	7.95	4.60	3.58	76	26	-	102	10/69	3/79
														10	10	10	9	9	9	9	9	9	10	10	10						
														60	21	27	****	****	****	****	****	****	****	15	21	48	****	****	****		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
<b>CALIFORNIA (continued)</b>																				
4	4018	1.38	2.13	3.90	5.75	8.46	10.87	13.11	11.73	8.82	5.90	2.36	1.30	58.89	16.82	-	75.71	3/59	3/79	
		18	18	20	19	19	20	20	20	19	19	19	18							
		18	15	14	22	17	10	8	9	10	17	27	31	5	12			5		
4	4173	1.97	2.44	3.74	4.72	6.65	7.20	7.76	7.17	6.26	4.53	3.19	2.01	39.57	18.07	-	57.64	9/34	12/45	
		10	11	11	11	11	11	11	11	12	12	11	12							
		33	25	20	15	11	15	11	6	13	19	27	18	10	****			****		
4	4176	1.02	1.06	1.85	3.27	5.24	6.89	8.39	7.60	5.55	3.70	2.09	1.34	37.37	10.63	-	48.00	10/46	9/59	
		13	13	13	13	13	13	13	13	13	13	13	13							
		53	41	33	16	13	11	10	9	10	16	21	33	4	14			4		
4	4259	2.83	4.43	7.26	9.91	12.82	14.76	14.81	13.46	10.66	7.55	4.00	2.55	74.06	30.98	-	105.04	3/59	12/79	
		20	20	21	21	21	21	21	21	21	21	21	20	21						
		18	13	10	10	6	10	9	11	11	12	13	19	8	9			7		
4	4300	2.56	3.07	4.25	5.24	5.98	6.57	7.72	7.40	5.90	4.41	3.22	2.52	37.98	20.86	-	58.84	2/46	6/72	
		26	27	27	27	27	27	25	26	26	26	26	26							
		30	30	20	15	15	15	11	9	12	15	26	33	8	12			8		
4	4303	2.05	2.68	4.57	6.61	9.76	12.60	14.57	13.15	9.65	6.22	3.27	1.97	65.95	21.15	-	87.10	7/49	6/78	
		24	23	25	29	29	29	29	29	29	29	28	26	25						
		24	22	19	20	15	12	12	11	13	16	19	23	9	13			10		
4	4321	1.18	1.89	3.43	4.69	7.05	9.61	12.28	11.02	8.03	5.24	2.10	1.02	53.23	14.81	-	68.44	1/59	6/70	
		12	12	12	12	12	12	11	11	11	11	10	11							
		29	27	14	23	12	12	6	8	6	18	43	59	5	19			7		
4	4422	1.02	1.57	2.64	3.67	4.84	6.06	7.05	6.38	5.04	3.07	1.65	0.83	32.44	11.33	-	43.77	2/31	1/79	
		48	48	47	47	48	47	48	48	48	48	48	48							
		77	71	32	26	23	22	19	23	28	35	84	70	19	26			18		
4	4443	1.18	1.30	2.01	3.31	5.04	6.73	8.27	7.20	5.59	3.58	2.09	1.46	36.41	11.35	-	47.76	10/46	9/59	
		13	13	13	13	13	13	13	13	13	13	13	13							
		35	27	25	17	11	10	9	9	15	17	19	27	7	12			6		
4	4534	1.85	2.99	5.83	8.50	12.09	14.33	16.57	14.69	10.87	7.48	3.58	1.85	76.41	24.60	-	102.13	10/49	11/78	
		29	28	28	29	29	29	27	27	28	28	29	29							
		24	25	17	17	11	12	11	11	11	13	22	31	9	10			9		
4	4590	0.98	1.77	3.23	5.24	8.11	10.35	12.25	10.71	7.83	4.88	1.85	0.91	54.13	13.98	-	68.11	3/59	7/78	
		16	18	19	18	20	19	18	18	19	19	19	17							
		28	22	19	23	15	14	9	7	8	17	28	34	11	19			10		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>CALIFORNIA (continued)</b>																				
4	4673	5.00	4.41	5.51	6.61	7.28	8.19	9.72	9.13	7.36	7.36	6	5.43	49.03	33	-	82	3/67	9/77	
		10	10	11	11	11	11	11	11	11	11	10	9	10						
		32	30	22	22	14	21	9	13	18	22	****	24	****	****			****		
4	4677	1.34	2.01	3.46	5.04	7.16	8.98	10.31	9.57	7.28	4.92	2.52	1.38	48.22	15.75	-	66.97	1/31	12/45	
		15	14	15	15	15	15	15	15	15	14	14	15							
		19	32	22	20	16	9	9	7	13	14	26	21	7	14		8			
4	4689	3.11	3.23	4.49	5.55	7.32	8.54	10.59	10.12	7.95	5.91	3.98	3.07	50.43	23.43	-	73.86	1/39	10/78	
		40	40	40	40	40	40	39	39	40	40	39	39							
		39	31	21	22	15	17	14	11	14	18	29	35	9	18		11			
4	4694	3.19	3.31	4.49	5.63	6.18	6.89	8.54	8.27	7.01	5.35	3.86	3.31	42.24	23.79	-	66.03	3/53	3/79	
		26	26	26	26	25	26	24	26	26	26	26	26							
		25	32	22	26	14	13	15	21	22	18	28	30	9	16		11			
4	4701	1	1	2.17	3.90	5.87	6.85	8.46	7.72	5.55	2.56	0.67	1	37.01	10	-	47	6/48	9/70	
		9	9	10	11	11	12	12	12	12	10	10	9							
		****	****	28	30	16	12	8	14	12	14	41	****	****	****		****			
4	4709	1.14	1.65	3.11	5.00	6.30	7.68	10.00	9.02	6.61	3.54	1.54	1.02	43.15	13.46	-	56.61	1/48	6/72	
		10	19	23	20	24	24	23	23	23	23	18	13							
		34	28	18	14	12	12	7	10	9	17	21	32	7	****		****			
4	4710	3.23	3.74	4.84	6.18	7.36	8.70	10.55	10.00	7.68	6.26	4.37	3.27	50.55	25.63	-	76.18	4/66	4/79	
		13	13	12	14	12	12	11	11	10	11	10	11							
		17	16	13	14	11	14	6	6	17	12	14	14	4	9		3			
4	4712	1.85	2.87	5.04	7.37	10.66	12.18	12.87	11.36	9.01	5.98	2.62	1.78	62.06	21.53	-	83.59	7/63	12/79	
		16	16	16	16	16	16	17	17	17	16	16	16							
		20	34	20	25	12	9	5	8	11	13	24	44	4	12		4			
4	4714					7.36	9.29	11.81	10.71	8.23	5.91			53.31	-	-	-	6/49	6/78	
						12	26	25	28	28	19									
						14	25	18	22	26	32			9						
4	4916	0.98	1.26	2.44	3.62	5.31	6.50	7.44	6.61	4.96	3.15	1.37	0.91	33.97	10.58	-	44.55	5/66	8/78	
		12	12	12	12	13	13	13	13	12	12	12	12							
		31	11	18	21	13	15	10	15	15	24	25	25	11	10		9			
4	4922	1.02	1.46	2.48	3.58	4.96	6.50	7.36	6.65	5.04	3.03	1.65	0.94	33.54	11.13	-	44.67	1/60	8/78	
		19	19	19	19	19	19	19	19	18	17	18	17							
		33	30	28	24	19	19	16	19	20	29	40	40	16	19		16			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
<b>CALIFORNIA (continued)</b>																				
4	4979	1.77	2.87	5.79	8.62	13.66	15.83	17.09	15.65	11.65	7.09	2.95	1.81	80.97	23.81	-	104.78	2/63	5/75	
		11	13	13	12	11	11	12	12	12	12	11	10							
		13	23	18	22	14	13	11	11	11	12	22	22	45	10	****		****		
4	4996	1.61	2.32	4.21	5.98	8.62	10.04	11.77	10.55	8.03	5.51	2.56	1.57	54.52	18.25	-	72.77	7/62	2/79	
		17	17	16	16	16	16	17	17	17	17	16	17	17						
		32	28	22	27	18	15	10	12	13	18	26	37	10	15		9			
4	5032	1.10	1.93	3.85	6.01	8.82	10.49	11.32	9.71	7.29	4.41	1.96	1.06	52.04	15.91	-	67.95	1/31	12/79	
		47	49	49	49	47	47	48	49	49	49	48	49	46						
		27	24	17	19	11	8	8	10	9	13	22	33	6	12		6			
4	5107	4.69	5.36	7.76	10.67	13.39	14.33	14.13	12.72	10.43	8.11	5.31	4.33	73.11	38.12	-	111.23	1/61	12/76	
		16	16	16	16	16	16	16	16	16	16	16	16	16						
		15	22	13	10	6	9	7	9	11	12	14	18	6	7		6			
4	5117	1.34	2.28	4.72	7.44	11.42	13.82	14.96	12.87	9.41	5.87	2.40	1.26	68.35	19.44	-	87.79	8/49	8/78	
		28	28	28	28	28	28	29	30	28	29	28	28							
		42	29	24	26	15	13	14	14	13	13	24	30	12	16		11			
4	5120	1.74	2.69	5.75	9.50	14.80	17.16	18.54	15.83	12.17	7.26	3.17	1.94	85.76	24.79	-	110.55	7/68	12/79	
		11	11	11	11	11	11	12	12	12	12	12	12							
		28	20	28	18	12	7	7	12	9	11	21	21	3	14		4			
4	5151	1.61	3.07	5.91	9.02	13.46	16	18.46	15.59	11.65	7.72	3.54	1.81	83	24.96	-	108	7/49	11/78	
		11	11	10	10	10	9	11	11	11	11	11	11							
		29	37	26	18	14	****	12	13	13	13	12	18	42	****	****		****		
4	5233	1.30	2.01	4.17	7.09	11.46	13.07	14.80	12.48	9.49	5.35	2.24	1.22	66.65	18.03	-	84.68	8/49	8/78	
		16	15	16	16	16	16	16	17	15	15	14	15							
		22	22	16	21	14	11	13	17	14	18	16	17	11	11		11			
4	5296	1.14	2.40	4.69	6.77	8.78	10.63	11.38	9.92	7.52	5.20	2.52	1.18	53.43	18.70	-	72.13	5/55	5/65	
		10	10	10	10	11	10	10	10	10	10	10	10							
		29	28	20	19	13	13	10	8	12	16	21	40	8	****		****			
4	5303	1.22	1.73	3.98	6.30	9.25	10.28	11.57	10.24	7.56	4.17	1.85	1.18	53.07	16.26	-	69.33	5/65	2/79	
		14	14	13	13	14	14	14	14	14	14	14	14							
		17	20	20	18	11	13	5	10	19	14	21	28	4	15		5			
4	5532	1	2.01	4.06	5.83	8.78	10.67	12.01	10	7	5	2	1	53	16	-	69	2/59	7/68	
		9	10	10	10	10	10	10	10	9	9	9	9							
		****	15	7	19	10	10	8	****	****	****	****	****	****	****	****		****		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

Station	State No.	Index No.**	Monthly												May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec							
<b>CALIFORNIA (continued)</b>																					
Mexicali Hydro Res, Baja Cal 32° 40', 115° 48'	4	5570	2.72	3.66	6.10	8.11	10.71	12.09	12.13	10.59	8.15	6.18	3.39	2.48	59.85	26.46	-	86.31	1/61	12/76	
			16	16	16	16	16	16	16	16	16	15	16	16	16	4	6		4		
			12	13	8	8	4	5	5	10	7	11	11	18							
Mockingbird Res 33° 54', 117° 25'	4	5736	3.31	3.07	3.35	3.94	4.65	5.31	7.01	6.65	5.71	4.92	3.90	3.22	34.25	20.79	-	55.04	7/41	2/79	
			37	37	36	36	37	37	38	38	38	38	38	38	38	52	58		53		
			69	64	71	74	63	59	54	50	50	52	53	55							
Mojave 35° 03', 118° 10'	4	5756			7	10	13.86	15.91	17.60	15.79	11.85	7.99	5		83.00	-	-	-	9/64	4/78	
					7	8	12	13	13	12	13	14	8								
					****	****	10	9	8	12	11	13	****			5					
Monticello Dam 38° 30', 122° 07'	4	5818	1.14	1.85	3.27	4.96	7.36	9.41	11.30	10.16	7.68	4.88	2.01	1.10	50.79	14.33	-	65.12	12/58	1/70	
			13	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
			27	34	19	27	9	13	7	6	6	13	25	28	5	15		7			
Morris Dam FC 390B 34° 11', 117° 53'	4	5871	2.24	2.28	3.78	4.72	6.06	7.05	9.33	8.78	7.24	5.08	3.70	2.20	43.54	18.92	-	62.46	10/30	9/49	
			19	19	18	19	18	19	19	19	19	19	19	19	18				12		
			30	26	30	18	17	16	10	8	8	17	32	19	10	17					
Nacimiento Dam 35° 46', 120° 53'	4	6056	1.65	2.32	3.94	5.63	7.95	9.96	11.46	10.59	7.83	5.28	2.72	1.73	53.07	17.99	-	71.06	5/57	3/79	
			21	20	22	21	22	22	22	22	21	22	22	20	20	5	12		6		
			28	30	22	20	11	11	9	6	9	14	23	31							
Newville I E 39° 48', 122° 30'	4	6178	1.73	2.56	4.17	6.42	9.49	12.40	14.61	12.76	10.43	6.81	3.15	1.85	66.50	19.88	-	84.90	3/59	10/70	
			11	11	12	12	12	12	12	12	12	12	11	11	11	11	11	11	11	11	
			31	40	21	27	16	10	6	9	9	21	35	44	6	15		8			
Oakdale-Woodward Dam 37° 51', 120° 53'	4	6305	1.14	1.77	3.39	5.31	9.29	12.28	14.69	12.72	8.94	5.35	2.40	1.14	63.27	15.15	-	78.42	10/18	12/67	
			42	44	41	45	42	43	42	43	42	42	43	38							
			32	22	15	20	13	11	8	8	11	17	29	31	7	12		8			
Oroville Dam 39° 32', 121° 29'	4	6527	1.22	1.97	3.54	5.31	8.03	10.24	12.32	11.02	8.43	5.28	2.24	1.18	55.32	15.46	-	70.78	1/59	3/79	
			21	21	20	19	19	20	20	20	19	20	20	20	20	20	20	20	20	20	
			29	26	19	28	17	10	5	10	11	16	30	48	6	17		7			
Parris Res Evap 33° 50', 117° 12'	4	6818	3.86	3.94	5.35	6.38	8.58	10.47	12.87	12.36	9.29	6.81	4.29	3.15	60.38	26.97	-	87.35	12/63	1/79	
			14	14	14	14	14	14	12	11	12	12	14	14	14	14	14	14	14	14	
			41	27	22	25	12	19	8	6	19	20	20	22	5	16		****			
Pilot Rock Evap 34° 16', 117° 17'	4	6868	2.13	3.15	4.84	5.63	7.60	9.48	10.98	10.04	8.19	5.98	3.46	2.21	51.95	21.42	-	73.37	6/60	4/79	
			12	16	16	17	18	19	19	18	17	19	19	12	12	12	12	12	12	12	
			47	30	25	29	19	13	14	16	15	19	32	37	9	****		****			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began No/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>CALIFORNIA (continued)</b>																				
4	6896	1.06	1.69	3.27	5.04	7.91	10.16	12.05	10.87	8.19	5.00	2.05	1.06	54.18	14.17	-	68.35	7/49	6/78	
		29	29	29	29	29	29	29	29	30	29	28	28	28						
		26	19	21	24	16	12	9	9	9	9	15	24	38	8	16		9		
4	6962	1.42	1.69	2.83	4.21	6.02	7.83	9.72	8.82	6.89	4.13	2.05	1.57	43.41	13.77	-	57.18	6/48	6/78	
		21	27	30	29	30	31	30	30	30	30	30	30	22						
		42	29	20	25	17	14	9	11	10	18	36	45	7	14		6			
4	7123	3.43	3.50	4.72	6.14	7.68	8.62	10.71	10.00	7.91	5.67	4.21	3.38	50.59	25.37	-	75.96	7/30	1/69	
		38	37	37	37	38	39	39	39	38	38	39	39							
		32	30	26	16	14	18	13	12	14	17	32	30	11	16		11			
4	7170	3.90	3.98	5.35	6.73	8.27	10.35	12.13	11.85	9.06	6.65	4.61	3.78	58.31	28.35	-	86.66	3/67	12/78	
		11	10	11	12	11	11	12	12	12	12	12	12							
		46	52	21	25	35	18	17	16	17	15	30	45	13	24		****			
4	7291	1.77	2.36	3.90	5.71	7.60	9.53	10.39	8.66	7.13	4.65	2.28	1.61	47.96	17.63	-	65.59	1/59	12/72	
		14	14	14	14	14	14	14	14	14	14	14	14							
		25	29	17	21	13	8	9	7	11	13	33	41	5	11		6			
4	7305	1.57	2.13	3.98	6.50	8.98	11.61	14.76	12.87	9.53	6.18	2.91	1.85	63.93	18.94	-	82.87	10/46	9/59	
		13	13	13	13	13	13	13	13	13	13	13	13							
		26	20	19	13	16	10	7	6	5	12	17	26	4	9		4			
4	7473	2.83	3.23	4.57	5.79	7.05	8.19	9.88	9.25	7.05	5.24	3.62	2.68	46.66	22.72	-	69.38	1/25	4/78	
		50	52	53	52	52	53	51	50	51	51	51	51							
		32	31	21	19	13	17	12	14	18	19	23	25	11	16		12			
4	7528	3.86	3.78	4.57	5.83	6.89	7.36	8.54	8.07	6.50	5.55	3.90	3.11	42.91	25.05	-	67.96	1/61	12/76	
		16	16	16	16	15	16	16	16	16	16	16	16							
		35	33	19	21	17	15	14	9	18	18	25	40	12	18		12			
4	7672	1.81	2.56	4.21	5.79	8.15	9.69	11.65	10.98	8.19	5.83	2.87	1.77	54.49	19.01	-	73.50	7/63	3/79	
		16	15	15	14	15	15	16	16	16	16	16	16							
		32	22	20	22	11	11	7	11	11	17	18	21	5	11		5			
4	7714	1.97	2.60	4.25	6.18	8.78	10.94	12.28	10.98	8.23	5.31	2.99	1.89	56.52	19.88	-	76.40	12/66	3/79	
		12	11	12	11	11	11	11	11	11	10	11	11	12						
		21	13	19	20	10	16	7	11	9	14	24	33	6	****		****			
4	7725	2.97	3.52	4.62	6.24	7.67	8.31	11.40	10.84	7.92	6.08	3.83	2.62	52.22	23.80	-	76.02	6/59	10/73	
		14	14	14	14	14	14	15	15	15	15	14	14							
		30	22	21	20	15	21	10	15	18	19	27	24	12	14		11			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>CALIFORNIA (continued)</b>																				
4	7759	5.75	4.69	6.14	6.50	7.56	7.76	10.35	9.45	8.46	7.40	7.56	6.14	30.98	36.78	-	87.76	1/31	12/54	
		24	24	24	24	24	24	24	24	24	24	24	24	24						
		31	40	30	19	16	13	8	6	11	15	31	21	5	17		8			
4	7811	2.72	3.23	4.80	6.38	8.58	10.31	12.56	11.50	9.02	6.38	3.78	2.80	58.35	23.71	-	82.06	7/39	9/71	
		32	32	32	32	32	32	33	33	33	31	31	32							
		28	24	23	17	11	16	12	13	15	25	20	38	11	15		12			
4	7846	1.58	2.62	5.57	8.99	13.28	16.07	19.13	17.23	12.21	7.36	2.90	1.57	85.28	23.23	-	108.51	2/63	12/79	
		16	17	17	16	17	17	17	17	17	17	17	16							
		23	23	23	27	14	11	8	10	9	10	22	28	4	14		5			
4	7866	4.02	3.74	4.25	5.43	5.91	6.81	9.02	10.20	8.78	7.60	5.75	4.76	48.32	27.95	-	76.27	2/57	3/79	
		22	23	23	21	21	21	22	22	22	22	22	22							
		23	28	27	25	19	21	19	23	23	28	27	31	13	13		11			
4	7873	2.91	2.83	5	5.47	7.24	8	9.84	9.33	7.91	5.40	4.17	2.80	48	23	-	71	10/46	9/57	
		10	10	9	10	10	9	10	11	11	10	10	10							
		52	29	****	14	7	****	10	8	11	8	21	32	****	****		****			
4	7964	1.50	2.20	3.70	5.55	7.36	8.58	9.41	8.30	6.57	4.37	2.13	1	44.59	17	-	62	7/62	1/79	
		17	16	16	16	16	16	17	17	17	17	17	7							
		37	26	26	23	17	17	9	8	10	15	19	****	6	****		****			
4	8135	1.81	2.14	3.45	5.25	7.51	9.21	11.49	10.23	7.93	5.02	2.57	1.75	51.39	16.97	-	68.36	1/46	12/79	
		31	33	33	33	33	33	33	33	33	33	32	31							
		33	33	19	28	20	15	12	14	12	16	28	37	9	13		9			
4	8140	1.14	1.30	2.20	3.58	5.79	7.28	9.17	8.31	6.30	3.66	2.13	1.50	40.51	11.85	-	52.36	10/46	9/59	
		13	13	13	13	13	13	13	13	13	13	13	13							
		47	32	23	16	17	10	6	9	12	13	20	27	5	13		5			
4	8252	2.75	3.58	4.72	5.59	6.77	6.93	9.02	8.35	6.73	5.04	3.62	2.72	42.84	22.98	-	65.82	1/52	12/67	
		16	15	15	15	16	16	16	16	16	16	16	16							
		22	23	20	23	14	15	9	7	11	15	22	24	8	13		9			
4	8295	0.55	0.94	1.77	3.23	5.00	7.32	9.09	8.46	6.02	3.46	1.38	0.79	39.35	8.66	-	48.01	7/55	2/79	
		15	18	19	19	19	18	19	19	19	19	19	17							
		60	50	56	29	25	16	9	10	12	25	50	51	7	21		8			
4	8338	2.40	2.99	4.61	5.98	7.68	8.19	8.58	7.60	6.57	5.31	3.11	2.24	43.93	21.33	-	65.26	3/61	5/71	
		10	10	11	11	11	10	10	10	10	10	10	10							
		11	21	9	15	9	9	9	8	10	13	16	18	6	****		5			

20

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May- Oct	Nov- Apr	Other Season	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														***	***	***				
<b>CALIFORNIA (continued)</b>																				
4	8587 Stony Gorge Res 39° 35', 122° 32'	1.18	1.85	3.70	5.67	8.43	10.67	12.55	11.02	8.27	4.80	1.89	1.18	55.74	15.47	-	71.21	11/48	9/78	
		30	30	30	30	30	30	30	30	30	29	30	30							
		23	27	18	22	15	12	6	9	7	14	23	29	6	13			7		
4	8620 Success Dam 36° 03', 118° 55'	1.42	2.17	4.17	6.42	9.76	11.97	13.82	12.44	9.33	6.18	2.72	1.30	63.50	18.20	-	81.70	8/59	6/78	
		19	19	19	19	19	19	18	20	19	18	18	18							
		26	19	17	21	11	10	7	9	10	16	27	31	7	11			7		
4	8755 Taft KTKR Radio 35° 09', 119° 28'	2.05	2.87	5.47	7.80	11.46	13.78	15.47	13.86	10.35	6.77	3.27	1.81	71.69	23.27	-	94.96	5/60	9/78	
		18	18	18	18	19	19	19	19	19	18	18	18							
		31	20	16	21	12	8	5	7	9	12	18	29	4	8			4		
4	8758 Tahoe City 39° 10', 120° 08'				3	4.06	5.00	6.04	5.80	3.87	2.14		26.30	-	-	-	-	4/19	12/79	
					5	33	59	59	57	57	39									
					****	23	24	19	17	22	40			19						
4	8817 Tecate Hydro Res, Baja Calif 32° 32', 116° 39'	3.27	3.31	4.29	5.20	6.14	7.01	8.62	8.27	6.81	6.42	3.86	3.54	43.27	23.47	-	66.74	1/61	12/73	
		13	13	12	13	13	13	12	10	12	12	13	12							
		20	27	26	23	16	14	19	16	11	21	18	17	10	11			****		
4	8868 Terminus Dam 36° 25', 119° 00'	1.54	2.36	4.09	5.98	9.57	11.93	14.29	13.23	10.04	6.61	2.91	1.34	66.07	18.22	-	83.89	9/62	8/78	
		16	16	16	16	16	16	15	16	16	15	15	15							
		30	21	21	26	14	8	5	9	9	13	22	36	5	14			6		
4	8928 Tijuana Hydro Res, Baja Calif 32° 31', 117° 02'	3.43	3.70	3.94	4.96	5.83	6.10	6.93	7.32	5.83	5.08	3.39	3.03	37.09	22.45	-	59.54	1/61	12/76	
		15	14	14	13	15	13	14	13	16	15	14	14							
		26	18	14	15	10	12	11	10	12	14	35	23	7	****			****		
4	9001 Tracy Pumping Plant 37° 48', 121° 35'	1.58	2.70	5.53	8.51	12.48	15.57	17.57	15.25	11.09	6.79	2.98	1.58	78.75	22.88	-	101.63	7/53	12/79	
		25	25	26	26	26	26	27	27	26	27	27	26							
		30	26	19	19	11	10	8	7	8	13	20	34	4	11			4		
4	9024 Trinity Dam Vista Pt 40° 48', 122° 46'			3	4.02	7.05	8.58	10.55	9.13	6.53	3.07	0.98	1	44.91	-	-	-	7/62	11/78	
				5	15	16	16	17	16	17	17	16	5							
				****	33	15	10	5	12	16	33	69	****	5						
4	9048 Tujunga Spreading Gr - Evap 34° 13', 118° 25'	3.35	3.70	5.04	6.06	7.68	8.03	10.16	9.61	7.36	5.79	4.53	3.50	48.63	26.18	-	74.81	12/32	12/44	
		12	12	12	11	12	12	12	12	12	12	12	13							
		27	33	24	19	13	13	8	6	20	13	25	22	8	11			7		
4	9053 Tulelake 41° 58', 121° 28'				5	8.02	8.34	9.45	8.54	6.65	3.62		44.62	-	-	-	-	8/62	12/79	
					7	14	17	17	17	18	11									
					****	11	12	5	10	24	14			****						

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.



TABLE 1 -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>CALIFORNIA (continued)</b>																				
4	9083	2.32	2.76	3.98	5.51	6.54	8.39	10.51	10.04	8.66	5.83	3.27	2.64	49.97	20.48	-	70.45	1/48	10/69	
		19	21	22	22	21	22	22	22	21	21	20	18							
		32	32	27	28	17	18	9	10	12	17	31	41	8	17		10			
4	9111	3.21	3.49	4.52	5.35	6.97	7.61	8.86	8.55	7.34	5.91	3.99	3.29	45.24	23.84	-	69.08	4/62	12/79	
		17	17	17	18	18	18	17	17	18	18	17	18							
		26	22	22	23	17	17	7	8	17	20	21	22	8	11		6			
4	9145	1.50	2.64	5.12	7.48	11.18	12.20	12.40	10.55	8.19	5.35	2.40	1.30	60.32	20.44	-	82.59	8/44	10/78	
		17	17	17	17	17	17	18	19	19	19	18	17							
		26	20	14	20	12	6	10	10	9	12	26	32	6	8		6			
4	9213	3.46	3.94	4.69	5.98	7.95	9.33	11.46	11.14	8.35	6.38	4.29	3.54	54.61	25.90	-	80.51	4/52	6/76	
		23	20	23	24	24	24	23	24	23	24	24	22							
		27	20	27	16	11	13	7	10	19	17	24	32	7	15		7			
4	9218	4.02	4.06	5.12	6.50	7.91	9.21	10.63	10.31	8.50	6.46	4.33	3.70	53.02	27.73	-	80.75	1/61	12/77	
		14	15	15	14	14	15	15	14	15	14	15	14							
		27	31	24	26	10	16	16	17	15	17	18	27	11	15		****			
4	9260	1.31	1.41	2.63	3.57	4.36	4.60	5.86	5.17	3.71	2.37	1.73	1.22	25.93	11.81	-	37.73	1/30	7/48	
		19	19	19	19	19	19	19	19	18	18	18	18							
		26	29	26	19	16	20	19	24	22	15	29	20	17	16		14			
4	9298	5.59	5.13	6.44	7.43	7.28	8.52	11.18	10.38	9.59	8.43	6.27	6.06	55.66	36.70	-	92.36	1/56	12/69	
		13	13	13	12	12	12	13	13	13	13	13	13							
		21	26	22	20	16	17	8	8	18	23	26	24	6	9		5			
4	9338	2.83	2.99	3.35	4.76	5.43	6.14	7.76	7.36	5.82	4.76	3.39	2.60	37.27	19.92	-	57.19	1/64	6/78	
		15	15	15	15	15	15	14	14	14	14	14	14							
		29	31	31	15	12	19	9	9	23	17	26	24	6	13		7			
4	9351				8	7.56	8.39	10.87	10.00	7.60	5			50	-	-	-	1/60	8/70	
					5	9	11	11	11	10	8									
					****	****	23	17	16	15	****			****						
4	9565	1.38	2.32	4.61	6.65	8.98	10.55	10.91	9.06	7.40	5.16	2.44	1.54	52.06	18.94	-	71.00	10/49	12/71	
		21	21	21	21	22	22	22	21	20	21	20	21							
		39	29	23	24	16	12	9	13	19	14	19	57	9	17		9			
4	960310	4.57	3.70	4.65	5.51	6.22	6.42	6.57	6.18	5.87	6.18	4.80	4.57	37.44	27.80	-	65.24	9/63	4/79	
		16	16	16	16	15	15	15	16	16	16	16	16							
		27	23	18	17	9	12	6	7	20	31	20	29	8	11		7			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>CALIFORNIA (continued)</b>																				
4	960325	2.76	2.72	3.66	4.80	6	7	7	7	6	4	3	2.52	37	19	-	56	12/69	4/79	
		10	10	10	10	9	9	9	9	9	9	9	9	10						
		28	18	22	17	****	****	****	****	****	****	****	****	25	****	****		****		
4	9621	1	1.51	2.92	4.61	7.09	8.84	11.08	9.71	7.11	3.79	1.44	1.08	47.68	13	-	61	7/59	12/79	
		8	18	19	16	19	19	20	20	21	21	19	14							
		****	38	16	26	18	9	8	14	13	21	37	38	5	****		****			
4	9629						6.06	7.99	7.80	5.71	3.50			-	-	31.06	-	7/66	10/77	
							10	12	12	12	10									
							19	6	10	20	43									
4	9694		1	2	3	5	7.14	8.62	6.89	4.51	2	1		34	-	-	-	6/69	9/79	
			7	9	9	9	10	11	11	11	9	6								
			****	****	****	****	8	5	8	16	****	****		****						
<b>COLORADO</b>																				
5	0130				7.45	9.71	10.58	9.57	8.37	6.68				-	-	52.36	-	5/60	9/79	
					12	15	16	17	17	17										
					****	9	7	6	12	8										
5	0834				8.18	9.41	11.57	12.44	11.30	8.55	6.68			59.95	-	-	-	1/49	8/78	
					19	28	29	30	30	28	23									
					16	16	20	15	13	18	17			12						
5	1660							5.67	4.66	3.80				-	-	14.13	-	7/58	9/71	
								11	12	10										
								13	19	****										
5	1816				7	8.28	8.57	7.40	7.06	7.15	5.27			43.73	-	-	-	6/40	9/59	
					7	19	20	20	20	20	15									
					****	****	****	****	****	****	****	****			****					
5	2759					6	7.13	7.06	5.87	5.14				-	-	31	-	5/56	9/71	
						5	14	15	15	13										
						****	16	9	18	15										
5	3489				7.77	10.23	12.83	13.20	11.35	8.38	5.19	2		61.18	-	-	-	4/56	9/79	
					17	22	23	23	22	23	17	8								
					16	21	27	24	26	27	27	****		22						
5	3500					7	8.30	8.33	7.00	5.65	3.67			40	-	-	-	8/49	9/79	
						9	25	29	30	30	19									
						****	14	8	14	15	****			****						

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation. For several California stations other years were used, but only annual or May-October coefficients were computed.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

Station	State No.	Station Index No.**	Monthly												May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec						
<b>COLORADO (continued)</b>																				
Green Mountain Dam 39° 53', 106° 20'	5	3592					5.27 12 ****	6.84 29 19	7.10 30 9	6.08 31 13	4.82 31 15	3.18 16 17			33.29 ****	-	-	-	8/48	9/78
John Martin Dam 38° 04', 102° 55'	5	4388			6 7 ****	8.16 33 13	9.85 37 13	11.61 36 14	12.58 36 11	10.72 36 9	8.28 37 13	5.70 35 17			58.74 7	-	-	-	4/42	9/78
Lake George 8 SW 38° 55', 105° 29'	5	4742				7 5 ****	8.03 13 ****	7.48 13 ****	6.25 13 ****	5.81 13 ****					-	-	35 ****	-	4/67	10/79
Meridith 39° 22', 106° 45'	5	5507					8.96 11 ****	8.85 11 ****	7.26 12 ****	5.41 12 ****					-	-	30.48 ****	-	5/69	9/79
Montrose No. 1 38° 29', 107° 53'	5	5717	1.28 30 8	1.56 30 10	3.54 33 18	5.59 39 15	7.58 38 13	9.35 39 13	9.21 39 11	7.58 39 14	5.80 39 14	3.57 39 22	1.68 35 13	1.29 15	43.09 9	14.94 9	-	58.03 8	1/41	10/79
Pueblo City Reservoir 38° 17', 104° 39'	5	6743		3.62 11 ****	5.76 14 ****	6.96 20 ****	9.00 28 12	10.51 29 17	11.06 29 11	9.41 29 14	7.68 29 18	5.43 26 16	3.38 15 ****	3 7 ****	53.09 11	-	-	-	3/42	10/70
Springfield 37° 23', 102° 42'	5	7866				8.44 23 17	10.60 23 14	12.26 23 12	13.16 23 12	11.88 23 13	9.16 24 16	6.86 24 21			63.92 10	-	-	-	9/56	10/79
Sugar Loaf Reservoir 39° 15', 106° 22'	5	8064					6.50 19 ****	5.85 27 12	5.02 27 13	4.12 26 11	3 8 ****				-	-	24 ****	-	8/48	9/79
Twin Lakes Reservoir 39° 05', 106° 19'	5	8501					8 7 ****	8.02 10 ****	6.89 10 ****	5.45 10 ****					-	-	28 ****	-	7/65	10/78
Vallecito Dam 37° 24', 107° 33'	5	8582				4.00 26 13	5.47 31 13	6.73 31 12	6.62 31 11	5.68 32 16	4.53 32 24	3.18 31 26	2 8 ****		32.21 11	-	-	-	8/48	10/79
Wagon Wheel Gap 37° 48', 106° 58'	5	8742				7 5 ****	8.57 30 17	7.27 31 18	6.04 31 15	5.59 32 15	4 9 ****				38 ****	-	-	-	5/40	9/71

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began	Latest Data												
														Oct ***	Apr ***	Season ***				***	Mo/Yr	Mo/Yr									
<u>COLORADO</u> (continued)																															
5	9025				10	8.81	9	10	8	6.02	4			46	-	-	-	4/61	9/70												
					9	10	8	9	9	10	9						****														
<u>CONNECTICUT</u>																															
6	1689					6	5.85	6.06	5.06	3.77				-	-	27	-	5/57	7/79												
						6	19	23	22	21																					
6	5445				3.70	4.30	4.52	3.87	2.38	1.28				20.50	-	-	-	5/65	10/79												
					14	14	15	15	15	13																					
<u>DELAWARE</u>																															
7	3570				5.76	6.55	7.33	7.69	6.75	5.13	3.90			37.35	-	-	-	4/56	10/79												
					16	20	21	23	22	24	20																				
7	6410					5.17	6.00	6.39	5.59	4.00				-	-	27.15	-	5/28	9/79												
						12	18	16	15	15																					
<u>FLORIDA</u>																															
8	0520	3.19	3.91	5.65	6.76	7.84	7.39	6.77	6.14	5.42	4.90	3.77	3.05	38.46	26.33	-	64.79	12/51	12/66												
																				15	15	14	15	15	15	15	16				
																				15	13	20	13	14	8	****	14	9	14	14	10
8	0611	3.35	3.99	5.70	6.45	7.07	6.29	6.33	6.15	5.30	4.73	3.66	3.14	35.87	26.29	-	62.16	3/40	12/79												
																				38	38	40	40	40	40	40	40	40	40	40	40
																				9	7	9	8	8	6	7	7	7	9	10	8
8	3020	5	5	7	9	9	8	8.15	7.43	6	6	4	4.38	45	34	-	79	5/63	9/75												
																				7	8	8	8	9	6	10	10	8	9	9	10
																				****	****	****	****	****	****	****	****	****	****	****	****
8	3171	3.83	4.33	6.24	7.54	7.83	6.92	7.15	6.97	5.94	5.52	4.31	3.81	40.33	30.06	-	70.39	11/53	6/79												
																				25	25	25	25	25	25	21	20	22	23	24	24
																				13	8	9	6	13	11	10	7	12	9	7	8

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

25

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct	Nov-Apr	Other Season	Annual	Record Began Mo/Yr	Latest Data Mo/Yr	
														***	***	***				***
<b>FLORIDA (continued)</b>																				
8	3321	2.95	3.71	5.65	7.14	7.97	7.59	7.14	6.71	5.74	4.97	3.60	2.82	40.12	25.87	-	65.99	10/53	12/79	
		23	26	26	26	26	25	25	26	26	27	27	26							
		12	10	10	9	10	9	5	8	8	13	11	13	3	7			4		
8	3909	3.81	4.42	6.12	7.26	7.80	7.12	7.36	7.22	5.91	5.81	4.79	3.80	41.22	30.20	-	71.42	1/41	12/79	
		38	37	37	36	39	38	38	38	38	37	38	39	38						
		10	9	7	5	7	11	6	7	14	6	8	11	5	4			3		
8	4707	3.33	3.91	6.01	7.37	8.16	7.23	7.33	6.92	6.17	5.30	3.90	3.09	41.11	27.61	-	68.72	5/65	12/79	
		14	14	14	14	15	15	14	15	15	14	14	14							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
8	4731	2.99	3.76	5.70	7.06	7.70	7.55	7.49	6.59	5.92	4.94	3.56	2.98	40.19	26.05	-	66.24	6/65	12/79	
		10	11	14	14	14	13	15	13	14	15	15	13							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
8	5076	2.75	3.30	5.01	6.59	7.15	6.61	6.55	6.02	5.09	4.44	3.21	2.69	35.86	23.55	-	59.41	1/60	12/79	
		19	20	20	20	19	20	20	20	20	20	20	20	20						
		9	6	8	7	8	9	6	6	7	5	11	15	2	4			2		
8	5182	3.17	3.81	5.28	6.27	6.94	6.17	6.01	5.91	5.16	4.55	3.40	2.81	34.74	24.74	-	59.48	1/41	12/59	
		19	19	19	19	19	19	19	19	19	19	19	19	19						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
8	5793	2.58	3.26	4.99	6.25	7.02	7.08	6.56	6.05	5.27	4.70	3.18	2.32	36.68	22.58	-	59.26	1/63	12/79	
		12	16	16	16	16	17	16	16	16	16	17	16	15						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
8	5895	4.05	4.30	6.47	7.87	8.50	7.68	7.50	7.17	6.56	5.91	4.46	3.60	43.32	30.75	-	74.07	1/49	12/79	
		31	31	31	31	31	30	31	31	31	31	31	31	30						
		11	9	10	9	11	9	8	11	10	12	7	11	7	6			6		
8	8780	3.36	3.85	5.41	6.31	6.83	6.15	6.87	6.57	5.36	5.53	3.81	3.20	37.31	25.94	-	63.25	2/41	11/79	
		29	30	30	29	31	27	27	32	31	31	32	29							
		8	9	9	7	12	13	9	8	14	8	9	10	7	5			5		
8	9219	2.80	3.60	5.44	6.64	7.07	6.66	6.64	6.32	5.03	4.81	3.31	2.64	36.53	24.43	-	60.96	5/65	12/79	
		14	14	14	14	15	15	15	15	15	15	15	15							
		23	18	15	11	11	11	9	12	16	22	21	27	11	16			12		
8	9795	2.63	3.27	5.20	6.51	7.27	7.84	7.33	6.96	6.52	5.42	3.44	2.58	41.34	23.63	-	64.97	1/59	12/78	
		18	17	19	19	18	18	18	19	19	19	19	19							
		14	10	9	8	11	11	5	7	8	14	8	11	5	5			5		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest	
														Oct	Apr	Season		Mo/Yr	Data	
														***	***	***	***	Mo/Yr	Mo/Yr	
<b>GEORGIA</b>																				
Ally 32° 11', 82° 34'	9 0090	2.09	3.06	4.53	5.46	6.61	6.61	6.64	6.21	4.61	3.74	2.64	2.07	34.42	19.85	-	54.27	1/49	11/79	
		17	19	18	20	17	20	20	18	18	20	19	15	****	****	****	****	****	****	****
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
Allatoona Dam 34° 10', 84° 44'	9 0181		3	3.87	5.06	5.77	6.27	6.55	5.97	4.71	3.46	2.32		32.73	-	-	-	5/52	11/78	
			7	12	25	27	27	27	27	27	26	16								
			****	****	14	11	12	14	14	14	13	13	****		6					
Athens College of Agric (Athens) 33° 55', 83° 21'	9 0432	2.76	3.20	4.82	6.12	7.13	7.49	7.63	6.83	5.65	4.21	3.03	2.53	38.94	22.46	-	61.40	6/53	6/71	
		14	15	17	16	17	18	16	17	17	18	17	18							
		14	18	14	10	11	12	9	11	17	14	14	18	6	5		3			
Calhoun Exp Station 34° 29', 84° 58'	9 1474			4.63	5.75	6.04	7.24	7.25	6.54	5.23	4.22	3	3	36.52	-	-	-	9/70	12/79	
				8	9	9	9	9	9	10	10	9	8							
				****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
Experiment 33° 16', 84° 17'	9 3271	2.57	3.10	4.78	6.26	7.53	7.96	7.58	6.95	5.61	4.32	3.04	2.36	39.95	22.11	-	62.06	10/36	11/79	
		30	32	35	43	43	41	43	42	43	44	41	35							
		****	16	14	11	13	14	11	10	12	12	9	12	5	5		5			
Rome WSO AP (Rome) 34° 21', 85° 10'	9 7610	1.77	2.76	3.85	5.29	6.37	6.69	6.85	6.02	5.05	3.76	2.32	1.54	34.74	17.53	-	52.27	1/49	3/68	
		11	16	15	18	17	16	18	18	18	19	17	18	12						
		****	****	****	12	11	****	16	14	13	16	20	****	****	****	****	****	****	****	****
Savannah WSO AP 32° 08', 81° 12'	9 7847	3	3.67	5.69	7.42	7.76	7.91	8.29	7.21	5.75	5.12	3.42	3	42.04	26	-	68	6/65	11/79	
		9	11	13	12	13	14	13	14	13	13	13	9							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
Tifton Exp Sta (Tifton) 31° 29', 83° 32'	9 8703	2.22	2.78	4.53	6.00	7.08	6.97	6.81	6.32	5.13	4.24	2.80	2.17	36.55	20.50	-	57.05	5/37	12/79	
		36	40	40	39	42	42	41	42	42	42	41	42	40						
		18	12	12	10	14	10	10	7	11	18	13	12	7	7		7			
<b>HAWAII</b>																				
Hilo WB Airport 19° 43', 155° 04'	49 1492	5.01	4.92	5.24	5.61	5.96	6.52	6.59	6.20	5.73	5.50	4.22	4.38	36.50	29.38	-	65.88	8/55	10/68	
		13	13	13	13	13	13	13	14	13	13	13	12							
		19	17	17	14	14	13	10	9	14	18	16	22	6	****		5			
Hoseae 21° 23', 158° 01'	49 1527	3.56	3.85	4.73	5.44	5.99	6.37	7.00	7.00	5.88	5.28	3.88	3.57	37.52	25.03	-	62.55	8/19	11/38	
		18	18	18	18	18	18	19	20	20	20	20	19							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****

27

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).  
 \*\* Climatological Data (NOAA-EDIS)  
 \*\*\* Sum of monthly means.  
 \*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
<b>HAWAII (continued)</b>																				
49	1918	4.73	5.14	6.80	7.50	8.57	9.03	9.66	9.84	8.60	7.54	5.82	4.97	53.24	34.96	-	88.20	1/56	12/78	
		23	22	23	23	23	22	23	23	23	23	23	22	22						
		15	11	14	11	9	8	7	9	9	9	9	15	13	6	9		6		
49	5580	5.47	5.64	7.30	7.92	8.97	9.61	10.25	10.04	9.15	7.96	6.30	5.53	55.98	38.16	-	94.14	8/55	12/79	
		24	23	24	22	23	24	23	24	25	25	25	24	24						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
49	none	3.10	3.13	3.91	3.75	4.11	4.08	4.37	4.36	3.87	3.57	3.15	2.99	24.36	20.03	-	44.39	2/20	9/30	
		10	11	11	11	11	11	11	11	11	11	10	10	10						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
49	7421	4.59	4.54	5.01	5.41	5.59	5.90	6.43	6.33	5.49	5.04	4.52	4.60	34.78	28.67	-	63.45	12/30	5/45	
		15	15	15	15	15	14	14	14	14	14	14	14	16						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
<b>IDAHO</b>																				
10	0010				5.19	7.56	8.48	9.88	8.84	6.03	3.61			44.40	-	-	-	5/35	12/79	
					15	43	43	42	43	44	44	30								
					****	16	14	6	13	13	12				7					
10	5275				4.19	6.35	7.52	9.02	7.96	5.54	3.15			39.54	-	-	-	5/35	12/79	
					24	40	45	45	45	44	33									
					****	12	13	6	8	12	****				****					
10	5466						8.88	10.65	9.11	6.92				-	-	35.56	-	7/67	8/79	
							12	14	14	10										
					****	****	****	****	****	****										
10	none				4.95	6.82	8.11	9.47	8.59	5.72	3.05	2		41.76	-	-	-	4/27	7/45	
					19	19	19	19	18	18	18	6								
					****	****	****	****	****	****	****	****	****		****					
10	5980				7	8.17	10.82	13.02	11.48	8.30	4.79	3		56.58	-	-	-	5/49	5/62	
					8	14	13	13	13	13	13	6								
					****	****	****	****	****	****	****	****	****		****					
10	6152				4.39	5.42	6.18	8.46	7.60	4.50	3.20			35.36	-	-	-	6/39	12/79	
					26	34	41	41	41	40	12									
					21	21	11	7	17	17	****				****					
10	6764					5.81	7.20	9.45	8.45	5.54	4			40	-	-	-	5/49	9/75	
						21	25	26	26	26	6									
						24	23	16	16	22	****				****					

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

	State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest																				
															Oct	Apr	Season	***	Began	Data																				
																					***	***	***	***	Mo/Yr	Mo/Yr														
<u>IDAHO (continued)</u>																																								
Twin Falls WSO	10	9303				7	8.62	9.13	10.36	9.11	6.68	4.49			48.39	-	-	-	5/63	10/79																				
42° 33', 114° 21'						9	17	17	17	17	17	13																												
						****	****	****	****	****	****	****			****																									
<u>ILLINOIS</u>																																								
Carlyle Reservoir	11	1290				5.57	6.95	8.50	8.80	7.24	5.69	4.37			41.55	-	-	-	4/63	10/79																				
38° 38', 89° 20'						17	17	17	17	17	16	15																												
						****	****	****	****	****	****	****			****																									
Hennepin Power Plant	11	4013				5	6.98	8.32	8.28	6.56	6.21	4			41	-	-	-	5/63	9/79																				
41° 18', 89° 19'						7	15	17	15	15	13	8																												
						****	****	****	****	****	****	****			****																									
Springfield WSO AP	11	8179				5.50	7.12	8.41	8.95	7.42	6.21	4.55	2		42.67	-	-	-	5/41	10/79																				
39° 50', 89° 40'						28	34	35	35	35	35	35	7																											
						16	16	17	17	15	17	16	****		9																									
Urbana	11	8740				4.62	6.33	7.60	7.80	6.29	4.85	3.43			36.30	-	-	-	4/63	10/79																				
40° 06', 88° 14'						11	16	16	15	15	15	16																												
						****	****	****	****	****	****	****			****																									
Urbana Engineering Campus	11	8750				3.90	5.67	6.25	6.52	5.92	4.59	3.23			32.18	-	-	-	4/48	10/62																				
40° 07', 88° 14'						13	14	13	15	15	15	14																												
						16	14	18	19	14	11	20			12																									
<u>INDIANA</u>																																								
Culver Exp Farm	12	1952					6.61	7.67	7.38	6.25	4.80	3.23			35.94	-	-	-	6/61	11/74																				
41° 10', 86° 28'							12	13	13	12	12	11																												
							****	****	****	****	****	****			****																									
Dubois S Ind Forage Farm	12	2309				5.62	6.29	7.02	7.15	6.35	4.89	3.85	2		35.55	-	-	-	9/56	10/79																				
38° 27', 86° 42'						19	23	23	23	22	22	22	7																											
						16	12	9	9	10	13	17	****		6																									
Evansville WSO AP	12	2738				5.14	6.66	7.86	8.05	7.07	5.40	3.88	2.52		38.92	-	-	-	4/49	10/79																				
38° 03', 87° 32'						29	31	31	31	31	31	30	12																											
						15	11	13	9	12	20	18	****		8																									
Kendallville	12	4492				4.25	5.65	6.45	6.80	6.10	4.38	2.96			32.34	-	-	-	1/49	4/72																				
41° 27', 85° 15'						20	21	21	22	23	23	22																												
						17	11	11	9	11	18	18			6																									

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.



TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began	Latest Data					
														Oct	Apr	Season								
														***	***	***	***	Mo/Yr	Mo/Yr					
<b>INDIANA (continued)</b>																								
Milan Waterworks (Milan) 39° 07', 85° 08'	12	5656												30	-	-	-	5/55	5/68					
														9	12	9	12	13	13	11				
			****	16	****	14	9	19	20	****														
Oaklandon Geist Reservoir (Indianapolis) 39° 54', 85° 59'	12	6506												28.76	-	-	-	6/37	10/79					
														3.76	4.96	5.71	6.15	5.31	4.01	2.62	1.66			
			40	42	43	43	42	42	43	16														
											19	12	10	13	8	18	15	****	7					
Valparaiso Waterworks 41° 31', 87° 02'	12	8999												28.56	-	-	-	4/60	9/79					
														3.66	5.38	6.14	5.94	4.92	3.23	2.95				
			10	20	20	19	20	20	19															
											14	14	10	9	11	23	29	9						
W. Lafayette 6 NW 40° 25', 86° 56'	12	9430												35.31	-	-	-	9/56	10/79					
														4.88	6.30	7.28	7.33	6.02	4.84	3.54	2			
			17	20	23	22	23	23	23	5														
											****	16	10	9	9	15	19	****	7					
<b>IOWA</b>																								
Ames 8 WSW 42° 02', 93° 48'	13	0200												41.50	-	-	-	4/65	10/79					
														6	7.39	8.65	8.59	7.12	5.43	4.32				
			8	15	15	15	15	15	13															
											****	****	****	****	****	****	****	****	****					
Ames 3 SW (Ames) 42° 00', 93° 39'	13	0205												39.15	-	-	-	4/33	10/70					
														4.84	6.82	7.76	8.47	7.13	5.26	3.71	2			
			35	38	38	38	38	38	38	6														
											20	15	15	14	8	13	25	****	10					
Burlington Radio KBUR 40° 49', 91° 10'	13	1060												41.18	-	-	-	4/65	10/79					
														5.25	7.00	8.30	9.04	7.25	5.46	4.13				
			14	15	15	15	15	15	15															
											****	****	****	****	****	****	****	****	****					
Castana Exp Farm (Castana 4E) 42° 04', 95° 49'	13	1277												40.42	-	-	-	5/56	9/79					
														5.65	7.10	8.12	8.34	7.23	5.40	4.23				
			13	18	18	18	18	18	16															
											20	21	25	22	21	30	33	20						
Cherokee 42° 45', 95° 32'	13	1442												35.93	-	-	-	8/37	11/53					
														4.19	6.01	6.92	7.86	6.66	5.03	3.45				
			15	15	15	15	16	16	16															
											****	****	****	****	****	****	****	****	****					
Dubuque WSO AP 42° 24', 90° 42'	13	2367												40.29	-	-	-	4/63	10/79					
														5.29	7.00	8.17	8.54	7.57	5.14	3.87				
			14	16	17	16	16	17	16															
											****	****	****	****	****	****	****	****	****					

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest			
														Oct	Apr	Season		Began	Data			
														***	***	***	***	Mo/Yr	Mo/Yr			
<b>IOWA (continued)</b>																						
13	6119				6.09	7.21	8.45	9.18	7.63	6.15	4.60			43.22	-	-	-	4/38	10/66			
					18	22	21	22	22	21	20											
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
13	7613					7	8.79	8.68	8.07	5.96	4.23			43	-	-	-	5/66	10/79			
						9	10	10	10	10	10											
						****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
<b>KANSAS</b>																						
14	1383				8.23	9.60	12.29	13.31	11.89	9.09	6.47			62.65	-	-	-	8/49	9/78			
					24	29	29	29	30	30	23											
					14	18	19	15	14	22	26											
14	1699				7.94	9.42	12.11	13.41	11.71	9.26				-	-	63.85	-	4/66	9/79			
					14	14	14	14	14	14												
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
14	1867				6.86	8.18	9.24	10.68	9.48	6.62	5.26	3		49.46	-	-	-	6/64	9/78			
					12	14	15	15	15	15	14	5										
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
14	2430				4.59	6.26	6.90	8.13	9.22	8.30	5.61	4.43	2.44	42.59	-	-	-	4/64	10/79			
					10	16	16	16	16	16	16	12										
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
14	2686					4	5.58	7.49	8.31	9.22	10.61	10.09	7.47	5.59	3.46	2	51.29	-	8/48	9/78		
						5	22	30	30	29	30	31	31	30	23	9						
					****	31	18	20	11	17	21	27	21	25	****	14	****	****	****	****		
14	2980				9.50	11.48	13.65	14.66	11.88	8.86	7.32			67.85	-	-	-	4/63	10/79			
					17	17	17	17	16	17	14											
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	
14	3100				6.68	5.35	10.55	11.97	10.75	7.39	5.36			51.37	-	-	-	5/65	10/79			
					11	15	15	15	15	15	13											
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	
14	3527				8.17	9.88	12.90	14.52	13.05	10.04	7.50			67.89	-	-	-	5/38	9/79			
					41	42	41	42	42	42	21											
					16	21	21	17	18	26	****											
14	4104				6.88	7.68	8.62	10.13	8.86	5.98	4.71	3		45.98	-	-	-	9/60	9/78			
					17	18	18	18	18	19	18	9										
					11	23	8	12	24	12	28	****										

12

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).  
 \*\* Climatological Data (NOAA-EDIS)  
 \*\*\* Sum of monthly means.  
 \*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began No/Yr	Latest Data Mo/Yr	
<b>KANSAS (continued)</b>																				
14	4178 Manapolis Dam 38° 36', 97° 37'				7.08	8.25	10.13	11.49	10.50	7.72	5.78	5		53.87	-	-	-	5/49	9/78	
					27	30	30	30	30	30	27	5								
					13	20	15	17	19	32	24	****		16						
14	4857 Lovewell Dam 39° 54', 98° 02'				6.49	7.51	8.83	10.05	9.25	6.13	4.44			46.21	-	-	-	7/58	10/79	
					20	21	21	22	22	21	20									
					14	16	11	11	15	19	21			9						
14	4977 Manhattan Agronomy Farm 39° 12', 96° 35'				6.19	7.38	8.98	10.31	9.27	7.31	4.77			48.02	-	-	-	5/25	9/29	
					23	30	30	30	30	30	25							4/38	10/62	
					****	****	****	****	****	****	****	****		****						
14	5039 Marion Dam 38° 23', 97° 05'				6.73	7.87	9.49	11.27	9.97	6.84	5.39	3		50.83	-	-	-	5/66	10/79	
					13	14	14	14	14	14	14	7								
					****	****	****	****	****	****	****	****	****		****					
14	5306 Milford Lake (or Dam) 39° 05', 96° 53'				6.74	8.00	9.68	11.11	10.00	6.89	5.41			51.09	-	-	-	7/65	9/78	
					11	12	11	12	11	12	11									
					****	****	****	****	****	****	****	****		****						
14	5852 Norton Dam 39° 49', 99° 56'				7.49	9.02	11.05	12.42	10.78	7.66	5.71			56.64	-	-	-	4/63	10/79	
					16	16	17	17	17	16	15									
					****	****	****	****	****	****	****	****		****						
14	6333 Perry Lake (or Dam) 39° 07', 95° 25'				6.80	7.35	8.88	10.23	9.40	6.35	5			47	-	-	-	4/69	9/78	
					10	10	10	10	10	10	9									
					****	****	****	****	****	****	****	****		****						
14	6498 Pomona Dam 38° 39', 95° 34'				7.13	7.87	8.88	9.92	8.82	6.37	5.85			47.71	-	-	-	9/63	9/78	
					12	15	15	15	14	16	14									
					****	****	****	****	****	****	****	****		****						
14	7073 Sabetha Lake 39° 54', 95° 54'				5.44	6.82	7.48	8.25	7.67	5.32	4.11	2		39.65	-	-	-	4/56	10/79	
					22	24	24	24	24	24	24	6								
					12	14	10	12	11	23	26	****		10						
14	8191 Toronto Dam 37° 45', 95° 56'			4.72	6.44	7.48	7.96	9.58	8.66	5.76	4.52	2.49		43.96	-	-	-	4/56	9/78	
					14	23	23	23	23	23	22	22	17							
					****	18	21	8	18	19	28	23	23		12					
14	8235 Tribune I W (Tribune) 38° 28', 101° 46'				7.79	9.86	12.17	13.90	12.01	8.96	6.14			62.67	-	-	-	9/16	9/78	
					62	62	61	62	62	63	10									
					21	19	20	13	13	20	****		****							

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data No/Yr	
														Oct ***	Apr ***					
<b>KANSAS (continued)</b>																				
Tuttle Creek Lake (or Dam) 39° 15', 96° 36'	14 8259				6.29	7.75	8.61	9.98	8.82	5.89	4.82			45.87	-	-	-	9/59	9/78	
					15	16	19	18	18	19	16									
					****	****	11	13	5	15	****				****					
Webster Dam 39° 25', 99° 25'	14 8648				6.80	8.29	10.09	11.54	10.17	7.18	5.57			52.84	-	-	-	4/58	9/78	
					15	21	21	21	21	21	20									
					****	14	15	20	9	17	16				9					
Wichita 37° 40', 97° 18'	14 None				6.19	6.99	8.90	10	10	7.75	5.42			49	-	-	-	9/18	6/27	
					10	10	10	9	9	10	10									
					****	****	****	****	****	****	****	****			****					
Wilson Lake (or Dam) 38° 38', 98° 29'	14 8946				6.87	8.54	10.24	11.98	10.77	7.53	5.97			55.03	-	-	-	3/64	9/78	
					11	14	13	14	14	15	13									
					****	****	****	****	****	****	****	****			****					
<b>KENTUCKY</b>																				
Buckhorn Lake (Buckhorn) 37° 21', 83° 23'	15 1080				4.62	5.02	5.47	5.63	5.07	3.89	2.91			27.99	-	-	-	4/61	10/79	
					17	18	18	16	18	17	17									
					****	****	****	****	****	****	****	****			****					
Dewey Dam 37° 45', 82° 47'	15 2180					4.51	4.94	5.35	4.67	3.50	2.24			25.21	-	-	-	9/53	10/70	
						15	16	17	16	17	15									
						13	12	11	17	24	24				11					
Dix Dam 37° 48', 84° 43'	15 2214				5.33	6.14	6.47	6.93	6.34	5.01	3.62			34.51	-	-	-	4/54	9/79	
					23	25	26	26	26	24	20									
					15	9	10	8	10	10	13				5					
Eadsville (Lock 21) 36° 54', 84° 53'	15 None			3	4	4.98	5.86	5.99	4.90	3.64	2.51	1.59		27.88	-	-	-	5/37	11/46	
				9	9	10	10	10	10	10	10	10	10							
				****	****	****	****	****	****	****	****	****	****		****					
Madisonville 37° 19', 87° 29'	15 5067				5.83	6.86	7.56	7.84	6.91	5.06	4			38	-	-	-	4/56	9/79	
					22	24	24	24	24	24	5									
					14	8	11	7	11	15	****				****					
Molin River Lake (or Reservoir) 37° 17', 86° 15'	15 5834				5.58	6.63	7.15	8.92	6.63	4.73	3.71			37.71	-	-	-	4/64	10/79	
					16	16	16	16	16	16	15									
					****	****	****	****	****	****	****	****			****					

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>KENTUCKY (continued)</b>																				
15	8807	2	2	4	4.68	5.47	6.35	6.57	5.88	4.58	3.24	2	2	32.09	17	-	49	6/48	9/70	
		7	7	7	12	20	23	23	23	23	23	21	7	6						
		****	****	****	****	12	10	9	12	18	12	****	****	7	****		****			
<b>LOUISIANA</b>																				
16	1411	2	3.02	4.69	5.59	6.89	7.48	7.56	7.15	5.38	4.35	2.68	2.14	38.81	20	-	59	8/60	11/79	
		7	15	19	19	19	18	19	20	20	20	20	28	14						
		****	****	17	8	10	8	7	10	6	15	15	****	****	****	****		****		
16	5620	2.31	3.34	4.85	6.43	7.18	7.72	6.69	6.36	5.47	5.23	3.42	2.54	38.65	22.89	-	61.54	3/63	12/79	
		9	16	17	14	15	16	16	16	17	15	17	15							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
16	9865	1.72	2.16	3.50	4.56	5.82	6.17	6.16	5.80	4.46	3.68	2.10	1.68	32.09	15.72	-	47.81	1/57	9/75	
		14	18	18	17	17	17	17	18	18	17	17	16							
		22	18	15	13	18	12	14	16	12	14	12	23	9	10		8			
<b>MAINE</b>																				
17	1175					5.46	5.72	5.80	4.72	3.20	2			27	-	-	-	6/63	9/79	
						10	17	17	16	16	5									
						****	****	****	****	****	****	****			****					
17	5686					6	4.97	6	5.50	3.85				-	-	26	-	6/63	9/79	
						9	10	9	12	11										
						****	****	****	****	****										
<b>MARYLAND</b>																				
18	0700				5.13	5.66	6.57	7.31	6.19	4.75	3.34	2.44		33.82	-	-	-	5/41	10/79	
					11	31	36	37	37	34	33	17								
					****	9	6	10	13	18	11	****			****					
18	8065				5	5.42	5.80	5.98	5.36	4.17	2.73			29.46	-	-	-	5/51	10/79	
					8	27	26	26	29	29	27									
					****	8	7	8	8	13	18			4						
18	9070				4.62	5.67	6.31	6.68	5.85	4.12	2.99			31.62	-	-	-	4/56	10/79	
					17	22	23	23	22	22	20									
					****	11	8	9	13	11	11			3						

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr			
														Oct ***	Apr ***	Season ***						
<b>MASSACHUSETTS</b>																						
19	6938				3.09	4.53	5.27	5.63	4.77	3.33	2.13			25.66	-	-	-	4/52	10/79			
					21	28	28	28	28	28	27											
					15	14	14	14	10	11	12											
<b>MICHIGAN</b>																						
20	2015				3.88	5.86	6.91	7.35	6.18	3.10	2.99			32.39	-	-	-	8/52	9/79			
					18	30	27	27	26	26	23											
					****	14	14	10	10	14	22											
20	2395				5	6.18	6.95	7.37	6.14	4.45	2.91			34.00	-	-	-	4/56	10/79			
					7	23	24	23	24	24	23											
					****	14	10	12	8	13	25											
20	3123				4.90	5.89	6.24	5.00	2.97	1.91				26.91	-	-	-	7/39	10/60			
					18	20	21	22	22	20												
					****	****	****	****	****	****												
20	4502				5	6.11	6.43	5.31	3.43	2.34				29	-	-	-	5/60	9/79			
					8	17	16	18	17	12												
					****	****	****	****	****	****												
20	4967				4.80	5.17	5.62	4.46	2.87	1.82				24.74	-	-	-	5/51	10/79			
					24	29	29	29	29	26												
					16	10	17	14	14	40												
20	7690				3.99	5.59	6.61	6.81	6.06	4.57	3.17			32.81	-	-	-	5/52	9/78			
					25	27	27	27	27	25												
					7	10	11	8	7	11	14											
<b>MINNESOTA</b>																						
21	3921				5.12	5.83	6.15	4.80	2.92	2				27	-	-	-	5/58	8/79			
					10	15	14	14	13	8												
					****	****	****	****	****	****												
21	4546				5	7.93	9.03	9.02	7.43	5.61				44	-	-	-	5/66	9/78			
					9	13	13	13	13	13												
					****	****	****	****	****	****												
21	8692				6	6.43	8.38	8.47	6.73	5.07				-	-	41	-	4/64	9/79			
					5	15	15	15	15	15												
					****	****	****	****	****	****												

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began	Latest Data	
														Oct	Apr	Season				***
<b>MISSISSIPPI</b>																				
22	7886	2.12	2.78	4.50	5.87	7.48	8.38	8.15	7.32	5.74	4.36	2.87	2.01	41.43	20.15	-	61.58	11/52	11/77	
		17	19	23	25	25	25	24	24	24	24	25	19							
		17	21	21	10	11	10	8	6	16	11	11	24	6	****		****			
22	8374	2.28	3.81	4.59	5.99	7.24	7.62	7.77	7.30	5.75	4.49	3.01	2.25	40.17	21.93	-	62.10	10/48	11/79	
		24	26	29	31	31	31	31	31	31	31	32	32	26						
		22	20	18	10	11	9	13	12	16	13	12	11	8	****		****			
22	8998				6.49	7.65	8.41	8.81	8.08	5.92	4.84	3.20		43.71	-	-	-	4/60	10/79	
					16	17	19	19	18	18	18	12								
					****	****	11	13	10	25	22	13		****						
<b>MISSOURI</b>																				
23	1800				4.80	5.77	7.06	8.11	6.82	5.76	3.54	2		37.06	-	-	-	5/16	10/26	
					22	23	23	24	24	24	24	8							6/36	9/39
					****	****	****	****	****	****	****	****	****		****				6/44	10/52
23	6777				5.94	7.05	8.51	8.99	8.09	5.22	4.31			42.17	-	-	-	6/63	9/78	
					12	11	14	15	15	14	11									
					****	****	****	****	****	****	****	****		****						
23	7470				2.77	4.17	5.32	6.06	6.75	5.82	4.67	2.79	1.53	31.41	-	-	-	6/38	10/56	
					11	17	18	19	19	19	19	19	11							
					****	****	****	****	****	****	****	****	****	****	****					
23	7963				5.25	6.07	7.01	8.00	6.98	4.88	3.78			36.72	-	-	-	4/59	10/79	
					15	17	20	17	19	20	17									
					****	****	11	****	8	8	****			****						
23	8805				4.85	6.07	7.39	7.28	6.49	4.88	3.72			35.83	-	-	-	4/57	9/74	
					10	13	13	17	18	17	14									
					****	14	8	14	9	13	18			****						
<b>MONTANA</b>																				
24	0392					5.96	6.28	7.18	6.00	4.24				-	-	29.66	-	5/50	8/79	
						19	30	30	29	24										
					****	17	12	11	18											
24	1044				3.67	5.72	6.17	8.33	7.47	4.73	2.72			35.14	-	-	-	7/16	10/20	
					32	39	39	40	40	40	38							5/35	10/69	
					15	15	19	9	14	20	15			9						

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest			
														Oct	Apr	Season	***	Began	Data			
														***	***	***	***	Mo/Yr	Mo/Yr			
<b>MONTANA (continued)</b>																						
24	1047					5	5.87	6.76	8.13	7.46	5.07	3		36	-	-	-	5/67	10/79			
						6	12	13	13	13	13	7										
						****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
24	1470					5.23	6.38	8.33	7.31	4.59				-	-	31.84	-	5/56	9/79			
						23	24	24	24	24												
						14	21	10	10	31												
24	2409					5.29	5.62	6.64	5.63	3.70	3			30	-	-	-	8/50	9/79			
						22	27	28	30	30	5											
						16	14	6	8	21	****	****	****	****	****	****	****	****	****	****	****	
24	3110					5.05	7.27	7.95	9.94	9.17	5.58			-	-	44.96	-	4/48	9/79			
						22	28	30	31	31	31											
						****	37	26	21	23	32	****	****	****	****	****	****	****	****	****	****	
24	3175					7.47	7.70	9.61	9.28	6.73	4.41			-	-	45.20	-	5/35	9/56			
						14	22	22	22	22	15											
						****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	
24	3176					7.49	8.68	10.67	9.86	5.88	3.56			46.14	-	-	-	5/56	9/79			
						23	23	23	23	23	21											
						17	18	14	13	17	16											
24	4328					5.07	5.82	7.98	6.77	3.48	2			31	-	-	-	8/48	9/79			
						31	31	31	32	31	9											
						19	13	12	20	23	****	****	****	****	****	****	****	****	****	****	****	
24	4345					5.25	6.88	7.15	8.64	7.84	4.79			-	-	40.55	-	8/48	10/79			
						24	26	28	28	28	28											
						19	14	18	13	11	14											
24	5337					7.10	7.82	8.73	7.55	4.61	2.75			38.56	-	-	-	5/26	10/70			
						45	45	45	45	45	41											
						11	17	16	15	19	11											
24	5761					5	6.97	7.79	10.44	9.95	6.51			-	-	47	-	4/48	9/79			
						9	26	27	27	27	27											
						****	19	20	14	14	22	****	****	****	****	****	****	****	****	****		
24	7150					6.24	5.89	8.34	7.18	4.83				-	-	32.48	-	5/35	8/48			
						14	14	14	14	14												
						****	****	****	****	****	****	****	****	****	****	****	****	****	****			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.



TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr				
														Oct	Apr	Season							
														***	***	***							
<b>MONTANA (continued)</b>																							
24	7560	Sidney 47° 44', 104° 09'				4.14	6.21	6.89	7.72	6.64	3.94	2.62		34.02	-	-	-	5/57	10/79				
						12	22	22	22	23	23	22											
						****	14	19	9	9	20	****											
24	8165	Terry 46° 48', 105° 18'				8.00	8.85	10.75	9.51	5.72	4			47	-	-	-	8/50	8/74				
						13	20	22	23	19	5												
						****	26	14	15	20	****												
24	8233	Tiber Dam 48° 19', 111° 05'				5	6.46	7.02	8.63	7.99	4.78	4		39	-	-	-	4/53	9/75				
						6	21	23	23	23	5												
						****	14	18	15	13	23	****											
24	8501	Valier 48° 19', 112° 15'				6.79	7.05	8.48	7.87	6.47	3.47			40.13	-	-	-	7/16	8/78				
						33	45	46	47	46	10												
						****	22	21	16	26	****												
24	8783	Western Montana Br. Sta 46° 20', 114° 04'				6	7	7.99	6.78	4.27				-	-	32	-	4/66	10/79				
						5	9	12	13	12													
						****	****	****	****	****													
24	9240	Yellowtail Dam (Hardin) 45° 19', 107° 56'				8.36	8.49	10.56	9.67	6.37	5.15			48.60	-	-	-	8/48	9/79				
						13	18	18	18	18	11												
						****	****	****	****	****	****												
<b>NEBRASKA</b>																							
25	1045	Box Butte Exp Sta (or Farm) 42° 08', 102° 57'				6	8.36	9.25	11.04	9.98	7.47	5.36		51.46	-	-	-	6/48	9/79				
						8	31	32	32	32	32	19											
						****	13	20	14	8	14	****											
25	1145	Bridgeport 47° 40', 103° 06'				5.18	6.81	8.02	9.19	8.08	5.78	3.69		41.57	-	-	-	5/31	9/78				
						41	48	48	48	48	48	44											
						17	15	13	11	9	11	19											
25	2741	Enders Lake (or Dam) 40° 45', 101° 41'				7.49	8.11	9.99	11.36	10.09	7.55	5.03		52.13	-	-	-	9/51	10/79				
						26	28	28	28	28	29	29											
						13	18	18	14	11	16	21											
25	3165	Cavins Point Dam 42° 31', 97° 29'				5	7.51	8.45	9.71	8.37	5.84	4.54		44.42	-	-	-	5/61	9/78				
						5	17	17	17	17	17	14											
						****	****	****	****	****	****	****											
25	3395	Grand Island WSO AP 40° 58', 98° 19'				8.49	10.73	11.14	9.56	6.75				-	-	46.67	-	4/63	9/79				
						17	16	15	17	17													
						****	****	****	****	****													

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr			
														Oct ***	Apr ***	Season ***						
<b>NEBRASKA (continued)</b>																						
25	3595				6.62	8.64	10.15	11.26	10.10	7.62	5.57			53.34	-	-	-	5/49	10/79			
					13	31	30	30	31	31	28											
					13	18	18	14	15	22	22											
25	3911				6.96	7.75	8.22	7.32	5.46					-	-	35.71	-	7/57	9/70			
					10	11	13	14	12													
					15	14	12	16	10													
25	4455				6.91	8.21	9.77	8.52	5.91	4.03				43.35	-	-	-	8/38	10/79			
					35	40	40	41	41	33												
					14	18	11	8	12	****												
25	4790				5.06	6.93	8.39	9.96	8.40	6.44	4.33			43.82	-	-	-	4/17	9/68			
					41	48	48	50	51	50	46											
					****	20	18	19	14	15	35											
25	5362				7.65	9.19	9.62	7.93	5					-	-	40	-	4/69	9/78			
					10	10	10	10	9													
					****	****	****	****	****													
25	5388				7.08	8.58	10.35	11.45	10.18	7.72	5.37			53.65	-	-	-	10/51	10/79			
					26	28	28	28	28	26												
					17	17	18	11	11	21	26											
25	5590				6.54	6.74	8.52	9.08	7.30	5.45	5			42	-	-	-	4/49	9/79			
					10	28	29	31	31	30	6											
					****	16	10	10	7	13	****											
25	6018				8.47	9.54	10.28	8.02	6.16					-	-	42.47	-	5/63	9/79			
					13	13	13	13	14													
					****	****	****	****	****													
25	6075				6.28	9.30	9.42	11.22	9.93	7.40	6.53			53.80	-	-	-	5/49	10/79			
					24	28	30	30	30	14												
					19	16	15	15	10	18	****											
25	6260				7.80	8.82	8.70	7.94	5.75	4.81				43.82	-	-	-	6/58	9/79			
					20	22	22	22	23	17												
					14	10	10	7	13	13												
25	7110				7.29	8.82	10.35	11.49	10.16	7.38	5.55			53.75	-	-	-	4/62	7/79			
					17	18	18	18	17	17	14											
					****	****	****	****	****	****	****											

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest																										
														Oct	Apr	Season				***	Mo/Yr	Mo/Yr																							
<b>NEBRASKA (continued)</b>																																													
25	7330													56.28	-	-	-	6/48	10/67																										
														14	19	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20														
														****	16	17	13	16	29	25	13																								
25	8628													55.74	-	-	-	5/54	10/79																										
														7.17	8.74	10.49	12.06	10.98	8.01	5.46	22	25	25	26	26	26	24	17	18	21	12	13	22	23	13										
														6.83	7.69	8.67	7.74	5.94	4.51	27	30	30	29	25	12	16	13	11	8	16	****	****	6/48	8/79											
<b>NEVADA</b>																																													
26	1071	3.44	4.43	7.49	10.77	13.87	16.26	16.14	14.07	11.42	7.75	4.59	3.30	79.51	34.02	-	113.53	1/49	12/79																										
		40	39	40	42	41	42	41	43	42	41	39	35	3	****	****																													
		15	18	11	10	8	8	8	8	7	10	15	16	3	****	****																													
26	1630													57	-	-	-	4/56	10/79																										
														6	9	10.75	12.25	11	8.61	5.11	8	8	11	10	9	10	10	****	****	****	****	****	****	****	****	****	****								
														****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****												
26	2780													42.17	-	-	-	3/50	11/79																										
														4.21	5.75	7.34	8.52	9.21	7.86	5.49	3.75	2.99	13	13	15	16	16	16	16	15	13	****	****	****	****	****	****	****	****	****					
														****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****						
26	4349													60.59	-	-	-	4/48	5/74																										
														8	9.78	11.56	13.96	12.37	8.07	4.85	5	15	23	23	23	23	11	****	****	****	****	****	****	****	****	****	****	****	****						
														****	****	15	7	11	8	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****						
26	4395													42.67	-	-	-	7/16	8/47																										
														5	6.29	7.45	9.78	8.92	6.40	3.83	7	24	24	24	24	24	24	****	****	****	****	****	****	****	****	****	****	****	****						
														****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****					
26	7123													48	-	-	-	5/49	9/79																										
														7.78	9.65	10.94	9.77	5.97	4	10	14	15	15	16	9	****	****	****	****	****	****	****	****	****	****	****	****	****	****						
														****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****					
26	7192													55.62	-	-	-	7/40	10/79																										
														8.55	9.95	12.80	11.30	8.12	4.90	25	27	27	28	24	17	****	****	****	****	****	****	****	****	****	****	****	****	****	****						
														****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****					
26	7463													82	-	-	-	3/68	11/79																										
														10	11	18.21	17.72	16	12	7	3	7	8	10	10	8	9	8	6	****	****	****	****	****	****	****	****	****	****	****					
														****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****				

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr			
<u>NEVADA (continued)</u>																						
26	8970				7	9.85	10.99	12.96	11.95	8.86	6.11			59.65	-	-	-	7/57	7/70			
					5	12	16	18	18	16	16											
					****	8	17	10	15	11	9							****				
<u>NEW HAMPSHIRE</u>																						
27	4480					5.08	5.85	6.58	5.73	3.93	2.74			29.91	-	-	-	5/52	10/79			
					20	25	25	25	25	17												
					****	12	10	7	7	17								****				
27	5211				3	4.40	5.06	5.58	4.51	2.94	1.94	1		24.43	-	-	-	5/42	11/55			
					7	14	15	16	16	16	15	5										
					****	****	****	****	****	****	****	****	****	****	****	****		****				
<u>NEW JERSEY</u>																						
28	1335					4.78	4.92	5.52	4.65	3.38	2.19			25.44	-	-	-	4/31	9/79			
					40	44	44	44	43	37												
					18	12	20	13	17	12							9					
28	6055					5.81	6.51	8.33	7.14	4.54	3.04			35.37	-	-	-	6/68	10/79			
					11	12	12	12	12	11												
					****	****	****	****	****	****	****	****	****	****	****		****					
28	7131				4.15	5.63	5.85	6.58	5.67	4.01	2.68	1.95		30.42	-	-	-	4/37	6/58			
					13	21	22	21	21	21	14											
					****	****	****	****	****	****	****	****	****	****	****		****					
28	7825					5.09	5.21	5.64	5.07	4.12	2.62	2		27.75	-	-	-	5/35	11/48			
					14	14	14	14	14	14	5											
					****	****	****	****	****	****	****	****	****	****	****		****					
<u>NEW MEXICO</u>																						
29	0041				7.83	10.21	11.83	10.79	9.50	7.59	5.66			55.58	-	-	-	4/64	12/79			
					13	16	16	16	16	16												
					****	****	****	****	****	****	****	****	****	****	****		****					
29	0131	3.01	4.44	7.69	10.01	11.75	13.01	11.95	10.27	8.36	6.17	3.89	2.73	61.51	31.77	-	93.28	10/18	12/48			
		36	36	36	36	36	36	36	36	36	36	37	37	37								
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****				

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest	
														Oct	Apr	Season				***
														***	***	***	***	Mo/Yr	Mo/Yr	
<b>NEW MEXICO (continued)</b>																				
29	0205	3.82	4.66	8.51	11.12	13.18	14.95	14.25	12.38	10.14	7.35	4.87	3.79	72.25	36.77	-	109.02	1/39	11/73	
		24	31	31	35	36	36	36	36	36	36	31	26	8	****	****	****			
		****	23	19	13	11	10	11	12	19	19	17	****							
29	0417				10.98	14.38	14.40	12.87	11.19	8.62	6.77			68.23	-	-	-	1/67	11/79	
					12	10	11	12	13	10	10			****						
					****	****	****	****	****	****	****	****								
29	0992	2.92	4.34	7.28	10.14	11.73	12.94	12.37	10.83	8.46	6.20	3.63	2.72	62.53	31.03	-	93.56	1/51	10/79	
		17	23	24	24	24	21	25	24	22	22	20	18	6	****	****	****			
		35	20	18	8	10	10	15	8	14	19	17	26							
29	1138	3.57	3.52	7.79	10.38	11.38	13.41	11.48	10.52	8.12	6.56	3.31	2.84	61.47	31.65	-	93.39	1/49	10/73	
		12	16	16	14	16	17	18	17	17	17	12	14	5	****	****	****			
		****	****	****	5	6	3	6	12	17	13	13	****							
29	1886	4.45	5.41	9.05	12.20	14.23	16.19	13.66	12.00	9.75	7.28	4.92	3.51	73.11	39.54	-	112.65	3/42	10/79	
		32	34	37	36	36	36	37	37	37	37	37	33	33	6	7	6			
		24	15	16	7	8	7	8	10	16	16	16	24							
29	1454					9.73	10.90	10.24	9.41	8.22				-	-	48.50	-	5/63	9/79	
						12	14	13	12	12										
						****	****	****	****	****										
29	1963		4.07	6.94	9.10	10.56	11.83	11.56	9.87	8.09	6.19	4.43	3.73	56.39	-	-	-	4/51	11/79	
			14	24	28	28	28	28	29	29	29	27	12	12						
			23	26	12	16	14	17	15	22	15	23	24	12						
29	2700					7.55	8.25	7.62	6.74	5.76				-	-	35.92	-	8/34	9/79	
						25	32	35	36	33										
						****	****	12	17	19										
29	2837					8.06	9.36	8.89	7.38	6.29	4.68	4.38		44.66	-	-	-	7/36	10/75	
						32	38	39	39	39	22	13								
						15	10	12	18	25	****	****								
29	2848	3.28	4.85	8.53	11.75	14.45	16.17	13.64	11.63	9.72	7.70	4.75	3.21	73.31	36.37		109.68	4/16	12/79	
		63	63	63	63	64	64	63	64	64	64	63	62	6	8	6				
		25	16	17	8	9	6	8	10	18	14	18	17							
29	3060					9.00	8.97	8.29	7.40	5.90				-	-	39.56	-	5/66	9/79	
						10	12	12	11	12										
						****	****	****	****	****										

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr
<b>NEW MEXICO (continued)</b>																			
29	3134													-	-	51.64	-	3/49	9/79
		7.33 8.37 10.42 10.01 8.89 6.62 12 17 19 18 18 18 **** 9 11 9 13 10																	
29	3225	3.84	4.79	8.02	10.93	13.07	14.86	11.91	10.29	8.63	6.80	4.45	4.07	65.56	36.10	-	101.66	10/38	9/79
		21	35	35	38	36	36	37	38	38	38	34	28	25	25	24	21	****	****
29	4426	3.00	4.35	7.38	10.23	12.12	13.32	10.88	9.87	7.89	5.94	3.75	2.72	60.02	31.43	-	91.45	1/53	8/79
		23	24	26	27	27	26	27	26	25	25	24	21	10	21		14		
29	4736	4.77	5.78	9.46	12.49	14.47	15.76	14.50	12.57	9.38	7.71	5.45	4.42	73.62	42.21	-	115.83	12/51	10/78
		20	25	26	26	26	26	26	26	25	26	26	23	18	8	****	****		
29	5150													51.83	-	-	-	3/62	11/79
		8.24 9.95 10.98 10.38 9.18 6.66 4.68 17 17 16 17 17 16 16 **** **** **** **** **** ****																	
29	6061													56.85	-	-	-	8/36	10/79
		7.32 10.42 11.81 11.76 10.01 7.45 5.40 20 23 22 23 24 23 24 **** **** **** **** **** ****																	
29	7014	3.36	4.30	8.04	9.20	10.66	12.57	11.82	10.90	8.42	6.24	4.58	3.40	60.61	32.88	-	93.49	4/34	8/60
		23	24	26	27	27	27	27	27	26	26	25	24	****	****	****	****	****	****
29	7609	2.79	4	6	8.25	10.61	11.01	9.60	8.67	6.58	3.84	2.93		48.31	-	-	-	2/40	1/51
		10	9	9	10	10	10	10	10	10	10	10	10	****					
29	8072	1.49	2.13	3.91	6.39	8.98	10.75	9.52	8.09	6.97	4.89	2.51	1.39	49.20	17.82	-	67.02	6/16	11/55
		17	17	18	19	30	36	36	36	37	36	20	17	****	****	****	****	****	****
29	8535	3.03	4.29	7.48	10.14	12.44	13.42	12.04	10.56	8.13	6.14	3.78	2.76	62.73	31.48	-	94.21	1/56	12/79
		24	4	24	24	24	24	24	24	24	24	24	24	24	4	7		4	
29	9156													-	-	73.10	-	4/56	9/79
		10.55 12.21 13.28 16.91 11.23 11.23 8.92 21 22 22 22 22 22 22 **** **** **** **** **** ****																	

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).  
\*\* Climatological Data (NOAA-EDIS)  
\*\*\* Sum of monthly means.  
\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

43

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr				
<b>NEW MEXICO (continued)</b>																							
29	9284			8.22	8	10.66	10.76	11.01	9.60	7.12	6.25	4.93		55.40	-	-	-	2/65	11/79				
				10	9	11	14	14	15	14	14	10											
				****	****	****	****	****	****	****	****	****	****	****	****	****							
<b>NEW YORK</b>																							
30	0331					5.26	6.36	6.98	5.78	4.04	2.79			31.21	-	-	-	5/57	5/78				
						22	21	21	21	21	20												
						13	8	13	11	13	20												
30	0785					5.23	5.92	6.47	5.36	3.40	2.69			29.07	-	-	-	5/50	10/73				
						22	24	24	24	24	22												
						11	13	16	11	8	21												
30	1185					5.83	7.33	6.93	5.57	3.65	2.65			31.96	-	-	-	7/62	9/79				
						14	16	17	17	17	13												
						****	****	****	****	****	****	****	****	****	****	****	****						
30	2169					4.66	5.09	5.51	4.88	3.32	2.15			25.61	-	-	-	5/59	10/79				
						21	20	20	21	21	21												
						18	12	14	9	12	20												
30	3184					4	5.59	6.70	7.60	6.03	4.10	2.73		32.75	-	-	-	5/61	10/79				
						8	16	16	15	15	14												
						****	****	****	****	****	****	****	****	****	****	****	****						
30	3464					5	5.50	6.18	5.20	3.95	3.30			29	-	-	-	6/59	10/79				
						8	14	15	16	13	12												
						****	****	****	****	****	****	****	****	****	****	****	****						
30	4849					4	4.77	5.87	6.42	5.40	3.68	2.35		25.62	-	-	-	6/61	10/79				
						7	18	19	19	19	18												
						****	****	****	****	****	****	****	****	****	****	****	****						
30	5377					3	4.82	6.31	7.19	8.00	6.73	5.32	3.74	2	37.29	-	-	-	4/56	10/67			
						7	12	12	12	12	11	12	8										
						****	****	****	****	****	****	****	****	****	****	****	****						
30	5604					5.09	5.90	6.35	5.49	3.83	2.55			29.21	-	-	-	5/57	10/77				
						21	21	21	21	21	21												
						15	9	12	10	13	16												
30	5801					4.11	5.06	6.02	7.86	5.88	4	3.01	2	32	-	-	-	4/44	10/58				
						7	15	14	14	14	9	15	6										
						****	****	****	****	****	****	****	****	****	****	****	****						

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr
														Oct ***	Apr ***	Season ***			
<u>NEW YORK (continued)</u>																			
30	None													27.80	-	-	-	8/17	10/41
														24	24	24	25	25	25
<u>NORTH CAROLINA</u>																			
31	1564													21.39	-	-	-	4/66	10/79
														10	12	12	13	13	12
31	1677	1.55	1.84	3.58	4.85	5.60	6.14	6.20	5.64	4.48	3.15	1.99	1.43	31.21	15.24	-	46.45	4/21	10/79
		25	26	49	56	57	58	58	57	58	57	54	30	7	****	****			
31	5177	2.52	2.78	4.83	6.65	7.23	7.42	7.63	6.86	5.23	4.24	2.77	1.96	38.61	21.51	-	60.12	1/62	11/79
		10	13	15	16	17	17	17	17	18	18	18	12	****	****	****			
31	5420	1.81	2.57	3.97	5.65	6.55	6.54	6.88	6.16	4.54	3.35	2.24	1.58	34.02	17.82	-	51.84	1/50	12/79
		20	25	30	30	30	29	29	29	30	30	30	25	5	3	****			
31	6001	1.09	1.46	2.90	4.19	5.16	5.57	5.07	5.05	3.87	2.77	1.60	1.02	27.49	12.26	-	39.75	12/34	7/76
		35	38	41	42	42	41	42	41	41	41	40	36	6	12	5			
31	9555													30.17	-	-	-	5/65	10/79
														9	15	15	15	15	13
<u>NORTH DAKOTA</u>																			
32	1362													43.	-	-	-	5/67	9/79
														10	13	13	12	13	6
32	2158													32	-	-	-	5/51	10/70
														13	16	19	18	19	5
32	2482													-	-	37.20	-	9/50	7/69
														12	19	19	19	18	17

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.



TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr				
<b>NORTH DAKOTA (continued)</b>																							
32	2859					7.25	7.73	8.87	7.76	5.36	4			41	-	-	-	4/63	9/79				
						14	16	15	16	15	9												
						****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
32	7585				6	7.31	7.81	9.09	8.69	6.03	4.15			43.08	-	-	-	7/49	9/79				
					7	28	30	31	31	30	15												
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
32	9430				7.02	7.89	9.34	9.07	5.68	4				43	-	-	-	8/56	9/79				
					22	23	23	23	23	5													
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
<b>OHIO</b>																							
33	1466	Charles Mill Lake (or Dam) 40° 44', 82° 22'			3.59	4.98	5.90	6.21	5.48	4.01	2.65			29.23	-	-	-	4/39	10/79				
					39	41	41	41	41	41													
					19	16	9	10	8	12	17												
33	1782	Columbus University Farm 40° 00', 83° 03'			5	5.69	6.83	7.27	6.23	4.76	3.29			34.07	-	-	-	4/58	10/70				
					8	13	14	13	14	13	12												
					****	15	11	15	11	34	27												
33	1788	Columbus (Ohio State Univ) 40° 00', 83° 00'			3.33	4.45	5.29	5.66	4.79	3.53	2.14			25.86	-	-	-	6/18	11/55				
					35	36	37	38	38	37	38												
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
33	1905	Coshocton Agric Rech Station 40° 22', 81° 48'			4.99	6.01	6.71	7.05	6.21	4.72	3.59			34.29	-	-	-	4/56	9/79				
					13	23	24	23	24	21	20												
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
33	2067	Dayton 39° 45', 84° 10'			4.04	5.65	6.77	7.06	6.20	4.63	2.86			33.17	-	-	-	4/37	10/69				
					32	31	32	32	32	32	32												
					18	15	7	11	10	9	16												
33	2090	Deer Creek 39° 30', 83° 13'			5	6	7	6.63	6	3.67	3			32	-	-	-	6/70	11/79				
					7	9	9	10	9	10	10												
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
33	7559	Seneca Lake (or Dam) 39° 55', 81° 26'			4.35	5.52	6.32	6.35	5.73	4.30	2.99			31.21	-	-	-	4/39	10/79				
					34	38	38	38	39	39	37												
					20	14	10	24	7	15	38												
33	8378	Tom Jenkins Lake 39° 33', 82° 04'			4	5.08	5.39	5.45	4.72	3.61	2.52	1		26.77	-	-	-	7/53	11/79				
					9	26	26	27	27	27	26	7											
					****	12	9	11	10	11	15	****	6										

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
<b>OHIO (continued)</b>																				
33	9312				4.03	5.23	6.31	6.80	5.81	4.35	2.71			31.21	-	-	-	7/16	10/79	
					36	48	48	49	49	51	50									
					19	17	10	12	10	12	21				8					
<b>OKLAHOMA</b>																				
34	0184		3.89	5.73	8.23	9.71	11.43	12.29	11.48	8.14	6.47	4.65	4	59.52	-	-	-	3/48	10/79	
			12	24	30	28	31	30	30	26	24	14	9							
			****	****	21	10	18	15	11	****	****	****	****	****	****					
34	0394				7.75	7.60	8.78	10.53	9.82	6.98	5.67	3.92		49.38	-	-	-	6/63	11/79	
					12	16	17	17	17	16	16	15								
					****	****	****	****	****	****	****	****	****	****	****					
34	1168		3	4.79	6.15	7.12	8.12	8.92	8.40	5.91	4.66	2.95	2.01	43.13	-	-	-	9/64	10/79	
			9	13	15	15	15	14	15	16	15	13	11							
			****	****	****	****	****	****	****	****	****	****	****	****	****					
34	1445	3	4.00	6.71	7.96	8.40	9.98	11.53	10.93	8.23	6.06	4.03	2.48	55.13	27.75	-	82.88	3/48	7/79	
		6	10	22	29	32	32	31	31	31	30	23	12							
		****	****	31	15	19	13	18	21	33	23	20	30	17	****		****			
34	1750					9.38	11.27	11.79	10.33	7.45	5.56	4		55.78	-	-	-	6/53	10/79	
						21	25	26	26	26	26	6								
						18	13	16	14	19	16	13			9					
34	3286	2.00	2.87	4.73	6.43	7.14	8.60	9.25	8.77	6.51	5.06	3.26	2.23	44.27	21.52	-	65.79	3/48	7/79	
		21	26	30	32	32	32	31	31	31	31	30	24							
		23	16	26	14	15	7	11	13	19	15	16	15	8	11		8			
34	3304	3	6	6.87	9.26	9.92	11.99	12.77	11.87	9.01	6.58	4.36	2.72	62.14	32	-	94	7/40	12/79	
		6	8	18	31	39	39	40	40	40	39	23	11							
		****	****	34	17	13	13	28	15	24	25	22	****	12	****		****			
34	3628				10	11.51	13.33	14.46	12.07	9.42	7.33			68.12	-	-	-	4/48	9/79	
					9	24	29	31	31	30	20									
					****	20	16	15	14	20	25			****						
34	3700			5.21	6.98	7.33	8.94	9.63	9.22	6.84	5.05	3.29	2.00	47.01	-	-	-	4/41	11/77	
					12	25	30	34	35	36	35	36	16	10						
					****	18	22	13	13	22	29	17	****	****	****					
34	3740			6.26	7.38	9.06	11.52	13.05	11.80	8.45	6.42	3.93		67.68	-	-	-	3/48	10/79	
					12	24	29	29	30	30	31	30	14							
					****	****	16	18	20	14	20	22	****	****						

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).  
 \*\* Climatological Data (NOAA-EDIS)  
 \*\*\* Sum of monthly means.  
 \*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

47

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
<b>OKLAHOMA (continued)</b>																				
34	4098 Hayburn Dam 35° 57', 96° 17'			5.13	6.90	6.57	8.05	8.94	8.26	6.57	4.86	2.99	2	43.25	-	-	-	4/49	11/64	
				11	12	13	13	14	14	14	14	11	6							
		****		****	****	****	****	****	****	****	****	****	****	****	****					
34	4812 Keystone Dam 36° 09', 96° 15'			5	6.73	6.83	8.77	9.77	8.89	6.16	5.04	3.27		45.46	-	-	-	9/59	10/79	
				9	18	17	20	19	20	21	19	13								
		****		****	15	****	10	14	14	15	18	****								
34	4978 Lake Overholser 35° 29', 97° 40'				6.15	7.60	8.60	9.45	8.71	6.44	4.67			45.47	-	-	-	4/52	8/79	
					20	23	24	25	26	25	23									
					17	23	15	15	17	24	16			11						
34	6391 Norman University 35° 13', 97° 26'			5.19	5.90	6.57	9.03	9.15	8.70	6.81	4.72	2.69		44.98	-	-	-	5/37	6/56	
				12	18	18	19	18	18	19	18	13								
		****		****	****	****	****	****	****	****	****	****	****	****						
34	6729 Oologah Dam 36° 26', 95° 41'		3	5.52	7.06	8.22	9.04	11.57	10.30	7.00	5.52	3.26	2	51.65	-	-	-	8/56	8/79	
			8	15	22	22	23	22	24	23	23	19	8							
		****	****	33	29	17	15	14	16	14	20	26	****	10						
34	8501 Stillwater 2 W 36° 07', 97° 05'				7.78	8.13	9.80	11.20	10.00	7.68	5.93	4		52.74	-	-	-	6/48	10/79	
					14	24	27	29	28	27	27	7								
					****	18	12	21	17	12	16	****		11						
34	8769 Tenkiller Ferry Dam 35° 36', 95° 03'			4.72	5.92	6.51	7.64	8.79	8.33	6.04	4.51	2.91	1.68	41.82	-	-	-	4/49	6/79	
				22	30	30	31	30	30	30	29	26	15							
				27	13	11	8	10	16	21	21	19	****	9						
34	8879 Tipton 4 S 34° 26', 99° 08'		3	4.14	6.55	8.56	10.01	12.35	13.12	11.80	8.84	6.50	3.94	3.33	62.62	29.46	-	92.08	7/38	10/78
			7	10	28	39	39	40	41	41	40	38	29	13						
		****	****	31	19	19	12	17	12	20	22	26	40	11	****		****			
34	9724 Wister Dam 34° 56', 94° 43'	2.52	2.65	4.73	5.89	6.38	7.78	8.46	7.67	5.79	4.35	2.93	2.27	40.43	20.99	-	61.42	1/48	6/79	
		11	19	25	26	28	28	27	27	26	26	26	16							
		****	****	****	14	12	13	9	13	15	18	18	****	9	****		****			
34	9762 Woodward Field Station 36° 25', 99° 24'				6.75	7.78	9.40	10.74	9.63	7.09						51.39	-	4/48	6/79	
					30	31	31	31	31	31	31									
					18	18	14	14	14	25										
<b>OREGON</b>																				
35	0318 Astor Exp Station 46° 09', 123° 49'	1	1.05	1.64	2.34	3.92	4.10	4.75	4.32	3.11	1.76	1	1	21.96	8	-	30	1/49	10/73	
		6	11	11	10	11	11	11	11	11	11	11	9	9						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-ZDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

Station No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr								
														Oct	Apr	Season											
														***	***	***	***										
<b>OREGON (continued)</b>																											
Corvallis State College 44° 38', 123° 12'	35	1862												30.37	-	-	-	10/17	11/79								
														57	57	59	59	59	26								
														18	19	17	11	14	15	28							
Cottage Grove Dam 43° 43', 123° 03'	35	1902												32.22	-	-	-	8/43	8/78								
														2.23	3.08	4.85	5.82	7.98	6.86	4.59	2.22						
														14	15	30	35	35	34	27							
Detroit Dam 44° 43', 122° 15'	35	2292												32.56	-	-	-	1/56	10/79								
														1.95	2.70	4.67	6.20	8.26	6.79	4.44	2.20	1.80					
														10	16	24	24	24	24	10							
Dorena Dam 43° 47', 122° 58'	35	2374												33.84	-	-	-	5/50	8/78								
														2.68	3.56	5.54	7.06	7.72	6.08	3.88	2.20						
														15	27	29	29	29	28	10							
Fern Ridge Dam 44° 07', 123° 18'	35	2867	0.36	0.90	2.02	3.13	5.10	6.18	8.29	7.07	4.81	2.12	1.14	0.37	33.57	7.92	-	41.49	8/43	11/79							
			11	18	23	28	36	36	36	36	36	36	28	16	10												
			****	****	36	18	19	15	10	15	17	18	****	****	11	****	****										
Lookout Point Dam 43° 55', 122° 46'	35	5050												34.09	-	-	-	5/56	10/79								
														2.81	3.48	5.04	6.25	8.07	7.27	4.87	2.59						
														11	14	24	24	24	24	16							
Malheur Branch Exp Station 43° 39', 117° 01'	35	5160												43.33	-	-	-	4/49	10/79								
														5.18	7.03	8.42	10.79	8.99	5.58	2.52							
														26	31	31	31	31	31	24							
Malheur Refuge Headquarters 43° 17', 118° 50'	35	5162												-	-	35.50	-	5/61	9/79								
														8.77	10.81	9.53	6.39										
														14	13	14	11										
Medford Exp Station 41° 18', 122° 52'	35	5424	0.63	1.07	2.36	3.77	5.62	6.91	8.71	7.22	4.54	1.98	0.78	0.56	34.98	9.17	-	44.15	9/37	10/79							
			15	32	32	42	42	42	42	42	42	43	43	34	26												
			32	23	17	17	11	13	9	8	6	22	30	****	5	****	****										
Moro 45° 29', 120° 43'	35	5734												52.08	-	-	-	4/57	10/79								
														5.20	7.69	9.93	12.67	11.26	6.93	3.60							
														22	22	22	22	22	22	21							
N. Willamette Exp Station 45° 17', 122° 45'	35	6151	1	1.44	2.65	3.49	5.75	6.68	8.16	7.19	5.07	2.63	1.14	1	35.48	11	-	46	2/63	11/79							
			5	10	12	15	16	15	16	16	16	16	16	10	7												
			****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****								

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest			
														Oct	Apr	Season				***	Mo/Yr	Mo/Yr
<b>OREGON (continued)</b>																						
35	6532				4.71	6.79	8.41	10.21	8.31	5.39	2.59			41.70	-	-	-	6/57	5/74			
					16	16	16	16	15	16	15											
					14	12	11	8	11	8	13											
35	8173					7.49	8.87	11.21	9.71	6.58	3.48			47.34	-	-	-	5/61	10/79			
						19	19	19	19	19	19											
						15	12	10	12	8	15											
35	9046				5.23	7.63	8.94	12.15	10.66	6.82	3.69			49.89	-	-	-	5/27	9/74			
					29	47	48	47	48	47	16											
					****	17	14	9	12	12	****											
35	9316				4	5.66	6.79	8.54	7.05	4.88	2.55			35.47	-	-	-	5/41	10/79			
					5	39	39	39	39	39	18											
					****	12	12	10	13	10	****											
<b>PENNSYLVANIA</b>																						
36	530					7	7.15	7.55	6.28	4.84	3			36	-	-	-	6/56	9/73			
						9	10	11	12	11	5											
					****	8	11	11	11	11	****											
36	1705				3.74	4.80	5.43	5.53	4.63	3.47	1.37			25.23	-	-	-	4/49	9/79			
					30	31	31	31	31	30	26											
					12	13	8	12	9	12	13											
36	2942				4.89	5.32	5.85	4.90	3.56	2.29			26.81	-	-	-	5/49	10/79				
					30	31	31	31	31	30	30											
					13	9	13	9	14	13												
36	3018				5.58	5.85	6.37	5.30	3.84					-	-	26.94	-	5/63	9/79			
					16	17	17	17	17													
					****	****	****	****	****	****												
36	4325				4.29	4.58	5.58	4.70	3.17	2.34				-	-	24.66	-	5/42	9/79			
					23	37	37	37	39	18												
					14	8	11	12	10	24												
36	4778				5.74	6.61	7.17	5.91	4.31	2.89				32.63	-	-	-	5/52	10/79			
					19	25	27	28	28	20												
					14	8	11	12	10	24												

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr										
														Oct	Apr	Season													
														***	***	***	***												
<b>RHODE ISLAND</b>																													
37	4266													4.91	5.33	5.67	4.95	3.73	2.84	27.43	-	-	-	4/57	10/79				
														21	23	23	23	23	22										
														11	11	16	8	11	17	6									
<b>SOUTH CAROLINA</b>																													
38	764	2.37	2.80	4.44	6.02	6.53	7.00	7.09	6.18	4.74	4.03	2.75	2.25	35.57	20.63	-	56.20	10/63	12/79										
		12	13	16	16	16	16	15	15	15	16	17	17	15	****	****	****	****											
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****										
38	1544	2.58	3.22	5.27	6.54	7.20	7.24	7.54	6.59	5.38	4.58	3.22	2.45	38.53	23.28	-	61.81	2/59	12/79										
		17	19	21	21	21	21	21	21	19	20	21	21	17	4	8	5												
		30	12	18	7	11	9	10	6	9	12	12	21	4	8	5													
38	1726	1.90	2.37	3.79	5.36	6.30	7.08	6.97	6.53	5.04	3.83	2.48	1.87	35.75	17.77	-	53.52	8/52	11/79										
		22	24	27	27	26	27	27	26	26	26	26	21	5	8	5													
		20	13	14	12	11	9	7	15	9	10	15	16	5	8	5													
38	1770	1.92	2.51	4.07	5.54	6.24	6.69	6.86	6.31	4.77	3.66	2.54	1.78	34.53	18.36	-	52.89	1/49	11/79										
		25	25	30	31	31	31	31	30	29	30	29	24	4	5	3													
		17	13	13	9	12	8	8	9	6	12	14	13	4	5	3													
38	7113													5.22	5.83	6.48	6.67	6.13	4.59	3.39	38.31	-	-	5/65	10/77				
														12	13	13	13	13	13	13	****								
														****	****	****	****	****	****	****	****								
38	8786	1.68	2.17	3.58	5.25	6.28	6.62	6.94	6.40	4.71	3.42	2.07	1.50	34.37	16.25	-	50.62	7/49	12/55										
		13	15	15	15	14	14	15	15	15	15	15	15	13	****	****	****	****											
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****										
<b>SOUTH DAKOTA</b>																													
39	217													7.38	8.52	10.35	9.80	6.94	4.59	47.58	-	-	-	4/49	9/70				
														21	22	21	22	22	19	7									
														10	17	13	10	13	21	7									
39	1076													7.86	8.56	9.34	8.73	6.15						-	-	40.64	-	4/53	9/79
														25	26	26	25	26											
														9	11	11	8	15											
39	1972													6.25	7.55	8.84	10.73	10.37	8.06	5.34	57.14	-	-	-	5/53	10/79			
														15	23	25	24	25	23	15									
														16	13	22	12	18	32	****	****								

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***	Season ***				
<b>SOUTH DAKOTA (continued)</b>																				
Madison Research Sta 44° 02', 97° 10'	39 5090				5.17	7.86	9.14	9.52	8.23	5.55	3.96			44.26	-	-	-	6/62	10/79	
					14	18	16	17	18	18	16									
					****	****	****	****	****	****	****	****			****					
Newell 2 NW 44° 43', 103° 25'	39 6054				5.12	7.04	7.86	10.06	9.75	6.48	5.06			46.25	-	-	-	4/49	10/75	
					22	25	25	25	25	25	13									
					22	15	24	14	14	14	17	****			****					
Oahe Dam 44° 27', 100° 25'	39 6170				5.57	8.79	9.06	11.05	10.31	7.37	5.04			51.62	-	-	-	9/60	10/79	
					16	16	19	19	19	20	15									
					****	****	14	12	14	16	****			****						
Factola Dam 44° 04', 103° 29'	39 6427					4.35	5.83	6.49	5.43	4.23	2.72			29.05	-	-	-	4/55	9/79	
						22	23	24	24	23	13									
						15	22	13	13	18	27			9						
Pickstown 43° 04', 98° 32'	39 6574				5.22	7.45	8.34	10.38	9.12	6.00	4.31			45.60	-	-	-	9/50	10/79	
					11	26	26	26	26	29	23									
					****	15	17	10	8	18	29			8						
Redfield 6 E 44° 53', 98° 23'	39 7052					7.35	7.56	9.28	8.19	5.96	3.69			42.03	-	-	-	6/49	4/78	
						25	28	29	29	28	10									
						16	17	15	10	17	****			****						
Shadehill Dam 45° 46', 102° 12'	39 7567				5.19	7.48	8.20	9.96	9.42	6.51	4.30			45.87	-	-	-	8/50	10/76	
					16	22	23	25	24	26	25									
					18	16	15	15	13	18	26			9						
Sioux Falls WSO 43° 34', 96° 44'	39 7667					8.01	9.10	11.61	8.74	5.96				-	-	43.42	-	5/65	9/79	
						15	15	15	15	14										
						****	****	****	****	****										
<b>TENNESSEE</b>																				
Center Hill Dam 36° 06', 85° 49'	40 1569	2.00	2.39	3.80	5.13	6.27	7.07	7.26	6.73	5.57	3.69	2.27		36.59	-	-	-	1/49	11/62	
		10	11	13	21	22	22	22	22	22	22	22								
		****	****	****	12	10	9	9	12	15	15	11			7					
Jackson Exp 35° 27', 88° 55'	40 4561				5.94	7.16	7.83	7.84	6.96	5.30	4.33			39.42	-	-	-	5/61	10/79	
					19	19	18	18	18	18	14									
					****	10	****	****	****	****	****	****			****					
Jefferson City 36° 07', 83° 27'	40 4609	1.07	1.49	3.00	4.34	5.22	5.82	6.02	5.32	4.11	2.74	1.53	1.04	29.23	12.47	-	41.70	12/41	12/79	
		27	28	37	38	38	38	38	38	38	38	36	29							
		20	32	21	10	13	9	12	9	12	21	13	61	5	12		5			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

52

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

Station Index No.**	State No.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest	
														Oct	Apr	Season				***
<b>TENNESSEE (continued)</b>																				
Knoxville 35° 53', 83° 57'	40	4946				5.38	5.93	6.60	6.82	6.31	4.36			-	-	35.40	-	5/66	10/79	
			12	13	12	13	13	14												
			****	****	****	****	****	****												
Neptune 3 S 36° 19', 87° 11'	40	6454	2.11	3.26	4.69	5.57	6.36	6.66	5.92	3.41	3.27	2.04	1.42	31.19	-	-	-	10/36	11/48	
			21	29	32	34	34	34	34	34	34	34	30	22						
			****	36	13	17	9	7	8	16	11	19	****	5						
Paris 5 E 36° 19', 88° 41'	40	6977	1.36	1.82	3.13	4.59	5.33	6.14	6.55	6.19	5.00	3.33	2.08	1.26	32.74	14.24	-	46.98	1/49	11/65
			15	16	17	17	17	17	17	17	17	17	17	16						
			35	25	39	7	8	12	15	14	28	14	14	18	10	11		9		
Selmer 35° 10', 88° 37'	40	8160				4.92	5.44	5.99	5.98	4	3.97			31	-	-	-	9/62	7/72	
			10	10	10	10	10	9	10											
			****	****	****	****	****	****	****						****					
<b>TEXAS</b>																				
Austin 30° 18', 97° 42'	41	428	2.90	3.62	5.43	6.30	7.29	8.79	9.84	9.76	7.11	5.69	3.67	2.81	49.09	24.73	-	73.82	4/16	12/79
			58	62	63	63	63	64	63	62	63	64	62	62						
			22	15	19	13	17	14	11	14	18	15	23	16	12	10		11		
Balmorhea 30° 59', 103° 45'	41	498	2.86	3.81	6.55	8.26	9.04	10.16	9.77	9.03	6.93	5.23	3.73	2.87	50.16	28.08	-	78.24	2/40	12/55
			16	16	16	16	16	16	16	16	16	16	15	15						
			****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	
Beeville 28° 27', 97° 42'	41	639	3.36	3.66	5.13	5.93	6.84	7.75	8.47	8.18	6.30	5.43	4.17	3.57	42.97	25.82	-	68.79	1/49	12/79
			29	30	30	31	31	31	30	31	31	31	31	31						
			21	19	23	16	19	14	18	15	12	13	17	12	9	12		10		
Belton Dam 31° 06', 97° 29'	41	665	2.86	3.68	5.70	6.40	7.46	9.35	10.84	10.25	7.61	5.60	3.52	2.84	51.11	25.00	-	76.11	7/53	12/79
			21	24	26	26	26	26	27	26	27	27	27	24						
			24	17	21	18	21	16	14	15	18	19	19	20	12	12		12		
Benbrook Dam 32° 39', 97° 27'	41	691	2.82	4.03	6.56	7.50	8.63	10.73	12.56	11.53	8.56	6.55	4.09	3.17	58.56	28.17	-	86.73	7/53	11/79
			20	24	26	26	26	26	27	27	27	27	27	23						
			24	19	25	16	21	14	16	16	22	18	17	21	13	10		6		
Daingerfield 9 S 32° 55', 94° 43'	41	2225	2.61	3.35	5.60	6.99	8.38	9.33	10.14	9.74	7.07	5.58	3.56	2.82	50.24	24.93	-	75.17	7/59	12/79
			17	19	20	20	20	20	21	20	20	21	21	21						
			17	11	17	11	11	13	13	13	10	12	15	19	6	5		4		
Denison Dam 33° 49', 96° 34'	41	2394	2.71	3.51	5.86	7.15	7.88	9.90	10.88	10.26	7.22	5.63	3.92	2.61	51.77	25.78	-	77.55	10/40	12/79
			29	36	38	39	39	39	39	39	39	39	36	33						
			32	21	27	19	14	15	18	19	25	19	19	21	14	****		****		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).  
 \*\* Climatological Data (NOAA-EDIS)  
 \*\*\* Sum of monthly means.  
 \*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

53



TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct	Apr	Season				
														***	***	***	***			
<b>TEXAS (continued)</b>																				
41	2458	2.93	3.74	6.26	7.64	8.73	10.09	10.81	10.19	7.42	5.54	3.65	2.72	52.78	26.94	-	79.72	6/28	12/79	
		49	51	51	51	51	51	51	51	51	50	50	50	49						
		21	23	19	17	19	15	11	11	18	22	24	23	10	14			11		
41	3280	4.03	5.14	9.26	10.88	12.28	14.27	13.77	12.47	9.22	7.20	5.04	4.21	69.21	38.56	-	107.77	5/40	3/61	
		20	19	13	20	20	19	20	20	18	17	18	17							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
41	3680	3.39	5.02	9.19	11.41	13	14	14	13	9	7.13	4.73	3	37	70	-	107	2/40	7/54	
		10	11	11	11	9	9	9	8	9	10	10	9							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
41	3691	3.17	3.97	6.56	7.51	8.70	10.65	12.29	11.42	8.31	6.48	4.17	3.24	57.85	28.62	-	86.47	8/53	11/79	
		18	23	25	26	26	24	26	27	27	27	27	23							
		25	13	24	16	16	13	17	16	20	18	18	20	13	13			11		
41	4278	4.12	5.18	8.10	9.60	10.24	12.19	13.51	12.27	9.23	7.32	4.87	4.10	64.76	35.97	-	100.73	7/53	10/79	
		17	22	26	26	26	26	27	27	27	26	25	23							
		27	24	25	13	18	14	15	11	19	16	20	23	10	11		8			
41	5094	2.83	4.03	6.25	7.35	7.23	10.28	11.54	10.58	8.05	6.33	4.13	3.05	54.01	27.64	-	81.65	7/53	10/79	
		18	23	25	26	26	26	27	27	27	27	25	20							
		28	16	25	15	14	9	16	15	18	14	19	21	11	12		11			
41	5561	2.71	3.44	5.20	6.32	7.16	8.56	10.66	10.26	7.40	5.45	3.65	2.90	49.49	24.22	-	73.71	1/49	6/64	
		15	14	15	14	15	20	14	18	18	14	18	14							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
41	5721	4.18	5.07	8.01	8.86	9.18	10.43	11.97	11.69	8.94	7.37	5.70	4.53	59.58	36.35	-	95.93	1/63	12/79	
		17	17	17	16	17	17	17	17	17	17	16	17							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
41	6104	3.96	4.43	6.89	8.15	8.60	8.74	6.98	6.61	5.80	5.33	3.96	4	42.06	31	-	73	8/68	12/79	
		11	10	10	11	11	11	10	11	11	11	12	10	7						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
41	6210	3	4.09	6.42	7.33	8.31	10.06	11.68	10.77	7.69	6.42	4.17	3.09	54.93	28	-	83	3/63	11/79	
		9	14	16	17	16	17	17	16	16	16	17	17	13						
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		****		
41	7140	3.08	3.85	5.53	6.51	8.53	9.92	10.76	9.88	7.46	6.46	4.37	3.40	53.01	26.74	-	79.75	11/57	12/79	
		18	21	22	22	22	22	22	22	22	22	22	23							
		17	11	10	12	11	10	10	15	10	10	10	12	13	6	5		5		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
														Oct ***	Apr ***					
<b>TEXAS (continued)</b>																				
41	7300	3.87	6.00	7.47	8.66	9.18	11.37	12.90	11.26	7.82	6.49	4.42	3.67	59.02	34.09	-	93.11	6/63	10/79	
		12	10	15	16	16	17	17	17	17	17	17	14	13	****	****	****	****		
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	
41	7481	3.80	5.17	8.63	11.47	13.63	14.58	14.01	12.54	9.50	6.59	4.49	3.62	70.85	37.18	-	108.03	11/39	10/79	
		32	36	37	35	34	34	35	33	35	35	32								
		29	15	19	10	11	9	12	13	12	15	20	23	7	10		7			
41	7622	3.22	4.34	6.58	8.14	8.56	10.08	11.31	11.11	7.76	6.07	4.03	3.09	53.22	29.40	-	82.62	7/62	12/79	
		17	17	17	16	17	16	18	17	17	17	18	17							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
41	7936	3	4	5.21	6.27	7.31	8.09	8.32	7.78	6.06	5.35	3.92	3	42.91	25	-	68	1/68	11/79	
		8	9	12	12	12	12	12	12	12	12	12	9							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
41	8446	2.74	3.56	5.36	6.09	7.18	8.88	9.98	8.99	6.57	5.49	3.83	2.73	47.09	24.31	-	71.40	1/65	12/79	
		12	13	15	14	15	14	15	15	15	15	15	13							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
41	8566	2.67	3.39	5.76	7.13	8.12	9.40	9.84	8.97	6.80	5.20	3.58	2.68	48.33	25.21	-	73.54	1/22	3/64	
		33	37	37	36	36	36	35	35	36	36	35	32							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
41	8646	3.18	4.08	5.95	6.98	7.57	9.71	11.32	10.17	7.08	5.97	4.07	3.00	51.82	27.26	-	79.08	1/58	12/79	
		11	12	15	15	15	15	15	15	15	15	14	13							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
41	9014	2.87	3.74	4.89	5.79	7.26	7.80	7.76	7.26	5.92	5.25	4.24	2.96	41.25	24.49	-	65.74	7/57	12/79	
		16	22	22	22	22	22	23	23	23	23	21	22							
		19	12	11	9	11	12	9	11	9	13	12	44	5	5		5			
41	9417	3	4.28	6.43	7.30	8.02	10.40	12.09	11.08	8.03	6.52	4.46	3.35	56.14	29	-	85	3/65	11/79	
		7	12	13	15	15	15	15	15	15	15	14	11							
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
41	9588	3.41	3.99	6.06	7.51	8.42	9.18	10.35	9.54	7.55	6.00	4.34	3.33	51.04	28.64	-	79.68	1/49	12/79	
		30	30	30	29	30	30	30	30	29	29	27	28							
		19	18	17	14	10	7	10	12	14	18	16	20	8	10		8			
41	9715	2.95	3.88	6.05	7.20	8.46	10.65	12.39	11.38	8.33	6.24	4.02	3.12	57.45	27.22	-	84.67	7/53	12/75	
		21	24	26	26	26	26	27	27	27	27	27	25							
		30	20	25	15	20	13	15	12	17	16	16	21	10	13		10			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record	Latest
														Oct	Apr	Season		Began	Data
														***	***	***	***	Mo/Yr	Mo/Yr
<b>TEXAS (continued)</b>																			
41	9842	2.81	3.68	5.67	7.30	10	12	12.67	12	8.22	5.92	3.79	2.83	61	26.08	-	87	3/49	3/64
		11	12	12	10	9	9	10	9	10	11	10	9	61	26.08	-	87	3/49	3/64
		****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
41	9996	3.57	5.04	8.43	11.40	13.49	14.79	13.04	11.13	9.09	6.68	4.36	3.32	68.22	36.12	-	104.34	2/39	12/79
		40	41	41	41	41	41	41	41	41	41	39	40	68.22	36.12	-	104.34	2/39	12/79
		17	9	16	5	6	5	9	27	9	12	14	12	6	6	-	4	2/39	12/79
<b>UTAH</b>																			
42	2852					11.48	13.34	16.00	13.75	10.10	6			71	-	-	-	1/62	9/79
						10	13	13	12	13	6			71	-	-	-	1/62	9/79
						****	****	****	****	****	****	****			****	****	****	****	****
42	2864					5.89	10.07	8.52	5.92					-	-	30.40	-	5/58	9/79
						20	21	20	18					-	-	30.40	-	5/58	9/79
						20	9	10	18					-	-	30.40	-	5/58	9/79
42	3418				6.31	7.94	8.59	9.18	7.90	5.88	3.71			43.20	-	-	-	4/56	10/79
					16	20	23	21	22	23	17			43.20	-	-	-	4/56	10/79
					****	17	16	12	14	16	20			9	-	-	-	4/56	10/79
42	3514					7.40	8.53	9.91	8.45	6.09	4			44	-	-	-	5/62	9/79
						12	15	15	16	16	9			44	-	-	-	5/62	9/79
						****	****	****	****	****	****	****			****	****	****	****	****
42	5190				4.27	6.21	7.24	8.61	7.62	5.14	3.05			37.87	-	-	-	9/50	8/78
					14	27	28	28	28	27	25			37.87	-	-	-	9/50	8/78
					****	15	12	7	8	12	13			5	-	-	-	9/50	8/78
42	5733				7.64	10.46	12.06	12.91	10.90	7.69	20.00			74.02	-	-	-	3/58	10/79
					19	22	20	21	22	22	20			74.02	-	-	-	3/58	10/79
					13	9	14	12	10	11	20			8	-	-	-	3/58	10/79
42	5582				8.80	12.02	14.35	14.65	12.04	9.10	5.71	2		67.87	-	-	-	11/57	10/79
					19	20	19	19	20	20	17	5		67.87	-	-	-	11/57	10/79
					12	11	15	14	34	34	13	****		17	-	-	-	11/57	10/79
42	5815					8.09	6.82	6						-	-	21	-	8/41	9/55
						14	14	7						-	-	21	-	8/41	9/55
						****	****	****						-	-	21	-	8/41	9/55
42	6897					8.97	10.84	10.59	9.11	7.41	4.91			51.83	-	-	-	5/18	10/70
						52	51	51	51	51	43			51.83	-	-	-	5/18	10/70
						12	11	10	17	14	16			6	-	-	-	5/18	10/70

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr			
														Oct ***	Apr ***	Season ***						
<u>UTAH (continued)</u>																						
42	7068				6.82	6.30	7.37	7.83	6.85	4.94	2.88			36.17	-	-	-	5/18	9/60			
					11	16	17	17	17	17	17											
					****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
42	7578				6.70	9.50	12.26	14.71	12.87	8.86	12.37			70.57	-	-	-	3/56	10/79			
					22	24	24	24	24	24	21	6										
					17	14	19	8	7	9	21	****										
42	8376					6	7.43	8.00	7.30	5.20	3.35			37	-	-	-	6/56	8/77			
						6	14	18	18	18	12											
						****	****	11	14	14	****											
42	8973			3.11	5.57	8.11	9.60	10.59	9.23	6.76	3.95	1.38		48.24	-	-	-	5/23	10/79			
				42	54	59	60	60	60	60	55	39										
				26	30	14	16	7	11	10	13	****										
42	9165					7	6.89	7.56	5.64	4.84	3			35	-	-	-	6/56	6/74			
						9	19	18	18	18	7											
						****	15	11	18	21	****											
<u>VERMONT</u>																						
43	2843					4.92	5.67	6.46	5.00	3.43	2.29			27.77	-	-	-	6/63	9/79			
						16	17	16	17	17	12											
						****	****	****	****	****	****	****										
<u>VIRGINIA</u>																						
44	1598					6.13	6.86	6.97	5.84	4.53	3.38			33.71	-	-	-	8/51	8/66			
						12	14	14	15	15	13											
						11	11	13	11	13	17											
44	4044				6.16	7.05	7.58	7.61	6.72	5.14	3.95			38.05	-	-	-	5/50	4/78			
					21	28	28	28	27	27	27											
					14	7	6	15	10	13	12											
44	4414				5.27	6.22	6.81	7.20	6.12	4.87	3.37			34.59	-	-	-	10/53	9/79			
					19	23	25	24	22	24	13											
					15	9	13	12	11	11	19											
44	5271				4.64	4.98	5.25	5.21	4.98	3.61	2.76			26.79	-	-	-	4/71	10/79			
					9	9	9	9	9	9	9											
					14	37	8	8	10	9	34											

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began Mo/Yr	Latest Data Mo/Yr				
														Oct ***	Apr ***	Season ***							
<b>VIRGINIA (continued)</b>																							
44	6692				4.34	4.83	5.02	5.30	5.08	3.82	2.72			26.77	-	-	-	9/53	10/79				
					25	25	25	25	25	26	26												
					19	10	9	12	10	13	14						5						
44	8084				5.03	6.53	7.34	7.53	7.10	5.08				33.58	-	-	-	5/61	10/70				
					9	10	10	10	10	10													
					22	10	7	12	11	10						****							
<b>WASHINGTON</b>																							
45	969						4.42	5.92	5.17	3.31				-	-	18.82	-	6/49	9/66				
							16	18	18	14													
							12	11	28	****													
45	2540				5.43	6.61	7.74	9.03	7.41	4.00	2.41			38.10	-	-	-	7/54	10/79				
					19	24	23	23	26	25	21												
					15	12	10	12	17	23	26					12							
45	4406				4.00	4.85	6.45	5.18	2.99	1.35				24.82	-	-	-	9/17	9/68				
					43	52	52	52	51	33													
					22	13	16	18	18	****						****							
45	4679				5.77	8.08	9.88	12.58	10.62	7.19				-	-	54.12	-	4/49	9/79				
					31	31	31	31	30	30													
					14	12	11	9	14	13													
45	5613				5.88	7.77	8.91	10.32	8.28	5.57	3			44	-	-	-	4/49	8/66				
					17	16	18	18	18	16	9												
					19	****	16	17	18	21	****					****							
45	6215				5.60	7.73	9.29	11.30	9.51	6.45	3.25			47.53	-	-	-	4/41	7/78				
					36	37	38	37	37	37	28												
					17	12	8	9	11	10	15					5							
45	6803				2.45	3.91	4.69	5.66	4.63	2.73	1.24	0.60		22.86	-	-	-	3/61	11/79				
					18	18	19	19	19	18	14												
					14	13	15	12	18	17	9	****				10							
45	6880				5.95	8.00	9.13	10.73	8.96	5.83	3.00			45.65	-	-	-	4/41	8/78				
					35	38	38	37	38	37	28												
					15	13	10	9	12	17	16					6							
45	7038				5.45	6.65	8.10	7.44	3.87	1.69				33.20	-	-	-	5/49	9/77				
					29	29	29	29	29	18													
					14	12	13	16	13	16						10							

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct ***	Nov-Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
<b>WASHINGTON (continued)</b>																				
45	7463			1.88	3.26	4.61	5.10	6.76	5.25	3.51	1.70			26.93	-	-	-	5/41	10/70	
				13	17	17	17	17	18	18	18	16			****					
				****	****	****	****	****	****	****	****	****	****							
45	7938				4.85	7.47	9.11	11.90	10.66	6.34				-	-	50.33	-	5/66	9/79	
					12	14	14	14	14	14										
					****	****	****	****	****	****	****									
45	8931			2.57	4.42	6.23	7.67	10.41	8.92	5.19	2.54			40.96	-	-	-	6/16	9/62	
				23	42	45	45	46	45	46	45									
				****	****	****	****	****	****	****	****	****								
45	9200				4.82	6.95	8.86	10.88	9.39	5.82	2.96			44.86	-	-	-	4/63	10/75	
					16	17	17	17	16	17	14									
					****	****	****	****	****	****	****	****								
<b>WEST VIRGINIA</b>																				
46	939				3.95	4.91	5.43	5.78	4.94	3.76	2.53	1.38		27.35	-	-	-	10/52	10/79	
					27	27	27	27	26	27	27	12								
					18	26	7	9	10	13	16	17			8					
46	4200					5.72	6.22	6.47	5.74	4.54	3.24			31.93	-	-	-	6/49	9/72	
						10	20	21	22	23	21									
						****	8	11	8	17	20									
46	4763				5	5.60	5.81	6.87	6.00	4.40	3.08			31.76	-	-	-	4/65	10/79	
					9	14	13	14	14	13	11									
					****	****	****	****	****	****	****	****								
46	6867				4	5.03	5.48	5.60	4.94	3.72	2.59			27.36	-	-	-	5/65	9/79	
					7	14	14	13	13	13	12									
					****	****	****	****	****	****	****	****								
46	8662					5.07	5.57	5.75	5.23	3.96	3			26	-	-	-	8/61	9/78	
						12	17	16	17	16	7									
						****	****	****	****	10	9	****								
46	9281				4.74	5.24	5.94	6.47	7.21	4.42	3.15			32.43	-	-	-	8/39	9/79	
					26	38	39	39	40	40	36									
					16	11	6	10	9	13	12				6					

59

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).  
 \*\* Climatological Data (NOAA-EDIS)  
 \*\*\* Sum of monthly means.  
 \*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

Station	State No.	Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Other	Annual	Record Began	Latest Data
															Oct	Apr	Season			
															***	***	***	***	Mo/Yr	Mo/Yr
<b>WISCONSIN</b>																				
Arlington University Farm	47	308					7	7.50	8.17	6.77	4.81	3.21			37.46	-	-	-	6/65	10/79
43° 18', 89° 21'							7	14	14	15	15	14			****					
							****	****	****	****	****	****								
Marshfield Exp Sta	47	5120					5.97	6.46	6.98	6.15	4.35	3.16			33.07	-	-	-	6/39	9/79
44° 39', 90° 08'							29	39	40	39	41	26			****					
							11	13	12	11	13	15								
Rainbow Reservoir	47	6939					4.76	5.19	5.49	4.54	2.92	2.12			25.02	-	-	-	5/49	9/79
45° 50', 89° 33'							20	28	30	30	29	11			****					
							****	34	10	7	9	****								
Trempealeau Dam 6#	47	8589					6.01	6.64	7.03	5.88	4.32	3.48			33.36	-	-	-	5/41	9/79
44° 00', 91° 26'							36	39	39	39	38	28			6					
							11	15	10	8	7	15								
<b>WYOMING</b>																				
Anchor Dam	48	228					7.10	8.53	9.67	8.46	6.07				-	-	39.83	-	4/61	9/79
43° 40', 108° 50'							14	17	17	18	15									
							****	****	11	13	****									
Archer	48	270				5	3.40	7.52	8.66	8.31	6.20	5			39	-	-	-	5/58	10/75
41° 09', 104° 39'						8	23	23	24	24	24	8			****					
						****	17	14	17	10	14	****								
Boysen Dam	48	1000					7.38	8.69	10.53	9.50	6.23	3.72			46.05	-	-	-	4/49	8/79
43° 25', 108° 11'							23	31	31	31	30	12			****					
							12	14	10	8	17	****								
Farson	48	3170					7.91	9.75	11.00	9.12	6.76				-	-	44.54	-	6/50	9/73
42° 07', 109° 27'							14	20	20	22	21						****			
							13	18	10	12	19									
Gillette	48	3855				4.61	6.78	7.72	9.75	9.69	6.35	2.16			42.45	-	-	-	6/58	10/79
44° 17', 105° 28'						10	17	17	17	17	17	15			****					
						****	****	****	****	****	****	****								
Green River	48	4065					9.14	10.22	12.22	10.53	7.36				-	-	49.47	-	6/58	9/79
41° 32', 109° 28'							13	15	17	15	15									
							15	14	5	32	15									
Heart Mountain	48	4411					6.55	7.18	8.43	7.45	5.10	3.79			38.50	-	-	-	6/50	9/79
44° 41', 108° 57'							25	29	28	30	28	20			15					
							14	25	14	15	21	21								

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE I -- MEAN MONTHLY, SEASONAL, AND ANNUAL CLASS A PAN EVAPORATION (INCHES)  
FOR STATIONS WITH 10 YEARS OR MORE OF RECORD FOR BEST MONTH\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May- Oct ***	Nov- Apr ***	Other Season ***	Annual ***	Record Began Mo/Yr	Latest Data Mo/Yr	
<b>WYOMING (continued)</b>																				
48	5435					8.96	10.23	11.02	9.73	7.65	5			53	-	-	-	5/66	9/79	
						9	12	13	13	12	5									
						****	****	****	****	****	****			****						
48	6470					6.10	7.07	9.88	7.57	5.17				-	-	35.79	-	5/51	9/68	
						14	17	17	17	17										
						****	21	8	5	18										
48	7105				5.45	6.94	8.62	10.54	9.69	7.33	5.44			48.56	-	-	-	5/49	8/79	
					15	26	28	30	30	29	25									
					****	19	11	14	12	16	19			****						
48	8160					6.21	7.67	9.82	9.44	6.29				-	-	39.43	-	5/49	9/79	
						24	29	29	29	27										
						16	20	15	13	17										
48	9604					5.99	7.85	9.06	10.63	9.53	6.61	4.81		48.49	-	-	-	4/49	10/79	
						17	31	31	30	31	31	22								
						****	16	16	11	9	13	****		****						

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only where there are 10 years or more of record during 1956-1970).  
 \*\* Climatological Data (NOAA-EDIS)  
 \*\*\* Sum of monthly means.  
 \*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.



TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

		State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr	
<b>ALABAMA</b>																					
Birmingham WB Airport 33° 34', 86° 45'	1	831	1.79	2.40	4.06	5.86	7.23	7.14	7.13	6.68	5.45	3.93	2.60	1.90	37.57	18.60	56.18	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
			18	14	17	7	14	11	18	14	13	17	7	12	8	5	6				
Mobile WB Airport 30° 40', 88° 15'	1	5478	2.70	3.28	4.86	5.84	7.19	7.16	6.50	6.29	5.66	5.20	3.61	2.87	38.05	23.19	60.91	1/56	12/70		
			14	15	15	15	15	15	15	15	15	15	14	15	15	15	15	15	15	15	
			16	11	7	7	12	13	12	11	12	13	8	11	6	5	5				
Montgomery WB Airport 32° 18', 86° 23'	1	5550	2.09	2.76	4.37	5.71	7.10	7.12	7.42	6.94	5.77	4.08	2.82	2.26	38.61	20.01	58.70	1/56	12/70		
			15	15	15	15	15	15	15	15	15	14	15	15	15	15	15	15	15	15	
			16	8	13	8	12	12	8	12	12	12	7	8	6	5	5				
<b>ARIZONA</b>																					
Flagstaff WB Airport 35° 7', 111° 40'	2	3010	2	2	3	5	7	9	8	6	5	4	2.51	1.66	39	15	54	11/61	12/70		
			9	9	9	9	9	9	9	9	9	9	9	10	10	10	10	10	10	10	
			****	****	****	****	****	****	****	****	****	****	****	****	16	19	****	****	****		
Phoenix WB Airport 33° 25', 112° 1'	2	6481	3.60	4.36	7.00	9.98	13.31	14.83	14.55	12.66	10.53	7.77	4.79	3.51	73.66	33.24	106.90	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			16	18	14	11	11	5	5	7	7	11	12	14	5	8	5				
Tucson WB Airport 32° 7', 110° 55'	2	8820	4.64	5.15	7.72	10.85	13.77	15.21	13.08	11.52	10.74	8.69	5.70	4.38	72.94	38.44	111.45	1/56	12/70		
			15	15	15	15	15	15	15	15	15	14	15	15	15	15	15	15	15		
			12	12	17	10	8	5	6	11	10	11	11	16	3	5	3				
Winslow WB Airport 35° 1', 110° 43'	2	9439	1.99	3.07	5.50	8.08	10.93	13.05	11.86	10.14	8.71	6.08	3.36	1.92	60.77	23.92	84.68	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
			37	18	13	8	8	5	10	10	11	11	12	31	5	6	5				
Yuma WB Airport 32° 40', 114° 36'	2	9660	5.24	5.73	8.49	11.36	14.27	15.55	15.85	14.33	11.86	8.87	5.89	4.82	80.73	41.64	122.45	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	14	15	15	15	15	15		
			12	12	10	8	3	5	5	5	10	5	12	17	3	6	5				
<b>ARKANSAS</b>																					
Ft Smith Water PL 35° 38', 94° 8'	3	2578	1.84	2.15	3.74	5.46	6.61	7.18	8.01	7.70	5.46	4.05	2.55	1.85	39.03	17.59	56.61	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
			19	11	20	12	11	10	12	12	18	19	16	11	8	7	7				
Little Rock WB Airport 34° 43', 92° 13'	3	4248	1.92	2.40	4.18	5.51	6.94	7.97	8.03	7.20	5.52	4.15	2.63	1.97	39.81	18.61	58.42	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
			17	12	25	18	11	7	8	13	18	13	12	12	3	7	3				

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Annual***	Record	Last	
														Oct***	Apr***		No/Yr	Data Mo/Yr	
<b>CALIFORNIA</b>																			
4	442	1.96	2.61	4.68	6.66	9.73	12.26	13.48	12.05	9.13	6.19	3.20	1.75	62.84	20.86	83.71	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15			
		29	23	16	18	12	5	5	7	8	17	24	32	5	12	6			
4	1194	3.52	3.57	4.81	5.67	6.25	7.30	9.16	8.32	7.12	5.41	4.04	3.63	43.56	25.25	68.81	1/56	12/65	
		10	10	10	10	10	10	10	10	10	10	10	10	10	10	10			
		24	30	16	16	13	12	8	6	12	19	13	17	5	8	5			
4	3257	1.30	2.06	4.22	6.28	9.33	11.41	12.39	10.74	7.85	5.04	2.34	1.21	56.74	17.51	74.14	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	14	15	14				
		22	19	12	17	10	6	7	6	6	11	25	37	5	8	5			
4	5085	3.41	3.43	4.48	5.68	6.22	6.15	8.10	7.99	6.38	5.24	3.50	2.98	40.07	23.49	63.57	1/60	12/70	
		11	11	11	11	11	11	11	11	11	11	11	11	11	11				
		13	22	12	12	10	11	7	10	10	18	17	18	6	7	5			
4	5114	3.54	3.63	5.10	5.77	6.65	6.36	7.82	7.29	6.07	5.27	3.96	3.55	39.87	25.52	65.48	1/56	12/70	
		15	14	15	15	14	15	15	15	15	14	15	15	15	15				
		19	24	12	13	10	14	7	6	14	30	22	18	7	7	6			
4	6335	1.75	2.26	3.76	4.75	5.69	6.43	6.43	5.98	5.37	3.97	2.38	1.83	33.96	16.73	50.65	1/56	12/70	
		15	15	15	15	14	15	15	15	15	15	15	15	15	15				
		19	25	12	12	10	13	8	6	11	13	17	24	5	7	5			
4	7292	2.51	2.94	4.52	6.91	9.57	12.65	13.46	11.79	9.14	6.24	3.24	2.25	62.96	22.51	85.47	1/56	12/70	
		15	15	15	14	15	14	15	15	15	15	15	14	15	14				
		68	26	17	23	12	11	5	7	7	17	26	31	5	18	7			
4	7630	1.26	2.15	3.73	5.85	8.31	10.73	11.31	10.10	7.68	5.02	2.32	1.22	53.19	16.54	69.86	1/56	12/70	
		15	15	15	15	15	15	15	15	15	14	15	15	15	15				
		29	25	17	19	10	8	5	5	5	18	27	43	5	14	6			
4	7740	3.19	3.35	4.74	6.09	6.37	5.57	6.81	6.72	5.79	4.86	3.78	3.27	36.12	24.42	60.54	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15	15				
		16	16	11	11	8	12	5	8	8	14	19	16	5	6	5			
4	7769	1.65	2.40	3.81	5.30	6.40	7.08	6.70	6.64	5.94	4.40	2.43	1.70	37.16	17.29	54.45	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15	15				
		19	24	17	12	16	11	11	12	16	17	17	25	7	10	8			
<b>COLORADO</b>																			
5	1778	2.38	2.52	3.76	5.86	7.91	9.36	9.52	8.59	6.69	5.14	3.02	2.43	47.22	19.97	67.19	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15	15				
		18	20	26	18	12	13	10	11	12	19	18	17	8	8	6			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Annual***	Record Began Mo/Yr	Last Data No/Yr
														Oct***	Apr***			
<b>COLORADO (continued)</b>																		
5	2220	2.20	2.33	3.83	5.70	7.43	8.96	9.80	9.11	6.59	4.78	2.69	2.24	46.68	18.99	65.68	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
		19	25	24	16	16	18	8	11	14	25	16	26	11	6	8		
5	3488	1.86	2.11	4.26	6.60	9.89	12.49	12.98	11.10	8.20	5.37	2.53	1.34	60.10	18.70	78.78	1/56	12/70
		15	15	15	15	15	14	15	15	15	15	15	15	6	7	6		
		38	27	16	12	12	7	12	12	17	14	25	6	7	6			
5	6740	2.00	2.44	4.17	7.04	9.11	10.82	11.09	9.72	7.35	5.28	2.96	2.27	53.37	20.88	74.19	1/56	12/70
		14	15	15	15	15	15	15	15	15	15	15	15	8	12	8		
		31	26	25	18	12	14	8	8	12	18	18	29	8	12	8		
<b>CONNECTICUT</b>																		
6	806	1.49	1.60	2.53	3.67	4.81	5.50	5.82	5.36	4.29	3.44	2.13	1.49	29.21	12.83	42.16	3/60	12/70
		10	10	11	10	11	11	11	11	11	11	11	11	11	11	11		
		25	19	11	18	18	11	17	11	6	8	7	17	5	****	****		
6	3456	1.10	1.33	2.46	4.28	5.68	6.07	6.43	5.83	3.83	2.74	1.70	1.07	30.59	11.94	42.53	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	10	12	10		
		29	20	16	18	17	12	18	11	16	18	17	20	10	12	10		
<b>DELAWARE</b>																		
7	9595	1.49	1.74	3.01	4.34	5.54	6.40	6.40	5.92	4.64	3.37	2.20	1.52	32.29	14.27	46.51	1/56	12/70
		15	14	15	15	15	15	15	15	15	15	15	15	7	8	6		
		23	20	17	12	13	7	17	13	12	10	7	17	7	8	6		
<b>FLORIDA</b>																		
8	2158	3.32	3.88	5.19	6.86	7.53	7.04	7.11	6.71	5.89	5.30	4.04	3.20	39.58	26.49	66.07	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	5	5	3		
		11	7	13	8	11	8	5	6	10	11	6	10	5	5	3		
8	4358	2.76	3.45	5.50	7.54	8.52	7.73	7.92	7.28	5.94	4.64	3.50	2.89	42.03	25.63	67.65	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	5	5	5		
		12	10	11	6	12	12	7	6	11	16	10	13	5	5	5		
8	4570	4.46	4.89	7.18	9.09	10.10	9	9.68	8.72	7.37	6.47	5.55	4.74	51	35.90	87	7/60	12/70
		10	10	10	10	10	9	10	10	11	11	11	11	11	11	11		
		13	5	7	5	11	****	6	3	5	6	7	10	****	3	****		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Annual***	Record	Last	
														Oct***	Apr***		Mo/Yr	Data No/Yr	
<b>FLORIDA (continued)</b>																			
Miami WSO 25° 48', 80° 16'	8 5663	4.28	4.84	6.59	7.84	7.85	6.96	8.03	7.68	6.00	5.78	4.83	4.27	42.30	32.67	74.97	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		14	11	12	11	12	11	11	11	11	11	8	10	13	6	5	5		
Orlando WB Airport 28° 33', 81° 19'	8 6638	3.66	4.39	6.00	7.66	8.53	7.75	7.74	7.10	6.23	5.78	4.51	3.80	43.17	29.72	72.39	1/56	12/70	
		14	15	14	15	15	14	13	14	14	14	14	13	13					
		16	7	11	10	11	6	3	5	7	13	8	11	11	5	6	5		
Tallahassee WB Airport 30° 22', 84° 22'	8 8758	2.50	2.88	4.63	5.94	7.01	6.96	6.36	6.20	5.47	4.87	3.24	2.57	36.87	21.75	58.57	2/56	12/70	
		14	15	15	15	15	15	15	15	15	15	15	15	15					
		12	13	11	7	12	10	7	12	7	13	14	5	5	6	5	5		
Tampa WSO 27° 58', 82° 31'	8 8788	3.40	3.98	5.73	7.57	8.84	8.15	7.74	7.17	6.40	5.74	4.28	3.59	44.03	28.56	72.60	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		10	11	14	8	5	8	7	10	8	13	10	12	12	5	6	5		
West Palm Beach WB Airport 26° 40', 80° 6'	8 9525	4.33	4.79	6.52	7.74	7.94	7.10	7.71	7.29	6.03	6.12	5.12	4.41	42.40	32.92	75.29	1/56	12/70	
		15	15	15	15	15	14	15	14	15	15	15	15	15					
		11	6	10	6	10	7	11	5	8	6	7	7	7	3	5	3		
<b>GEORGIA</b>																			
Athens WB Airport 33° 56', 83° 19'	9 435	2.20	2.66	4.16	5.51	6.43	6.64	6.54	6.36	5.06	4.20	2.99	2.27	35.22	19.79	55.01	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		16	10	18	7	13	12	12	12	13	11	16	8	8	5	5	5		
Atlanta WB Airport 33° 38', 84° 25'	9 451	2.12	2.73	4.28	5.78	7.03	7.10	7.07	6.70	5.22	4.14	2.89	2.26	37.25	20.15	57.13	1/56	12/70	
		14	15	15	15	15	15	15	15	15	15	15	15	15					
		12	12	17	11	12	12	8	12	11	16	8	13	13	5	6	5		
Augusta WB Airport 33° 22', 81° 58'	9 495	2.18	2.75	4.25	5.66	6.27	6.62	6.49	6.31	5.07	4.19	3.00	2.29	34.96	20.13	55.09	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		13	10	16	7	16	8	10	12	10	14	11	8	8	5	6	5		
Columbus WB Airport 32° 31', 84° 55'	9 2166	2.05	2.66	4.16	5.51	6.76	6.76	6.10	6.16	5.32	4.35	2.77	2.10	35.48	19.29	54.91	6/58	12/70	
		12	12	12	12	12	13	13	13	13	13	13	12	13					
		10	12	11	10	13	10	13	8	8	11	6	12	12	5	5	5		
Macon WB Airport 32° 41', 83° 38'	9 5443	2.25	2.92	4.64	6.47	7.85	7.67	7.55	7.14	5.83	4.36	3.03	2.45	40.40	21.76	62.16	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		16	12	13	7	14	11	11	13	11	13	10	10	10	5	5	5		
Savannah WB Airport 32° 7', 81° 11'	9 7847	2.30	2.87	4.76	6.70	7.62	7.51	7.79	6.83	5.67	4.45	3.06	2.60	39.87	22.22	61.82	1/56	12/70	
		15	15	14	15	15	15	15	15	15	15	15	15	15					
		14	8	14	5	16	12	7	8	8	14	11	12	12	5	6	5		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

	State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr
<b>IDAHO</b>																			
Boise WB Airport 43° 34', 116° 13'	10	1022	1.58 15 122	1.63 15 26	3.59 15 25	5.06 15 14	7.39 15 12	9.23 15 14	12.09 15 5	10.01 15 12	6.64 15 11	3.90 15 14	1.76 15 18	1.09 15 36	49.25 5	14.72 18	63.97 6	1/56	12/70
Pocatello WB Airport 42° 55', 112° 36'	10	7211	0.97 15 38	1.38 15 37	3.52 15 60	4.92 15 18	7.36 15 17	8.87 15 19	11.69 15 7	9.20 15 22	6.43 15 12	4.01 15 14	1.78 15 25	1.01 15 31	47.56 8	13.58 20	61.14 8	1/56	12/70
<b>ILLINOIS</b>																			
Chicago WB Airport 41° 46', 87° 45'	11	1577	1.09 15 26	1.37 15 23	2.68 15 25	4.56 15 18	6.90 15 13	8.21 15 12	8.16 15 11	6.95 15 8	5.11 15 8	3.83 15 17	1.97 15 13	1.19 15 20	39.16 6	12.86 12	52.02 5	1/56	12/70
Moline WSO 41° 26', 90° 31'	11	5751	0.88 15 25	1.17 15 23	2.46 15 30	4.38 15 18	6.34 15 12	7.20 15 14	7.45 15 12	6.19 15 6	4.35 15 10	3.36 15 19	1.72 15 18	1.07 15 32	34.90 6	11.67 11	46.58 6	1/56	12/70
Peoria WSO 40° 40', 89° 40'	11	6711	0.91 15 29	1.26 15 17	2.49 15 27	4.52 15 16	6.40 15 16	7.48 15 12	7.49 15 12	6.43 15 7	4.77 15 12	3.54 15 23	1.80 15 13	0.97 15 22	36.11 7	11.95 10	48.06 6	1/56	12/70
Rockford WSO 42° 11', 89° 6'	11	7382	0.79 12 29	1.08 12 25	2.33 12 23	4.12 12 12	5.93 12 8	7.07 12 8	7.13 12 7	6.23 12 7	4.40 12 8	3.30 12 18	1.61 12 14	0.83 12 17	34.05 3	10.78 6	44.88 3	1/59	12/70
Springfield WSO 39° 49', 89° 40'	11	8179	1.09 15 24	1.38 15 14	2.72 15 26	4.88 15 18	7.40 15 23	7.99 15 12	8.05 15 12	6.62 15 10	5.39 15 11	3.88 15 23	2.12 15 16	1.18 15 20	39.34 7	13.36 8	52.70 7	1/56	12/70
<b>INDIANA</b>																			
Evanville WSO 38° 3', 87° 31'	12	2738	1.29 15 18	1.68 15 25	3.02 15 19	5.09 15 13	6.73 14 12	7.56 15 11	7.72 15 6	6.88 15 6	5.11 15 12	3.72 15 14	2.05 15 12	1.32 15 22	37.78 5	14.45 6	52.29 3	1/56	12/70
Fort Wayne WSO 41° 0', 85° 11'	12	3037	0.86 15 25	1.17 15 18	2.23 15 22	4.03 15 17	6.27 15 13	7.45 15 12	7.51 15 10	6.50 15 11	4.64 15 11	3.25 15 18	1.60 15 16	0.90 15 18	35.61 5	10.78 6	46.39 5	1/56	12/70
Indianapolis WSFO 39° 43', 86° 16'	12	4259	1.06 15 26	1.35 15 17	2.49 15 20	4.32 15 12	6.06 15 17	7.13 15 12	6.99 15 13	6.28 15 11	4.71 15 13	3.39 15 18	1.73 15 18	1.09 15 25	34.57 10	12.04 10	46.61 8	1/56	12/70

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

		State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May- Oct***	Nov- Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr
<b>INDIANA (continued)</b>																				
South Bend WB Airport 41° 41', 86° 19'		12	8187	0.83	1.00	2.08	3.80	5.63	6.73	6.64	5.93	4.26	3.17	1.61	0.88	32.35	10.20	42.56	1/56	12/70
				15	15	15	15	15	15	15	15	15	15	15	15					
				36	24	23	16	17	12	11	8	12	24	19	24	6	10	6		
<b>IOWA</b>																				
Burlington FAA Airport 40° 46', 91° 7'		13	1063	1.00	1.35	2.66	4.63	6.27	6.43	6.59	5.72	4.44	3.67	1.93	1.05	33.18	12.84	46.25	1/56	12/70
				15	15	15	15	14	15	15	15	15	15	15	14					
				30	19	26	14	7	7	12	11	7	14	18	30	5	8	5		
Des Moines WSO 41° 31', 93° 38'		13	2203	0.82	1.11	2.47	4.56	6.61	7.74	8.14	6.77	4.55	3.77	1.81	1.04	37.57	11.81	49.38	1/56	12/70
				15	15	15	15	15	15	15	15	15	15	15	15					
				31	36	33	16	13	16	13	7	17	18	24	29	7	12	7		
Sioux City WSO 42° 23', 96° 22'		13	7708	0.78	1.00	2.28	4.63	6.35	7.24	7.35	6.04	4.14	3.51	1.67	0.93	34.63	11.24	46.03	1/56	12/70
				14	15	15	15	15	15	15	15	15	15	15	15					
				31	35	45	8	12	18	12	12	20	25	23	38	10	12	10		
Waterloo WSO 42° 33', 92° 23'		13	8706	0.68	0.89	1.89	4.10	5.94	6.80	6.97	5.95	4.07	3.19	1.55	0.71	32.92	9.86	42.85	3/60	12/70
				10	10	11	11	11	11	11	11	11	11	11	11					
				31	35	42	19	10	12	12	6	17	18	16	33	6	16	7		
<b>KANSAS</b>																				
Concordia WSO 39° 33', 97° 38'		14	1767	1.24	1.64	3.37	5.29	6.65	8.29	9.39	8.45	5.49	4.26	2.20	1.52	42.56	15.27	57.90	1/56	12/70
				15	15	15	15	14	15	15	15	15	15	15	15					
				37	35	37	16	18	14	14	11	19	26	19	20	11	17	12		
Dodge City WSO 37° 46', 99° 58'		14	2164	2.11	2.45	4.45	6.91	8.78	10.41	11.18	10.37	7.32	5.63	3.09	2.23	53.69	21.24	74.93	1/56	12/70
				15	15	15	15	15	15	15	15	15	15	15	15					
				30	30	37	18	16	13	13	12	23	24	20	25	10	14	10		
Goodland WSO 39° 22', 101° 41'		14	3153	1.96	2.15	3.57	5.95	7.81	9.74	10.57	9.63	6.81	5.16	2.79	2.03	49.71	18.47	68.17	1/56	12/70
				15	15	15	15	15	15	15	15	15	15	15	15					
				30	31	33	18	18	18	12	8	18	18	16	22	10	13	8		
Topeka WSO 39° 4', 95° 37'		14	8167	1.32	1.73	3.36	5.01	6.64	6.94	7.89	7.32	4.92	3.81	2.14	1.41	37.52	14.97	52.50	1/56	12/70
				15	15	15	15	15	15	15	15	15	15	15	15					
				29	24	31	14	18	14	16	11	22	25	17	23	11	12	10		
Wichita WSO 37° 38', 97° 25'		14	8830	1.66	2.10	4.14	5.88	7.50	8.75	9.66	9.17	6.00	4.69	2.63	1.98	45.77	18.40	64.16	1/56	12/70
				15	15	15	15	15	15	15	15	15	15	15	15					
				27	22	30	16	19	12	14	14	24	20	22	41	11	13	10		

67

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).  
 \*\* Climatological Data (NOAA-EDIS)  
 \*\*\* Sum of monthly means.  
 \*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State	Station Index No.**	Month												May-Oct***	Nov-Apr***	Annual1***	Record Began Mo/Yr	Last Data Mo/Yr	
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec						
<b>KENTUCKY</b>																			
Lexington WB Airport 38° 1', 84° 36'	15 4746	1.31	1.51	2.97	4.64	5.90	6.58	6.67	6.46	5.16	3.84	2.15	1.39	34.61	13.96	48.57	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15			
		31	24	23	13	11	8	10	12	18	17	12	18	6	12	6			
Louisville WSO 38° 10', 85° 43'	15 4954	1.34	1.51	3.14	5.11	6.57	7.05	7.30	6.84	4.96	3.54	2.14	1.62	36.26	14.87	51.13	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15	15				
		30	30	20	17	12	12	12	7	12	13	11	33	7	12	7			
<b>LOUISIANA</b>																			
Alexandria WB Airport 31° 23', 92° 18'	16 104	1.84	2.41	3.76	4.83	6.14	6.57	6.54	6.16	5.25	4.23	2.75	1.82	34.88	17.44	52.00	2/60	12/70	
		10	11	11	10	10	10	10	10	10	10	10	10	11	6	****			****
		14	11	14	10	11	12	14	13	8	12	16	10	6	****	****			
Baton Rouge WB Airport 30° 31', 91° 8'	16 549	2.60	3.08	4.70	5.51	6.83	7.13	6.73	6.29	5.66	4.93	3.30	2.57	37.58	21.76	59.34	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15	15				
		13	14	11	8	11	13	13	12	12	13	11	18	6	5	5			
Lake Charles WB Airport 30° 7', 93° 13'	16 5078	2.29	2.71	4.33	5.58	7.30	7.63	7.43	6.73	5.77	4.77	3.25	2.33	39.64	20.49	60.13	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		19	12	13	10	7	12	11	12	12	12	12	18	5	6	5			
New Orleans WB Moisant 29° 58', 90° 15'	16 6660	2.47	2.97	4.42	5.42	6.86	6.92	6.56	6.14	5.56	4.91	3.22	2.52	36.94	21.02	57.96	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		18	14	11	11	8	14	11	11	12	6	11	12	3	6	5			
Shreveport WB Airport 32° 28', 93° 49'	16 8440	2.46	2.86	4.59	5.71	7.48	8.07	8.83	8.21	6.15	4.87	3.04	2.28	43.61	20.94	64.55	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		29	8	22	14	11	12	11	11	16	13	18	16	7	8	6			
<b>MAINE</b>																			
Portland WSMO 43° 38', 70° 19'	17 6905	0.91	1.03	1.99	3.10	4.76	5.35	5.70	4.98	3.31	2.29	1.19	0.89	26.39	9.12	35.53	1/56	12/70	
		15	15	15	15	15	15	15	15	15	14	14	15	15					
		29	23	12	12	12	18	14	12	8	12	24	16	6	10	6			
<b>MARYLAND</b>																			
Baltimore WSO 39° 10', 76° 40'	18 465	1.63	1.94	3.30	4.88	6.27	7.21	7.57	6.70	4.92	3.56	2.41	1.68	36.24	15.82	52.07	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		24	25	17	17	11	8	13	10	16	13	12	17	7	10	6			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

		State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr			
<b>MASSACHUSETTS</b>																							
69	Boston WSO 42° 22', 71° 1'	19	770	1.77	1.89	2.98	4.43	6.32	6.80	7.26	6.44	4.56	3.61	2.33	1.84	34.89	15.24	50.09	1/56	12/70			
				15	15	15	15	15	15	14	15	15	15	15	15	15	15						
				19	17	12	16	13	18	18	10	12	18	16	18			8	8	8			
	Nantucket FAA Airport 41° 15', 70° 4'	19	5159	1.49	1.73	2.35	3.33	4.56	5.03	5.06	4.31	3.25	2.65	1.88	1.56	24.92	12.29	37.21	1/56	7/69			
				14	14	14	14	14	14	13	13	13	13	13	13	13	13						
				17	31	13	12	16	16	18	16	10	8	11	13			10	8	7			
	Worcester WSO 42° 16', 71° 52'	19	9923	1.25	1.40	2.40	4.01	5.40	5.62	5.91	5.28	3.89	3.03	1.80	1.26	29.12	12.10	40.96	1/57	12/70			
				14	13	14	14	14	14	14	14	14	14	14	14	14	14						
				22	17	11	14	13	12	16	12	11	22	16	30			7	6	6			
<b>MICHIGAN</b>																							
69	Alpena WSO 45° 4', 83° 34'	20	164	0.59	0.76	1.55	2.91	4.65	5.63	6.31	4.88	2.94	1.85	1.05	0.61	26.27	7.37	33.66	5/56	12/70			
				13	12	13	13	14	13	13	14	13	13	13	14	14							
				22	22	18	18	18	14	12	8	12	22	13	20			8	12	8			
	Detroit City WB Airport 42° 25', 83° 1'	20	2102	1.02	1.12	2.07	3.72	5.51	6.92	7.18	6.01	4.26	3.15	1.80	1.03	33.03	10.77	43.80	1/56	12/65			
				10	10	10	10	10	10	10	10	10	10	10	10	10	10						
				19	18	18	18	25	10	7	7	6	20	17	18			6	7	5			
	Detroit WSO MET 42° 13', 83° 19'	20	2103	0.87	1.21	2.16	3.69	5.43	6.54	6.85	5.90	4.17	3.07	1.62	1.00	31.96	10.55	42.50	1/60	12/70			
				11	11	11	11	11	11	11	11	11	11	11	11	11							
				38	22	18	18	11	10	7	12	6	12	12	18			3	10	3			
	Detroit WB Willow Run Airport 42° 13', 83° 31'	20	2104	0.89	1.09	2.16	3.66	5.70	6.66	7.11	5.91	4.42	3.19	1.77	0.95	33.00	10.5	43.52	1/56	12/65			
				10	10	10	10	10	10	10	10	10	10	10	10	10							
				18	18	16	20	12	6	12	6	10	20	13	20			3	7	1			
	Flint WSO 42° 58', 83° 43'	20	2846	0.76	0.96	1.94	3.58	5.00	5.92	6.26	5.41	3.65	2.75	1.46	0.87	29.00	9.57	38.57	1/56	12/70			
				15	15	15	15	15	15	15	15	15	15	15	15	15							
				41	30	25	18	12	11	11	10	8	19	17	24			5	13	6			
	Grand Rapids WB Airport 42° 52', 85° 31'	20	3333	0.66	0.89	1.92	3.72	5.88	7.08	7.23	6.13	4.03	2.66	1.36	0.74	33.00	9.29	42.29	1/56	12/70			
				15	15	15	15	15	15	15	15	15	15	15	15	15							
				25	18	22	18	16	12	8	11	12	22	17	20			5	8	5			
	Lansing WSO 42° 46', 84° 36'	20	4641	0.71	0.98	2.02	3.75	5.75	6.68	6.96	5.81	3.81	2.61	1.38	0.72	31.63	9.56	41.19	1/60	12/70			
				11	11	11	11	11	11	11	11	11	11	11	11	11							
				27	24	25	20	13	13	8	12	13	19	18	33			5	13	5			
	Muskegon WSO 43° 10', 86° 13'	20	5712	0.80	0.93	2.01	3.81	5.73	6.74	7.11	6.06	4.00	2.94	1.66	0.94	32.59	10.21	42.80	4/59	12/70			
				11	11	11	12	11	11	11	11	11	11	11	11	11							
				25	17	25	14	8	10	6	11	7	16	12	20			3	10	3			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.



TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Monthly Means (inches)												May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr	
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec						
<b>MICHIGAN (continued)</b>																			
20	7366	0.41	0.57	1.36	2.74	4.65	5.43	5.85	4.74	2.62	1.74	0.83	0.47	25.03	6.34	31.21	1/56	12/70	
		14	14	15	15	15	15	15	15	15	15	15	15	15					
		25	24	10	17	13	16	12	12	14	22	22	33	5	8	5			
<b>MINNESOTA</b>																			
21	2248	0.52	0.69	1.59	3.16	5.05	5.59	6.47	5.25	3.08	2.31	1.01	0.51	27.74	7.48	35.22	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		18	18	19	13	17	12	12	18	13	24	20	25	6	8	5			
21	4026	0.36	0.57	1.39	3.14	5.12	5.82	6.20	4.96	2.92	2.17	0.75	0.34	27.18	6.63	33.61	1/56	11/70	
		15	15	15	15	15	15	15	15	15	15	15	14						
		37	18	19	12	12	13	11	12	14	25	26	43	5	10	3			
21	5435	0.67	0.90	2.03	4.11	6.10	7.25	7.88	6.52	4.01	2.92	1.28	0.73	34.67	9.67	44.15	1/56	12/70	
		14	15	15	15	15	15	15	15	15	15	15	15						
		23	26	35	18	17	13	16	10	17	20	20	25	7	17	7			
21	7004	0.69	0.88	1.73	3.89	5.81	6.77	7.02	5.83	4.03	3.30	1.40	0.71	32.77	9.29	42.06	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		38	37	37	16	11	12	12	12	10	18	23	24	5	14	5			
<b>MISSISSIPPI</b>																			
22	4472	1.90	2.36	4.02	5.58	6.95	7.38	7.49	6.85	5.44	3.94	2.62	1.96	37.34	18.37	55.70	1/56	12/70	
		15	15	15	15	14	15	15	15	14	14	14	15						
		23	10	18	8	8	12	12	11	14	12	8	17	5	7	5			
22	5776	1.91	2.57	4.13	5.45	6.52	7.00	6.68	5.97	5.23	4.22	2.78	1.99	35.71	18.81	54.52	9/59	12/70	
		11	11	11	11	11	11	11	11	11	12	12	12						
		16	11	16	6	11	11	12	11	10	12	7	6	6	5	5			
<b>MISSOURI</b>																			
23	1790	1.36	1.67	3.16	5.29	6.91	7.33	8.22	7.55	5.41	4.19	2.35	1.46	39.62	15.28	54.89	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		29	14	25	18	12	12	12	11	18	20	17	19	6	11	7			
23	4359	1.37	1.83	3.47	5.45	7.34	7.94	8.84	8.09	5.69	4.47	2.39	1.56	42.36	16.07	58.43	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		32	20	26	12	16	13	14	12	20	24	25	20	10	12	8			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

		State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr	
<b>MISSOURI (continued)</b>																					
St Louis WSFO 38° 45', 90° 22'	23	7455	1.36	1.77	3.27	5.24	6.81	7.61	7.98	7.08	5.35	4.00	2.27	1.44	38.83	15.35	54.18	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
			25	12	25	16	13	12	12	8	14	22	16	22	5	8	6				
Springfield WSO 37° 13', 93° 22'	23	7976	1.68	1.98	3.50	5.35	6.46	6.73	7.69	7.56	5.31	4.13	2.44	1.67	37.89	16.63	54.51	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			25	12	27	12	13	12	13	12	20	24	17	18	7	10	6				
<b>MONTANA</b>																					
Billings WB Airport 45° 48', 108° 31'	24	807	1.50	1.96	3.03	4.35	6.36	7.48	10.21	9.02	5.79	4.29	2.32	1.90	43.14	15.06	58.19	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			43	37	30	18	16	22	11	10	18	20	18	26	6	12	6				
Great Falls WB Airport 47° 28', 111° 21'	24	3751	1.50	1.76	2.81	4.30	6.35	7.64	10.19	8.95	5.78	4.29	2.37	1.83	43.20	14.63	57.42	1/56	12/70		
			14	14	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			49	43	30	18	16	19	14	13	24	25	27	37	8	12	8				
Helena WB Airport 46° 36', 112° 0'	24	4055	0.84	1.23	2.24	3.77	5.87	6.81	9.39	7.88	4.64	2.95	1.41	0.96	37.54	10.44	47.99	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			37	37	26	14	16	20	11	12	18	18	18	26	7	10	6				
Missoula WB Airport 46° 55', 114° 4'	24	5745	0.44	0.78	1.84	3.48	5.31	6.10	9.21	7.37	4.04	1.86	0.79	0.46	33.89	7.80	41.68	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			42	32	23	12	18	14	16	14	20	14	24	45	8	12	8				
<b>NEBRASKA</b>																					
Grand Island WSO 40° 58', 98° 19'	25	3395	1.16	1.49	2.95	5.35	7.05	8.49	9.19	8.28	5.53	4.45	2.19	1.75	42.98	14.89	57.88	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			37	35	37	13	17	14	12	6	18	22	23	52	7	10	6				
North Platte WSO 41° 7', 100° 40'	25	6065	1.18	1.42	2.84	5.02	6.56	8.01	8.45	7.85	5.27	3.83	2.02	1.37	39.97	13.85	53.82	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			38	37	35	18	18	18	12	10	16	22	14	18	8	13	8				
Omaha WSFO 41° 18', 95° 53'	25	6255	1.06	1.43	3.04	5.26	7.04	8.21	8.63	7.26	4.68	3.82	2.01	1.27	39.64	14.06	53.70	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			24	33	32	12	16	13	12	5	17	22	22	22	5	12	6				
Scotts Bluff WSO 41° 52', 103° 36'	25	7665	1.51	1.89	3.14	5.10	6.95	8.46	9.77	8.60	6.04	4.32	2.38	1.59	44.14	15.62	59.75	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			25	26	25	18	14	13	8	8	12	18	14	30	5	8	5				

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Month												May-Oct***	Nov-Apr***	Annual****	Record Began Mo/Yr	Last Data Mo/Yr	
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec						
<b>NEVADA</b>																			
26	2573	0.92	1.38	2.68	4.15	6.26	8.00	10.49	8.93	6.16	3.90	1.80	0.99	43.20	12.04	55.39	1/56	12/70	
		14	14	14	15	14	14	11	13	13	14	14	13						
		31	24	18	14	14	14	5	7	8	14	20	29	3	8	****			
26	2631	1.62	1.76	3.34	4.82	7.46	9.31	11.14	9.72	7.13	4.63	2.33	1.66	49.39	15.64	65.05	1/56	12/70	
		15	15	14	15	15	15	15	15	15	15	15	15						
		23	18	23	19	17	17	7	11	10	16	23	29	5	11	5			
26	4436	3.67	4.55	7.81	10.67	14.72	16.92	17.32	15.49	12.02	8.22	4.62	3.39	84.69	34.72	119.41	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		10	16	10	12	6	7	8	8	7	8	10	13	5	6	5			
26	6779	1.56	2.04	3.61	5.08	6.98	8.54	9.89	8.64	5.81	3.86	2.00	1.35	43.72	15.65	59.38	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		25	20	12	12	11	12	5	6	5	12	13	27	3	7	3			
26	9171	1.16	1.61	2.92	4.39	6.67	8.95	11.61	9.75	6.57	3.89	1.93	1.08	47.27	12.95	60.38	1/56	12/70	
		13	12	13	13	13	13	13	13	13	13	12	13	12					
		30	29	18	19	19	17	8	8	12	18	14	19	6	7	5			
<b>NEW HAMPSHIRE</b>																			
27	1683	0.78	0.95	1.88	3.15	4.82	5.23	5.57	4.83	3.07	2.21	1.14	0.82	25.73	8.72	34.44	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		26	22	18	22	16	18	14	7	13	16	22	19	7	12	8			
<b>NEW JERSEY</b>																			
28	311	1.58	1.78	2.99	4.52	6.00	6.67	6.82	6.00	4.54	3.22	2.21	1.56	33.24	14.65	47.77	1/59	12/70	
		12	12	12	12	12	12	12	11	12	12	12	12						
		25	17	12	18	14	11	16	10	12	14	12	16	7	7	7			
28	6026	1.65	1.84	3.15	4.51	5.89	6.72	6.89	6.36	4.92	3.71	2.39	1.64	34.51	15.18	49.69	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		25	17	13	14	18	10	18	12	12	13	11	16	8	7	7			
<b>NEW MEXICO</b>																			
29	234	2.47	3.31	5.70	8.73	11.80	13.46	12.50	10.78	8.52	6.07	3.36	2.38	63.14	25.96	89.10	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15						
		13	13	16	8	8	5	6	8	12	12	11	17	5	7	5			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

72

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

		State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr
<b>NEW MEXICO (continued)</b>																				
	Roswell WSO	29	7609	2.85	4	6	8	12	13	11	10	8	6	4	3	60	28	88	1/56	12/68
	33° 18', 104° 31'			10	8	9	9	9	9	9	8	9	9	9	9					
				23	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
<b>NEW YORK</b>																				
	Albany WSO	30	42	0.72	1.01	2.00	3.77	5.00	5.84	6.37	5.39	3.55	2.54	1.41	0.78	28.70	9.69	38.40	1/56	12/70
	42° 45', 73° 48'			15	15	15	15	15	15	15	15	15	15	15	15					
				35	25	17	17	14	11	11	8	12	18	13	25	5	12	5		
	Binghamton WSO	30	687	0.70	0.84	1.68	3.32	4.85	5.79	5.92	5.13	3.54	2.42	1.29	0.72	27.64	8.56	36.20	1/56	12/70
	42° 13', 75° 58'			15	15	15	15	15	15	15	15	15	15	15	15					
				20	27	18	20	20	14	18	13	19	20	23	22	10	10	7		
	Buffalo WSO	30	1012	0.97	0.98	1.75	3.35	5.07	6.50	6.93	5.72	4.07	2.74	1.51	1.01	31.02	9.65	40.89	1/56	12/70
	42° 55', 78° 43'			14	15	15	15	15	15	15	15	15	15	15	15					
				25	18	16	23	16	12	11	10	12	18	12	19	5	7	3		
73	New York WB LaGuardia Airport	30	5811	1.98	2.15	3.32	4.69	6.35	7.25	7.64	6.73	5.50	4.18	2.82	1.95	37.64	16.91	54.55	1/56	12/70
	40° 46', 73° 52'			15	15	15	15	15	15	15	15	15	15	15	15					
				23	14	11	12	14	8	17	12	10	12	8	25	5	6	5		
	Rochester WSO	30	7167	0.91	0.94	1.79	3.50	5.21	6.56	6.78	5.69	3.79	2.68	1.45	0.94	30.71	9.53	40.24	1/56	12/70
	43° 7', 77° 40'			15	15	15	15	15	15	15	15	15	15	15	15					
				51	24	18	19	18	11	12	8	12	18	17	25	6	12	5		
	Syracuse WSO	30	8383	0.79	0.95	1.77	3.48	4.96	6.15	6.58	5.60	3.76	2.54	1.52	0.89	29.58	9.39	38.97	1/56	12/70
	43° 7', 76° 7'			15	15	15	15	15	15	15	15	15	15	15	15					
				42	24	18	17	16	11	14	7	14	19	18	23	7	12	7		
<b>NORTH CAROLINA</b>																				
	Cape Hatteras WSO	31	1458	2.12	2.42	3.69	5.44	6.69	7.07	7.59	6.57	5.64	4.05	2.91	2.26	37.61	18.85	56.45	1/56	12/70
	35° 16', 75° 33'			15	15	15	15	15	15	15	15	15	15	15	15					
				13	14	17	14	18	14	13	10	12	10	10	13	8	6	6		
	Charlotte WSO	31	1690	1.95	2.44	4.07	6.04	7.16	7.63	7.64	7.06	5.45	3.87	2.70	2.07	38.81	19.27	58.08	1/56	12/70
	35° 13', 80° 55'			15	15	15	15	15	15	15	15	15	15	15	15					
				16	8	17	8	12	12	11	8	12	17	10	10	3	5	3		
	Greensboro WSO	31	3630	1.82	2.21	3.95	5.25	6.41	6.72	6.69	6.21	4.64	3.49	2.47	1.86	34.16	17.56	51.72	1/56	12/70
	36° 4', 79° 49'			15	15	15	15	15	15	15	15	15	15	15	15					
				18	13	25	13	12	8	8	12	11	18	11	12	3	6	3		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-ZDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Annual***	Record Began Mo/Yr	Last Data Mo/Yr		
														Oct***	Apr***					
<u>NORTH CAROLINA</u> (continued)																				
Raleigh Durham WB Airport 35° 52', 78° 46'	31	7069	2.01	2.44	4.07	5.81	6.38	6.87	6.89	6.25	4.88	3.56	2.71	2.15	34.90	19.18	54.29	1/56	12/70	
			15	15	15	15	15	14	15	15	15	15	15	15	15					
			19	12	22	12	16	12	12	14	12	16	12	13		6	7			5
Wilmington WSO 34° 16', 77° 55'	31	9457	2.10	2.64	4.21	6.35	7.31	7.24	7.53	6.40	5.34	4.00	2.86	2.39	37.81	20.55	58.35	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15						
			18	12	18	8	12	8	14	11	10	14	12	10		5	8			5
Winston-Salem WB Airport 36° 7', 80° 13'	31	9539	2.14	2.44	4	6	7	7	7	6	5	4	3	2	36	20	56	1/56	2/65	
			10	10	9	9	9	9	9	9	9	9	9	9						
			16	7	****	****	****	****	****	****	****	****	****	****	****	****	****			****
<u>NORTH DAKOTA</u>																				
Bismarck WSO 46° 46', 100° 45'	32	819	0.55	0.71	1.95	4.07	6.49	7.28	8.68	8.11	4.82	3.27	1.33	0.68	38.65	9.37	47.48	1/56	12/70	
			15	14	14	15	15	15	15	15	15	15	15	14	15					
			38	24	31	17	16	18	16	17	18	20	26	35		8	11			7
74 Fargo WSO 46° 53', 96° 48'	32	2859	0.50	0.68	1.63	3.64	5.91	6.54	7.77	7.08	4.21	2.92	1.13	0.56	34.42	8.28	43.39	2/56	12/70	
			13	14	15	14	15	15	15	15	15	15	15	14						
			44	25	37	19	24	13	16	12	18	25	31	36		6	19			5
Williston WSO 48° 10', 103° 37'	32	9425	0	1	1.53	3.56	6.19	6.93	9	7.72	5	3	1	1	38	8	46	1/56	12/70	
			9	9	10	10	10	10	9	10	9	9	9	9						
			****	****	31	19	13	13	****	14	****	****	****	****	****	****	****			****
<u>OHIO</u>																				
Akron Canton WSO 40° 55', 81° 25'	33	58	0.95	1.12	2.10	3.70	5.09	5.99	6.10	5.63	4.19	3.27	1.81	1.00	30.28	10.67	40.94	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			33	23	20	18	12	16	12	7	12	17	13	26		6	12			5
Cleveland WSO 41° 23', 81° 51'	33	1657	1.02	1.16	2.15	3.89	5.86	6.84	6.83	5.89	4.24	3.12	1.87	1.20	32.78	11.29	44.07	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15						
			32	22	22	16	12	8	8	11	11	18	12	25		5	10			5
Columbus WSO 40° 0', 82° 52'	33	1786	1.06	1.23	2.55	3.92	5.73	6.59	6.79	5.90	4.10	3.01	1.71	1.08	32.13	11.56	43.69	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15						
			41	18	20	17	16	12	12	13	20	18	14	24		7	12			6
Dayton WSO 39° 53', 84° 13'	33	2075	1.14	1.38	2.58	4.35	6.34	7.58	7.46	6.81	5.04	3.54	1.90	1.22	36.77	12.56	49.34	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15						
			35	16	20	17	16	11	14	10	10	16	14	19		6	8			6

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

	State No.	Station Index No.**													May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr	
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec						
<b>OHIO (continued)</b>																				
Toledo WB Airport 41° 36', 83° 48'	33	8357	0.81	1.09	2.13	3.66	5.86	6.63	6.83	5.84	4.09	2.94	1.51	0.83	32.20	10.03	42.23	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			32	23	25	18	16	11	12	7	7	20	31	19		6	11	6		
Youngstown WSO 41° 16', 80° 40'	33	9406	0.84	1.00	2.06	3.58	4.97	5.89	5.88	5.29	3.88	3.02	1.72	0.92	28.93	10.11	39.04	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			31	16	18	18	14	8	14	10	14	20	23	18		6	8	5		
<b>OKLAHOMA</b>																				
Oklahoma City WSFO 35° 23', 97° 36'	34	6661	2.00	2.54	4.47	6.33	7.37	8.61	10.06	9.62	6.36	5.01	3.15	2.30	47.03	20.78	67.81	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			38	22	31	17	17	10	13	14	24	19	19	22		10	13	8		
Tulsa WSO 36° 10', 95° 53'	34	8992	1.91	2.34	4.05	5.89	6.76	7.79	9.09	8.37	5.94	4.70	2.97	2.10	42.65	19.25	61.90	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			31	18	30	18	18	13	17	18	25	24	18	16		12	14	12		
<b>OREGON</b>																				
Astoria WB Airport 46° 8', 123° 52'	35	328	0.95	1.24	1.83	2.53	3.73	4.10	4.81	4.02	2.82	1.58	1.03	0.96	21.07	8.54	29.61	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			23	32	24	14	13	13	11	12	12	22	19	74		5	12	5		
Medford WB Airport 42° 22', 122° 52'	35	5429	0.73	1.30	2.62	4.08	5.93	7.99	10.28	8.77	5.87	2.75	0.99	0.57	41.59	10.30	51.89	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			26	18	20	16	16	18	10	11	11	20	31	43		6	10	6		
Pendleton WB Airport 45° 40', 118° 51'	35	6546	1.13	1.68	3.16	4.72	6.73	9.31	11.88	9.92	6.74	3.53	1.62	1.09	48.10	13.39	61.50	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			44	26	12	18	17	10	7	10	10	18	17	35		5	11	5		
Portland WB Airport 45° 36', 122° 36'	35	6751	1.07	1.47	2.23	3.06	4.65	5.77	7.45	6.12	3.89	2.05	1.25	0.89	30.23	9.97	40.30	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	14	15	15					
			29	26	18	16	20	18	13	16	16	17	20	16		11	6	8		
Salem WB Airport 44° 55', 123° 1'	35	7500	0.93	1.24	2.09	2.90	4.10	5.44	7.41	6.17	4.20	2.13	1.09	0.79	29.46	9.04	38.50	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			29	24	23	18	18	14	12	14	13	12	25	38		8	7	7		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Annual***	Record Began Mo/Yr	Last Data Mo/Yr
														Oct***	Apr***			
<b>PENNSYLVANIA</b>																		
Allentown WSO 40° 38', 75° 25'	36 106	1.29	1.47	2.60	4.01	5.16	6.02	6.05	5.37	3.91	2.90	1.78	1.16	29.42	12.31	41.73	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
		31	25	16	14	17	10	18	11	18	12	12	14	7	8	5		
Erie WSO 42° 4', 80° 11'	36 2682	1.09	1.02	1.96	3.62	5.11	6.34	6.58	5.79	4.31	3.48	2.03	1.32	31.61	11.09	42.82	2/60	12/70
		10	11	11	11	11	11	11	11	11	11	11	11	11	11	11		
		38	17	20	19	17	17	11	7	10	17	11	18	5	12	5		
Harrisburg FAA Airport 40° 13', 76° 51'	36 3699	1.40	1.72	2.92	4.66	6.16	6.94	7.51	6.41	4.39	3.05	1.95	1.41	34.46	14.06	48.52	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
		25	20	12	16	16	11	16	10	13	12	11	12	8	6	5		
Philadelphia WSFO 39° 52', 75° 13'	36 6889	1.47	1.78	3.00	4.67	6.19	7.08	7.13	6.44	4.74	3.35	2.18	1.56	34.93	14.67	49.60	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
		25	19	16	14	13	6	11	8	12	6	10	17	5	8	5		
Pittsburgh WSO 40° 30', 80° 13'	36 6993	1.09	1.26	2.42	4.07	5.58	6.43	6.74	5.91	4.29	3.17	1.87	1.15	32.11	11.82	43.62	1/56	12/70
		15	14	15	15	15	15	15	15	15	15	15	14	15	15	15		
		32	20	22	17	17	10	12	10	18	18	17	17	6	11	6		
Scranton WSO 41° 19', 75° 43'	36 7905	0.94	1.13	2.12	3.87	5.41	6.10	6.22	5.45	3.71	2.60	1.52	0.98	29.49	10.55	40.04	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
		30	20	20	19	17	12	14	10	17	17	17	16	7	11	7		
Williamsport WSO 41° 15', 76° 55'	36 9728	1.12	1.27	2.21	3.76	4.82	5.49	5.54	4.73	3.45	2.54	1.56	1.07	26.55	10.98	37.53	10/59	12/70
		10	10	10	10	10	11	11	11	11	11	12	12	12	12	12		
		30	24	18	18	17	10	16	13	18	20	17	18	7	7	5		
<b>RHODE ISLAND</b>																		
Providence WSO 41° 43', 71° 25'	37 6698	1.49	1.66	2.83	4.35	5.75	6.17	6.51	5.77	4.16	3.09	2.05	1.51	31.45	13.88	45.33	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
		23	16	11	16	14	13	14	12	8	13	12	12	7	6	6		
<b>SOUTH CAROLINA</b>																		
Charleston WSO 32° 53', 80° 1'	38 1544	2.46	3.11	4.68	6.28	7.32	7.13	7.28	6.53	5.26	4.22	3.12	2.66	37.61	22.31	59.94	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	14	15	15	15	15		
		12	11	18	8	14	8	13	11	12	18	13	11	7	7	7		
Columbia WSFO 33° 56', 81° 7'	38 1939	2.01	2.53	4.45	6.47	7.21	7.51	7.67	6.99	5.55	3.92	2.82	2.23	38.85	20.52	59.37	1/56	12/70
		15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
		12	8	14	7	16	13	11	13	10	14	8	12	6	5	5		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Month												May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr	
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec						
<b>SOUTH CAROLINA (continued)</b>																			
38	3747	2.09	2.56	4.33	6.01	6.88	6.92	7.08	6.67	5.06	3.93	2.92	2.17	36.56	20.07	56.63	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		18	8	18	12	14	12	10	13	12	17	12	10	6	6	5			
<b>SOUTH DAKOTA</b>																			
39	4127	0.69	0.83	2.15	4.45	6.26	7.68	8.89	7.68	4.96	3.52	1.60	0.84	38.99	10.62	49.90	1/56	12/70	
		14	15	15	15	15	15	15	15	15	15	15	15	15					
		39	47	44	17	14	22	14	11	18	20	25	33	10	16	8			
39	6937	1.31	1.49	2.80	4.69	6.51	7.67	9.27	9.15	6.26	4.55	2.26	1.49	43.42	14.16	57.75	1/56	12/70	
		14	15	15	15	15	15	15	15	15	15	15	15	15					
		26	23	26	16	14	22	14	14	16	19	16	25	10	7	7			
39	7667	0.78	1.00	2.23	4.45	6.50	7.76	8.49	7.35	4.80	3.63	1.69	0.93	38.53	11.09	49.62	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		30	23	37	10	11	16	12	10	17	18	18	29	6	11	6			
<b>TENNESSEE</b>																			
40	1094	1.37	1.77	3.19	4.48	5.32	5.73	5.68	5.37	4.64	3.60	2.07	1.45	30.34	14.36	44.70	11/59	12/70	
		11	11	11	11	11	11	11	11	11	11	11	12	12					
		20	12	18	12	14	8	12	10	12	16	12	18	6	3	3			
40	1656	1.48	1.98	3.56	5.29	6.41	6.52	6.68	6.17	4.87	3.33	2.10	1.54	33.99	15.95	49.94	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		18	11	17	10	13	13	12	13	12	18	11	12	7	6	5			
40	4950	1.45	1.94	3.62	5.37	6.65	6.61	6.71	6.26	4.95	3.41	2.11	1.56	34.57	16.04	50.61	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		18	10	19	12	13	16	16	13	11	17	11	23	8	5	6			
40	5954	1.90	2.26	4.14	6.28	7.76	7.99	8.31	7.62	5.82	4.47	2.79	2.03	41.97	19.40	61.37	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		22	8	20	12	10	11	12	11	16	13	14	17	6	6	5			
40	6402	1.50	1.87	3.45	5.43	6.78	7.31	7.52	6.87	5.14	3.72	2.14	1.67	37.34	16.07	53.41	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		31	18	27	12	11	11	11	12	14	19	14	19	6	12	5			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.



TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-	Nov-	Annual***	Record Began Mo/Yr	Last Data Mo/Yr	
														Oct***	Apr***				
<b>TEXAS</b>																			
Abilene WSO 32° 25', 99° 40'	41 16	3.32	3.45	6.04	7.80	9.61	10.83	11.74	10.78	7.39	5.95	4.03	3.27	56.30	27.91	84.21	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		20	18	25	20	18	13	14	10	20	18	20	23	8	12	8			
Amarillo WSO 35° 13', 101° 41'	41 211	2.99	3.22	5.65	8.26	10.77	11.27	11.54	10.30	7.67	6.51	3.91	3.14	58.06	27.17	85.23	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		25	25	31	18	17	10	12	10	17	22	22	20	8	13	8			
Austin WB Airport 30° 18', 97° 41'	41 428	2.78	3.26	5.20	5.99	7.67	9.12	10.60	9.68	7.00	5.35	3.57	2.78	49.42	23.58	73.00	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		22	17	18	14	16	12	12	12	13	18	22	23	7	12	8			
Brownsville WB Airport 25° 53', 97° 25'	41 1136	3.10	3.54	5.60	7.01	8.37	9.37	10.30	9.01	6.89	5.57	4.11	3.23	49.51	26.60	76.11	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		18	22	13	16	12	11	10	10	12	17	19	20	6	11	7			
Corpus Christi WB Airport 27° 46', 97° 30'	41 2015	2.82	3.35	5.37	6.38	7.35	8.91	10.11	9.24	6.98	5.76	4.01	3.13	48.63	25.06	73.54	1/56	12/70	
		15	15	15	15	15	15	15	14	15	15	15	15	15					
		20	22	13	13	17	16	12	11	12	12	17	18	8	10	8			
Dallas WSO 32° 51', 96° 51'	41 2244	2.72	3.13	5.24	6.56	8.10	9.72	11.31	10.34	7.23	5.61	3.74	3.07	52.30	24.45	76.76	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		24	17	25	17	18	11	11	10	16	14	17	16	7	12	7			
El Paso WB Airport 31° 48', 106° 23'	41 2797	3.86	5.02	8.23	11.51	14.25	14.83	13.22	11.82	9.23	7.16	4.56	3.52	70.52	36.70	107.22	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	15	15					
		18	8	16	5	6	5	6	8	13	12	12	12	3	6	5			
Fort Worth WSO 32° 49', 97° 3'	41 3283	2.66	3.12	5.13	6.39	7.80	10.05	11.30	10.53	7.16	5.36	3.58	2.82	52.57	23.69	76.50	1/56	12/70	
		15	15	15	15	15	15	15	14	15	15	15	15	15					
		24	14	29	18	19	11	12	12	19	16	18	16	10	12	10			
Houston WB City 29° 46', 95° 22'	41 4305	2.91	3.39	5.03	5.85	7.39	8.38	8.64	7.81	6.50	5.38	3.60	2.84	44.09	23.61	67.38	1/56	12/70	
		15	15	15	15	15	15	15	15	15	15	15	14	15					
		23	12	17	12	8	12	8	13	13	14	16	16	7	10	7			
Lubbock WB Airport 33° 38', 101° 49'	41 5411	3.19	3.54	5.67	8.46	10.24	11.02	10.89	9.64	7.33	6.08	4.00	3.12	55.21	27.89	83.15	1/56	12/70	
		14	15	15	15	15	15	15	15	15	15	15	15	15					
		20	26	27	12	13	6	11	7	16	16	18	16	5	11	6			
Midland WSO 31° 56', 102° 10'	41 5890	3.48	3.93	6.75	9.17	11.24	11.79	11.92	11.04	7.90	6.33	4.22	3.42	60.11	30.97	91.12	1/56	12/70	
		15	15	15	15	15	14	15	15	15	15	15	15	15					
		22	18	20	12	12	7	12	10	13	18	18	17	6	11	7			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

Station	State No.	Station Index No.**	Monthly Means (inches)												May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr	
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec						
<b>TEXAS (continued)</b>																				
Port Arthur WB Airport 29° 58', 94° 1'	41	7174	2.24	2.81	4.34	5.31	7.18	8.21	8.04	7.29	6.09	4.92	3.30	2.37	41.74	20.36	62.10	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			18	18	12	12	10	12	12	12	12	14	12	17	14	6	7	6		
San Angelo WSO 31° 21', 100° 30'	41	7943	3.49	3.91	6.75	8.35	9.62	10.79	11.91	11.13	7.77	6.06	4.57	3.37	57.27	30.43	87.70	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			19	18	25	14	14	13	11	11	18	17	36	19	7	8	6			
San Antonio WSO 29° 31', 98° 28'	41	7945	2.96	3.55	5.55	6.29	7.80	9.72	10.94	10.16	7.38	5.44	3.74	2.98	51.43	25.07	76.50	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			20	18	17	14	18	11	10	11	12	18	18	17	8	12	10			
Victoria WB Airport 28° 51', 96° 55'	41	9364	3.07	3.41	5.03	5.93	7.12	8.11	9.02	8.52	6.66	5.35	3.90	3.18	44.64	24.33	68.98	1/56	12/70	
			12	12	12	12	12	12	11	12	11	11	11	11	11					
			19	18	12	12	12	14	11	12	13	17	17	14	7	8	7			
Waco WB Airport 31° 37', 97° 13'	41	9419	2.88	3.29	5.41	6.45	7.74	9.90	11.31	10.63	7.51	6.14	3.94	3.00	53.23	24.96	78.19	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			22	18	24	17	14	13	13	12	17	22	18	20	10	12	10			
Wichita Falls WSO 33° 58', 98° 28'	41	9729	2.60	3.17	5.32	7.00	8.22	9.90	11.48	11.05	7.53	5.64	3.86	2.82	53.81	24.77	78.58	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			29	24	31	17	16	12	12	11	20	22	17	16	8	14	10			
<b>UTAH</b>																				
Salt Lake City WB Airport 40° 46', 111° 58'	42	7598	1.14	1.72	3.54	5.37	8.60	10.56	13.35	11.21	7.62	4.53	2.00	1.01	55.87	14.78	70.65	1/56	12/70	
			15	15	15	15	15	15	15	15	15	15	15	15	15					
			31	27	16	13	17	16	6	10	13	13	18	25	7	7	5			
<b>VERMONT</b>																				
Burlington WSO 44° 28', 73° 8'	43	1081	0.68	0.90	1.62	3.06	4.56	5.65	5.96	5.17	3.15	2.20	1.21	0.73	26.69	8.21	35.02	1/56	12/70	
			14	15	15	15	15	15	15	15	15	15	15	14	14					
			33	25	17	18	16	18	14	12	11	18	23	25	6	13	8			
<b>VIRGINIA</b>																				
Lynchburg WSO 37° 19', 79° 11'	44	5120	1.71	1.81	3.15	5.12	6.00	6.70	6.35	5.65	4.47	3.01	2.52	1.63	32.19	15.66	47.97	1/56	10/67	
			10	10	10	10	10	10	10	10	10	10	11	10	10					
			13	12	18	17	11	12	12	6	25	18	27	12	5	****	****			

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

		State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data No/Yr	
<b>VIRGINIA (continued)</b>																					
Norfolk WSO 36° 52', 76° 11'	44	6139	2.05	2.31	3.96	5.78	6.90	7.52	7.47	6.41	5.18	3.70	2.77	2.20	37.19	19.07	56.25	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
			18	16	14	17	10	11	10	12	10	10	10	11	12	5	6	5			
Richmond WSO 37° 30', 77° 19'	44	7201	1.66	2.03	3.51	5.36	6.64	7.12	7.06	6.11	4.58	3.24	2.45	1.73	34.75	16.75	51.50	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	
			18	14	18	14	10	12	11	10	12	16	12	13	5	8	5				
Roanoke WSO 37° 19', 79° 58'	44	7285	2.09	2.40	3.95	5.34	6.27	6.60	6.73	6.20	4.71	3.81	2.74	2.04	34.32	18.57	52.89	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
			16	16	19	16	8	10	10	7	12	16	12	12	5	7	5				
Sterling R&D 38° 58', 77° 28'	44	8084	1.45	1.84	3.35	4.67	5.77	6.57	6.82	6.23	4.50	3.17	2.18	1.51	33.06	15.01	48.06	1/61	12/70		
			10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
			27	20	18	18	12	6	12	11	16	16	13	17	7	8	6				
<b>WASHINGTON</b>																					
Olympia WB Airport 46° 58', 122° 53'	45	6114	0.64	1.20	1.87	2.75	4.01	4.63	5.84	4.92	3.11	1.50	0.76	0.51	23.99	7.73	31.73	1/56	12/70		
			15	15	15	15	14	13	13	13	13	14	14	15	15	15	15	15	15		
			36	37	18	16	18	16	16	16	18	14	12	19	42	10	12	8			
Seattle Tacoma WB 47° 26', 122° 18'	45	7473	1.15	1.57	2.30	3.18	5.08	5.80	7.00	5.53	3.52	2.00	1.23	1.02	28.92	10.44	39.36	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
			17	26	18	13	18	16	13	16	16	18	26	23	8	8	6				
Spokane WB Airport 47° 37', 117° 31'	45	7938	0.61	1.11	2.28	4.04	6.28	7.82	10.66	8.63	5.37	2.58	0.92	0.51	41.36	9.47	50.83	1/56	12/70		
			15	15	15	15	14	15	15	15	15	15	15	15	15	15	15	15	15		
			33	26	18	17	16	12	7	13	17	24	24	30	6	10	5				
Tatoosh WB Airport 48° 22', 124° 43'	45	8332	1.62	1.56	2.06	2.50	3.24	3.37	2.97	2.49	2.25	1.83	1.59	1.21	16.07	10.59	26.66	1/56	12/66		
			11	11	11	11	11	10	11	11	11	11	10	11	11	11	11	11	11		
			23	23	23	18	18	26	18	22	13	25	25	37	7	11	6				
Yakima WB Airport 46° 34', 120° 31'	45	9465	0.75	1.39	2.91	4.48	6.58	7.83	9.77	7.92	5.28	2.90	1.32	0.72	40.29	11.58	51.87	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
			44	31	16	16	12	13	8	12	11	13	20	25	6	12	6				
<b>WEST VIRGINIA</b>																					
Charleston WSO 38° 22', 81° 36'	46	1570	1.37	1.67	2.99	4.41	5.46	5.68	5.45	5.00	4.04	3.02	1.97	1.42	28.63	13.83	42.45	1/56	12/70		
			15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15		
			24	14	20	12	12	10	12	11	14	13	18	20	6	7	6				

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

TABLE II -- MONTHLY MEANS OF ESTIMATED "PAN EVAPORATION" COMPUTED FROM METEOROLOGICAL MEASUREMENTS USING A FORM OF THE PENMAN EQUATION\*

	State No.	Station Index No.**	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	May-Oct***	Nov-Apr***	Annual***	Record Began Mo/Yr	Last Data Mo/Yr
<u>WEST VIRGINIA (continued)</u>																			
Eikins WSO	46	2718	0.99	1.21	2.23	3.14	4.33	4.39	4	4	3	2	1	1	22	10	32	1/56	6/68
38° 55', 79° 49'			10	10	10	10	11	11	8	9	9	9	9	9	****	****	****		
			24	25	19	14	12	10	****	****	****	****	****	****					
<u>WISCONSIN</u>																			
Green Bay WSO	47	3269	0.62	0.81	1.70	3.46	5.17	6.15	6.64	5.33	3.38	2.34	1.16	0.63	29.02	8.37	37.30	1/56	12/70
44° 28', 88° 7'			14	15	15	15	15	15	15	15	15	15	15	15					
			24	29	30	18	12	12	12	12	12	25	19	25	7	13	7		
La Crosse WSO	47	4370	0.74	1.03	1.99	4.31	6.15	6.95	7.26	6.11	3.85	3.20	1.45	0.80	33.43	10.08	43.36	1/56	9/68
43° 52', 91° 15'			13	13	13	13	13	13	12	13	13	12	12	12					
			24	33	30	16	12	12	7	8	12	18	19	24	5	12	5		
Madison WSO	47	4961	0.74	1.00	1.99	3.75	5.34	6.69	6.86	5.80	3.63	2.71	1.28	0.69	31.03	9.43	40.46	1/56	12/70
43° 7', 89° 19'			14	15	15	15	15	15	15	15	15	15	15	15					
			27	24	25	14	25	14	8	10	13	20	14	30	6	12	6		
Milwaukee WSO	47	5479	0.85	1.09	2.01	3.82	5.57	6.70	7.25	5.96	4.04	2.88	1.55	0.90	32.39	10.22	42.62	1/56	12/70
42° 56', 87° 53'			15	15	15	15	15	15	15	15	15	15	15	15					
			24	26	30	14	18	13	13	12	11	19	13	19	7	12	6		
<u>WYOMING</u>																			
Casper WSO	48	1570	1.85	1.92	3.03	4.73	6.92	8.76	10.64	9.85	6.65	5.18	2.38	1.82	48.01	15.73	63.74	1/56	12/70
42° 55', 106° 28'			15	15	15	15	15	15	15	15	15	15	15	15					
			25	23	27	18	12	16	10	6	13	41	19	24	7	7	5		
Cheyenne WSO	48	1675	2.42	2.41	3.32	5.26	7.01	8.16	9.23	8.61	6.18	4.77	2.95	2.51	43.96	18.87	62.83	1/56	12/70
41° 8', 104° 49'			15	15	15	15	15	15	15	15	15	15	15	15					
			23	23	24	19	14	18	12	10	12	20	14	18	8	7	5		
Lander WB Airport	48	5390	1.09	1.51	2.84	4.25	6.42	7.98	9.87	9.05	5.63	3.55	1.53	1.11	42.50	12.33	54.83	1/56	12/70
42° 49', 108° 43'			15	15	15	15	15	15	15	15	15	15	15	15					
			31	24	17	13	16	18	7	7	18	22	22	22	6	5	5		
Sheridan WSO	48	8155	0.96	1.11	2.33	3.96	5.56	6.56	8.64	7.86	4.59	3.27	1.52	1.16	36.65	11.06	48.03	1/56	11/70
44° 46', 106° 58'			15	13	15	14	14	14	14	14	15	14	15	14					
			41	27	23	18	20	19	11	10	20	20	20	38	7	6	5		

\* First line of data in the table for each station is mean evaporation in inches; second line is the number of years of record per month; and third line is the coefficient of variation in percent (computed only when there are 10 years or more of record during 1956-1970).

\*\* Climatological Data (NOAA-EDIS)

\*\*\* Sum of monthly means.

\*\*\*\* Insufficient data between 1956-70 to compute the coefficient of variation.

## ACKNOWLEDGMENTS

The authors extend appreciation to Don Haddock, editor of the NOAA-USDA Weekly Weather and Crop Bulletin, for his encouragement to put out this report; to Don L. Myers and Dale Howell who assisted in tabulation; to Dale Howell for his meticulous rechecking of the data; to Dr. Eugene Peck for suggestions and review of the data; to Ruth Ripkin and Terry Whitehead for patience and perseverance in typing tables; to Stephen Ambrose and Lianne Iseley for help with graphics and photocopying; to NBI who, at the request of Dale Howell, assisted in transferring all of the evaporation estimates from meteorological measurements from the NOAA central computer to the NBI System 3000 word processor, resulting in a saving of many hours.

## REFERENCES

- Farnsworth, R.K., Peck, E.L., and Thompson, E.S., 1982: Evaporation Atlas for the Contiguous 48 States. NOAA Technical Report NWS 33, U.S. Dept. of Commerce, Washington, D.C., 26 pp., 4 maps.
- Hamon, R.W., Weiss, L.L., and Wilson, W.T., 1954: Insolation as an empirical function of daily sunshine duration. Mon. Weather Rev., 82(6), pp. 141-146.
- Hydrologic Branch, Division of Climatological and Hydrologic Services, 1950: Mean Monthly and Annual Evaporation from Free Water Surface for the United States, Alaska, Hawaii, and the West Indies. Technical Paper 13, U.S. Weather Bureau, Washington, D.C., 10 pp.
- Kohler, M.A., Nordenson, T.J., and Fox, W.E., 1955: Evaporation from Pans and Lakes. Research Paper 38, U.S. Weather Bureau, Washington, D.C.
- NOAA-EDIS, Climatological Data, published monthly by NOAA-EDIS on a state-by-state basis except for New England, and Delaware and Maryland, which are combined into regional publications. National Climatic Center, Asheville, N.C.
- NOAA-EDIS, Local Climatological Data, published monthly by NOAA-EDIS on a station-by-station basis. National Climatic Center, Asheville, N.C.
- NOAA-NWS, 1972: NWS Observing Handbook No. 2, Substation Observations. Revised, NOAA, Washington, D.C., December 1972, 77 pp.
- NOAA-NWS, 1979: Operations of the National Weather Service. U.S. Government Printing Office, Washington, D.C., Stock No. 003-018-00098-9, 261 pp.
- Penman, H.L., 1948: Natural evaporation from open water, bare soil and grass. Proceedings of the Royal Society of London. Ser. A, Vol. 193, No. 1032, pp 120-145.
- Thompson, E.S., 1976: Computation of solar radiation from sky cover. Water Resources Research, 12(5), pp. 859-865.

## APPENDIX A

### Example of Estimating Monthly Data for a Location with no Observed Data

In this example, steps for prorating data will be illustrated with some of the problems caused by incomplete records. The basic steps are the following:

1. Determine annual (or seasonal) values for potential (FWS) evaporation from the maps in the NOAA Technical Report NWS 33, Evaporation Atlas for the Contiguous 48 United States.
2. Locate appropriate stations which have data in the tables of this report.
3. Determine monthly fractions of annual (or seasonal) evaporation for the stations in the table by dividing the evaporation value for each month by the annual (or seasonal) value.
4. Multiply the monthly fractions just determined by the annual (or seasonal) value for the location of interest (as determined in step 1).

Suppose monthly mean potential evaporation is desired for Vaughn, New Mexico. Vaughn is located in the southwest corner of Guadalupe County.

1. From map 3 in the NOAA Technical Report NWS 33, Evaporation Atlas for the Contiguous 48 United States, the annual free water surface evaporation is found to be between the 55 and 60 inch isopleths. A linear interpolation would give approximately 58 inches. From map 2 the May-October evaporation is 41 inches.
2. The nearest stations to Vaughn having data in the table are Alamogordo Dam and Estancia. The elevation of Alamogordo Dam is between 4,000 and 4,500 feet. Vaughn is near 6,000 feet, and Estancia is 6,100 feet. There are only low hills between Estancia and Vaughn. Based on elevation and relief, Estancia would be the logical selection to prorate monthly values. However, because of the high elevation and limited period of record, Estancia has data only for the months from May to September. Because no annual (or May to October) value is listed, we cannot determine the required ratios. Santa Fe, found further north, is slightly higher and has some data for all the months of the year. It should be noted that Estancia has about 12 years of record in the tables and Santa Fe has up to 36 years in the summer and 17 years in the winter. Again, caution must be used in applying these data. It seems reasonable that those years when Santa Fe does have data in the winter are probably the milder years, and when the station lacks data it is likely that the weather was too cold and pans were frozen over during most of the winter period. If such is the case, then a true mean would be less than that indicated by the 17 years of available data.
3. To better illustrate the distribution of evaporation in this area, ratios of monthly to annual evaporation were computed for both Santa Fe and Alamogordo Dam and are shown in table A1.

Table A1

Monthly fractions of annual and seasonal evaporation at Alamogordo Dam and Santa Fe

<u>Station</u>	<u>% of</u>	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Nov</u>	<u>Dec</u>
Alamogordo Dam	Annual	.035	.043	.078	.102	.121	.137	.130	.113	.093	.067	.045	.035
	May-Oct					.182	.207	.197	.171	.140	.102		
Santa Fe	Annual	.022	.032	.058	.095	.134	.160	.142	.121	.104	.072	.037	.021
	May-Oct					.183	.218	.193	.164	.142	.100		

Table A2

Monthly potential evaporation (FWS), in inches, at Vaughn, New Mexico, based on ratios (fraction) in table A1 and on annual and seasonal values taken from maps in NOAA Technical Report "Evaporation Atlas for the United States"

<u>Station</u>	<u>Period</u>	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Nov</u>	<u>Dec</u>	<u>Totals of Estimated Monthly Values</u>
Alamogordo Dam	Annual	2.9	2.5	4.5	5.9	7.0	8.0	7.5	6.6	5.4	3.9	2.6	2.0	58.8
	May-Oct					7.5	8.5	8.1	7.0	5.7	4.2			41.0
Santa Fe	Annual	1.3	1.9	3.4	5.5	7.8	9.3	8.2	7.0	6.0	4.2	2.2	1.2	57.9
	May-Oct					7.5	8.9	7.9	6.7	5.8	4.1			36.9

4. Table A2 shows the monthly FWS evaporation at Vaughn resulting from multiplying the annual FWS from Atlas map 3 by monthly fractions based on the distributions at Alamogordo Dam and Santa Fe.

The evaporation estimates from table A2 are plotted in figure A1.




Figure A1. Monthly distribution at Vaughn, New Mexico based on evaporation distribution at Alamogordo Dam and Santa Fe.

The annual values are connected by lines. It is readily apparent that stations at higher elevations tend to have lower evaporation during the winter months and a higher fraction of the annual evaporation during the summer than do the stations at a lower elevation. Also apparent is a closer agreement of estimates based only on May-October ratios. Since Vaughn is only a little lower than Santa Fe and significantly higher than Alamogordo Dam, a reasonable decision would be to accept either the value estimated from Santa Fe or to take values from the graph between the values for the two sites but very near those for Santa Fe.